



Rear Impact Dummy Biofidelity Status Update

Rear Impact/Head Restraint Meeting Tokyo, Japan 3 February 2010

Kevin Moorhouse, Ph.D.

Bruce R. Donnelly, Ph.D.

Vehicle Research and Test Center

National Highway Traffic Safety Administration





Objectives & Tasks

- Evaluate biofidelity of available RIDs (BioRID II, RID3D)
 - Choose biofidelity test condition
 - Develop experimental seat for rear impact sled testing
 - Conduct sled tests
 - PMHS (Post-Mortem Human Subjects)
 - Dummies (BioRID II, RID3D, Hybrid III)
 - Assess biofidelity of dummies





Objectives & Tasks

- Evaluate biofidelity of available RIDs (BioRID II, RID3D)
 - Choose biofidelity test condition
 - Develop experimental seat for rear impact sled testing
 - Conduct sled tests
 - PMHS (Post-Mortem Human Subjects)
 - Dummies (BioRID II, RID3D, Hybrid III)
 - Assess biofidelity of dummies
- Investigate the mechanism of injury
 - Develop and validate 3-D cervical spine kinematic instrumentation
 - Identify injurious kinematics (if possible)





Objectives & Tasks


- Evaluate biofidelity of available RIDs (BioRID II, RID3D)
 - Choose biofidelity test condition
 - Develop experimental seat for rear impact sled testing
 - Conduct sled tests
 - PMHS (Post-Mortem Human Subjects)
 - Dummies (BioRID II, RID3D, Hybrid III)
 - Assess biofidelity of dummies
- Investigate the mechanism of injury
 - Develop and validate 3-D cervical spine kinematic instrumentation
 - Identify injurious kinematics (if possible)
- Choose appropriate dummy & injury criterion
 - Assess efficacy of various ICs (if possible)

Project Overview






NHTSA BioRank




Intervertebral Kinematics


Comparison of Neck Injury Criteria



Project Overview


















Added Low Speed PMHS Tests

- In support of the Head Restraint Working Group – GTR 7
- Added seven low speed (8.5 g, 16.7 kph) PMHS tests
- Two tests per subject, low → mid speed
- Verified no damage at low speed
- Biofidelity at low & mid speed
- Kinematic cervical vertebrae analysis



Four Repeat Low Speed Tests





Test Matrix



Dummy Tests

Test Number	Test Speed	Driver Side Dummy	Passenger Side Dummy		
1	L	Hybrid III 50 th	BioRID II		
2	L	Hybrid III 50 th	BioRID II		
3	L	RID3D	BioRID II		
4	L	RID3D	BioRID II		
5	L	RID3D	Hybrid III 50 th		
6	M	RID3D	Hybrid III 50 th		
7	M	RID3D	Hybrid III 50 th		
8	M	RID3D	BioRID II		
9	M	RID3D	BioRID II		
10	M	Hybrid III 50 th	BioRID II		

PMHS Tests

Test Number	Test Speed	Subject
1	M	PMHS01
2	L	PMHS02
3	L/M	PMHS03
4	L/M	PMHS04
5	L/M	PMHS05
6	L/M	PMHS06
7	L/M	PMHS07
8	L/M	PMHS08

L = Low Speed (8.5 g, 16.7 kph FMVSS 202)

M = Moderate Speed (10.5 g, 24 kph)



Test Matrix



Dummy Tests

Test Number	Test Speed	Driver Side Dummy	Passenger Side Dummy
1	L	Hybrid III 50 th	BioRID II
2	L	Hybrid III 50 th	BioRID II
3	L	RID3D	BioRID II
4	L	RID3D	BioRID II
5	L	RID3D	Hybrid III 50 th
6	M	RID3D	Hybrid III 50 th
7	M	RID3D	Hybrid III 50 th
8	M	RID3D	BioRID II
9	M	RID3D	BioRID II
10	M	Hybrid III 50 th	BioRID II

L = Low Speed (8.5 g, 16.7 kph FMVSS 202)

M = Moderate Speed (10.5 g, 24 kph)

PMHS Tests

Test Number	Test Speed	Subject
1	M	PMHS01
2	L	PMHS02
3	L/M	PMHS03
4	L/M	PMHS04
5	L/M	PMHS05
6	L/M	PMHS06
7	L/M	PMHS07
8	L/M	PMHS08

Rear Impact Sled Test




Low Speed










Rear Impact Sled Test



Moderate Speed














Cervical Spine Instrumentation

Sled test (24 kph, 10.5 g)







Schedule & Status

	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug
Evaluate RID Biofidelity											
Choose biofidelity test conditions - Done Done											
Develop experimental seat - Done Done											
Conduct dummy sled tests - Done Done											
Conduct PMHS sled tests											
Assess biofidelity of dummies											
Investigate injury mechanism											
Develop 3-D cervical instrumentation											
Identify injurious kinematics											
Choose dummy & appropriate injury criteria											
Assess efficacy of injury criteria											



- Dummy sled tests Done
 - 6 exposures each dummy (3x each speed)
 - Sufficient for repeatability
- Conduct PMHS sled tests 3 Done, 5 Remaining
 - 8 PMHS (7 at low-speed, 7 at moderate-speed)



Thank you





Cervical Spine Instrumentation


- Identify injurious kinematics
 - Determine likelihood and mode of injury at each vertebral level
 - Relative displacements and rotations measured
 - Compare with values of non-injurious physiologic ROM (Panjabi et al, 1998; Panjabi et al, 2005)
 - Shear and axial displacements
 - Flexion and extension rotations


- Compare to various injury criteria and look for best predictor
 - NIC, N_{ij}, N_{km}, N_{te}, ND criterion, LNL index
 - Head-to-Torso rotation, upper & lower extension moment
 - IV-NIC
 - Other??



Cervical Spine Instrumentation

Sled Test (24 kph, 10.5 g)





Internal Biofidelity



Instrumentation - ATDs vs. PMHS







<Hybrid III>

- Accelerometers (x, z)
- Accelerometers (x, z) & angular rate sensor (y)
- $\bigcirc \frac{\text{3 accelerometers & 3 ARS}}{\text{(3aw)}}$
- Load cell
- Aluminum tetrahedron 6aω



<PMHS>

• •	RID 3D	BioRID II	Hybrid III	PMHS
Head	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	6aw
T1	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	3aw
Т8	None	Two Acc (x, z)	None	3aw
T12	Two Acc (x, z)	None	None	3aw
L1	None	Two Acc (x, z)	None	
Pelvis	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	Two Acc (x, z) One ARS (y)	3aw

•	RID 3D	BioRID II	Hybrid III	PMHS
Skull Cap	Fx, Fz	Fx, Fz	None	None
Upper neck	Fx, Fz, My	Fx, Fz, My	Fx, Fz, My	None
Lower neck	Fx, Fz, My	Fx, Fz, My	Fx, Fz, My	None
Lumbar	Fx, Fz, My	Fx, Fz, My	Fx, Fz, My	None
Muscle Substitute (front)	None	Fx	None	None
Muscle Substitute (rear)	None	Fx	None	None

External Biofidelity



