ANNEXES

ANNEX 1 ALLOCATION OF LABEL ELEMENTS

Annex 1

ALLOCATION OF LABEL ELEMENTS

For the GHS, the assigned pictogram, signal word and hazard statement are given in that order for each hazard category of the hazard class. Where the hazard class and or categories are covered under the *UN Recommendations on the Transport of Dangerous Goods, Model Regulations*, the assigned corresponding pictogram is given for each category below the GHS requirements.

	EXPLOSIVES					
Unstable explosives	Division 1.1	Division 1.2	Division 1.3	Division 1.4	Division 1.5	Division 1.6
					<i>No pictogram</i> 1.5 on orange background	<i>No pictogram</i> 1.6 on orange background
Danger	Danger	Danger	Danger	Warning	Danger	No signal word
Unstable explosive	Explosive; mass explosion hazard	Explosive; severe projection hazard	Explosive; fire, blast or projection hazard	Fire or projection hazard	May mass explode in fire	No hazard statement
No pictogram assigned in the UN Model Regulations (Transport not allowed)	1.1	12 12 1	1.3	1.4	1.5	1.6

<u>Notes</u> on the colours of the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram elements:

- (1) For Divisions 1.1, 1.2 and 1.3: Symbol exploding bomb: black; background: orange; Division number (1.1, 1.2 or 1.3, as appropriate) and compatibility group (*) in bottom half and figure "1" in bottom corner: black.
- (2) For Divisions 1.4, 1.5, 1.6: Background: orange; Figures: black; Compatibility group (*) in bottom half and figure "1" in bottom corner: black.
- (3) The pictogram for Divisions 1.1, 1.2 and 1.3 is also assigned to substances which have an explosive subsidiary risk, but without the indication of the division number and the compatibility group (see also "Self-reactive substances and mixtures" and "Organic peroxides").

FLAMMABLE GASES (INCLUDING CHEMICALLY UNSTABLE GASES)				
Flamma	Flammable gases		unstable gases	Note
Category 1	Category 2	Category A	Category B	note
	No pictogram	No additional pictogram	No additional pictogram	Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border
Danger	Warning	No additional signal	•	line may be shown
Extremely flammable gas	Flammable gas	<i>word</i> May react explosively even in the absence of air	<i>word</i> May react explosively even in the absence of air at elevated pressure and/or temperature	in black instead of white. The background colour stays red in both cases.
2	Not required under the UN Model Regulations			

	AEROSOLS					
Category 1	Category 2	Category 3	Note			
		No pictogram	Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line			
Danger	Warning	Warning	may be shown in black instead of white. The			
Extremely flammable aerosol	Flammable aerosol		background colour stays red in the first two cases and green in the third			
Pressurized container: may burst if heated	Pressurized container: may burst if heated	Pressurized container: may burst if heated	case.			
	2	2				

	OXIDIZING GASES				
Category 1	-	-	-	Note	
Danger					
May cause or intensify fire; oxidizer					
5.1				Pictogram colours: Symbol (flame over circle): black; Background: yellow; Figure "5.1" in bottom corner: black.	

	GASES UNDER PRESSURE					
Compressed gas	Liquefied gas	Refrigerated liquefied gas	Dissolved gas	Note		
				Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram		
Warning Contains gas under pressure; may explode if heated	Warning Contains gas under pressure; may explode if heated	Warning Contains refrigerated gas; may cause cryogenic burns or injury	Warning Contains gas under pressure; may explode if heated	elements: (1) Not required for toxic or flammable gases. (2) The symbol, number and		
2	2	2	2	humber and border line may be shown in white instead of black. The background stays green in both cases.		

FLAMMABLE LIQUIDS					
Category 1	Category 2	Category 3	Category 4	Note	
			No pictogram	Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol,	
Danger Extremely flammable liquid and vapour	Danger Highly flammable liquid and vapour	Warning Flammable liquid and vapour	Warning Combustible liquid	number and border line may be shown in black instead of white. The background colour stays red in	
3	3	3	Not required under the UN Recommendations on the Transport of Dangerous Goods Model Regulations	both cases.	

	FLAMMABLE SOLIDS				
Category 1	Category 2	-	-	Note	
				Colours for pictogram under the UN Recommendations on the Transport of Dangerous Goods,	
Danger Flammable solid	Warning Flammable solid			<i>Model Regulations</i> : Symbol (flame): black; Background:	
				white with seven vertical red stripes; Figure "4" in the bottom corner: black.	

SELF-REACTIVE SUBSTANCES AND MIXTURES				
Туре А	Туре В	Types C and D	Types E and F	Type G
				There are no label
				elements allocated to this hazard category
Danger	Danger	Danger	Warning	
Heating may cause an explosion	Heating may cause a fire or explosion	Heating may cause a fire	Heating may cause a fire	
on the Transport of Dangerous Goods				required
 Notes: (1) For Type B, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details). (2) UN Model Regulations pictogram colours: Self-reactive substance pictogram: Symbol (flame): black; Background: white with seven vertical red stripes; Figure "4" in the bottom corner: black. 				

 Explosives pictogram: Symbol (exploding bomb): black; background orange; figure "1" in the bottom corner: black.

PYROPHORIC LIQUIDS				
Category 1	-	-	-	Note
Danger Catches fire spontaneously if exposed to air				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram: Symbol (flame): black; Background: upper half white, lower half red; figure "4" in bottom corner: black.

	PYROPHORIC SOLIDS				
Category 1	-	-	-	Note	
				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram:	
Danger Catches fire spontaneously if exposed to air				Symbol (flame): black; Background: upper half white, lower half red; figure "4" in bottom corner: black.	

SF	SELF-HEATING SUBSTANCES AND MIXTURES				
Category 1	Category 2	-	-	Note	
				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram:	
Danger Self-heating; may catch fire	Warning Self-heating in large quantities; may catch fire			Symbol (flame): black; Background: upper half white,	
4	4			lower half red; figure "4" in bottom corner: black.	

SUBSTANCES AND MIXTURES, WHICH IN CONTACT WITH WATER, EMIT FLAMMABLE GASES				
Category 1	Category 2	Category 3	-	Note
Danger In contact with water releases flammable gases which may ignite spontaneously	Danger In contact with water releases flammable gases	Warning In contact with water releases flammable gases		Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black instead of white. The background stays blue in both cases.

	OXIDIZING LIQUIDS				
Category 1	Category 2	Category 3	-	Note	
Danger May cause fire or explosion; strong oxidizer	Danger May intensify fire; oxidizer	Warning May intensify fire; oxidizer		Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours: Symbol (flame over circle): black; Background: yellow; Figure	
5.1	5.1	5.1		"5.1" in bottom corner: black.	

OXIDIZING SOLIDS					
Category 1	Category 2	Category 3	-	Note	
				Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours:	
Danger May cause fire or explosion; strong oxidizer	Danger May intensify fire; oxidizer	Warning May intensify fire; oxidizer		Symbol (flame over circle): black; Background: yellow; Figure "5.1" in bottom	
5.1	5.1	5.1		corner: black.	

ORGANIC PEROXIDES				
Туре А	Туре В	Types C and D	Types E and F	Type G
				There are no label elements allocated to this hazard category
Danger	Danger	Danger	Warning	
Heating may cause an explosion	Heating may cause a fire or explosion	Heating may cause a fire	Heating may cause a fire	
Same as for explosives (follow same symbol selection process)	5.2	5.2	5.2	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.
 Notes: (1) For Type B, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details). (2) UN Model Regulations pictogram colours: Organic peroxide pictogram: Symbol (flame): black or white; background: upper half: red; lower half: yellow; Figure "5.2" in the bottom corner: black. Explosives pictogram: Symbol (exploding bomb): black; background orange; figure "1" in the bottom corner: black. 				
(3) The la	bel conforming to the ntil 1 January 2011.		the table for oxidizi	ng liquids may be

	CORROSIVE TO METALS				
Category 1	-	-	-	Note	
Warning				Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours:	
May be corrosive to metals				Symbol (corrosion): black; background: upper half: white; lower	
8				half: black with white border; Figure "8" in the bottom corner: white.	

ACUTE TOXICITY: ORAL					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal if swallowed	Fatal if swallowed	Toxic if swallowed	Harmful if swallowed	May be harmful if swallowed	
6	6	6	swallowedswallowedNot required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.Note:For gases under the UN Model Regulations, replace the number 6 in the bottom corner of the pictogram by 2.UN Model Regulations pictogram colours: Symbol (skull and 		

ACUTE TOXICITY: SKIN					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal in contact with skin	Fatal in contact with skin	Toxic in contact with skin	Harmful in Contact with skin	May be harmful in contact with skin	
6	6	6	Not required under Recommendations of Dangerous Goods, M <u>Note</u> :	n the Transport of	
	~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	For gases under the Regulations, replace the bottom corner of by "2".	e the number "6" in	
			UN Model Regulatio colours: Symbol (sk crossbones): black; Figure "6" in botton	kull and Background: white;	

ACUTE TOXICITY: INHALATION					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal if inhaled	Fatal if inhaled	Toxic if inhaled	Harmful if inhaled	May be harmful if inhaled	
6	6	6	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. Note: For gases under the UN Model Regulations, replace the number "6" in the bottom corner of the pictogram by "2". UN Model Regulations pictogram colours: Symbol (skull and crossbones) and figure: black; Background: white.		

SKIN CORROSION/IRRITATION					
Category 1A	Category 1B	Category 1C	Category 2	Category 3	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Causes severe skin burns and eye damage	Causes severe skin burns and eye damage	Causes severe skin burns and eye damage	Causes skin irritation	Causes mild skin irritation	
8	8	8	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. <u>Note</u> : UN Model Regulations pictogram colours: Symbol (corrosion): black background: upper half: white; lower half: black with white border; Figure "8" in the bottom corner: white.		

SERIOUS EYE DAMAGE/ EYE IRRITATION				
Category 1	Category 2A	Category 2B	-	-
		No pictogram		
Danger	Warning	Warning		
Causes serious eye damage	Causes serious eye irritation	Causes eye irritation		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

RESPIRATORY SENSITIZATION				
Category 1	Category 1A	Category 1B	-	-
Danger	Danger	Danger		
May cause allergy or asthma symptoms or breathing difficulties if inhaled	May cause allergy or asthma symptoms or breathing difficulties if inhaled	May cause allergy or asthma symptoms or breathing difficulties if inhaled		
UN Reco	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.			

SKIN SENSITIZATION				
Category 1	Category 1A	Category 1B	-	-
Warning	Warning	Warning		
May cause an allergic skin reaction	May cause an allergic skin reaction	May cause an allergic skin reaction		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

GERM CELL MUTAGENICITY				
Category 1A	Category 1B	Category 2	-	-
Danger	Danger	Warning		
May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

CARCINOGENICITY					
Category 1A	Category 1B	Category 2	-	-	
Danger	Danger	Warning			
DangerDangerDangerMay cause cancer (state route of exposure if it is that no other routes of exposure cause the hazard)May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)					
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.					

TOXIC TO REPRODUCTION					
Category 1A	Category 1B	Category 2	Additional Category on effects on or via lactation	-	
			No pictogram		
Danger	Danger	Warning	No signal word		
May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	it is conclusively	May cause harm to breast-fed children.		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.					

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)				
Category 1	Category 2	Category 3	-	-
Danger	Warning	Warning		
Causes damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively proven	May cause damage to organs (or state all organs affected, if known) (state route of exposure if it is conclusively	(respiratory tract irritation) May cause respiratory irritation		
• -	proven that no other routes of exposure cause the hazard)	or (Narcotic effects) May cause drowsiness or dizziness		
UN Reco	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.			

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)				
Category 1	Category 2	-	-	-
Danger	Warning			
Causes damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May cause damage to organs (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)			
	Not required under the			
UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

	ASPIRATION HAZARD				
Category 1	Category 2	-	-	-	
Danger	Warning				
May be fatal if swallowed and enters airways	May be harmful if swallowed and enters airways				
	Not required under the				
UN Reco	UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

	AQUATIC HAZARD (ACUTE)				
Category 1	Category 2	Category 3	-	Note	
¥2	No pictogram	No pictogram		For Category 1, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the pictogram is not required if the	
Warning	No signal word	No signal word		substance presents	
Very toxic to aquatic life	Toxic to aquatic life	Harmful to aquatic life		any other hazards covered by <i>UN Model</i> <i>Regulations</i> . If no other hazard is	
	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations			presented (i.e. for UN Nos. 3077 and 3082 in Class 9 of the UN Model Regulations), this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.	

AQUATIC HAZARD (LONG-TERM)					
Category 1	Category 2	Category 3	Category 4	Note	
Warning Very toxic to aquatic life with long lasting effects	No signal word	No pictogram No signal word Harmful to aquatic life with long lasting effects	No pictogram No signal word May cause long lasting harmful effects to aquatic life	For Categories 1 and 2, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the pictogram is not required if the substance presents any other hazards covered by UN Model Regulations. If no other hazard is presented (i.e. for UN Nos. 3077 and 3082	
		Not required u Recommendations o Dangerous Goods, N	n the Transport of	in Class 9 of the UN Model Regulations), this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.	

HAZARDOUS TO THE OZONE LAYER					
Category 1	-	-	-		
Warning					
Harms public health and the environment					
by destroying ozone in the upper atmosphere					