UNITED
NATIONS



Distr. GENERAL

TRANS/WP.6/2004/4 16 March 2004

Original: ENGLISH

# **ECONOMIC COMMISSION FOR EUROPE**

INLAND TRANSPORT COMMITTEE

Working Party on Transport Statistics (Fifty-fifth session, 9-11 June 2004, agenda item 5(a))

# TRANSPORT DATABASE AND INFORMATION SYSTEMS DEVELOPMENT

Status report on the Trans-European North-South Motorway (TEM) Project Database

Transmitted by the secretariat

Note: The Working Party, at its fifty-fourth session, expressed interest in following progress made in the development of the database and information system in the transport sector (TRANS/WP.6/145, para. 33). With this in mind, the Project Central Office of the Trans-European North-South Motorway (TEM) Project has prepared a report which is reproduced below

\* \* \*

# TRANSPORT DATABASE AND INFORMATION SYSTEMS DEVELOPMENT

Status report on the Trans-European North-South Motorway (TEM) Project Database

# A. SYSTEM DEVELOPMENT

- 1. The data collection and processing activities of the TEM Project started from its outset in 1977. For many years, it has been limited to basic data on the status of the TEM motorway network and the TEM Corridor, consisting of existing road links to be replaced by the TEM motorways in the future.
- 2. In the framework of the expanded Project activities in mid-eighties, the need arose to collect additional data on principal geometric parameters of these links and, therefore, two databases (TEMSTAT 1 and TEMSTAT 2) were established. TEMSTAT 1 reflects the status of the existing and future TEM motorway network, while TEMSTAT 2 presents the status of the national road system, fulfilling the function of missing connections as well as of the remaining E-road (AGR) and TINA links.
- 3. In these databases, the following data are being stored at the TEM Project Central Office (PCO) in Warsaw:
  - motorway/road number (international/national)
  - lengths of sections (in operation, under construction, planned)
  - number of carriageways/lanes
  - lane and shoulder widths
  - maximum longitudinal gradient
  - lengths within built-up areas
  - lengths of road having design speed less than 60 km/h
  - lengths of missing climbing lanes
  - lengths of bridges with bearing capacity less than 60 T
  - number of at-level railway crossings
  - number of underpasses with clearance less than 4.5 m
  - estimated travel times (cars, trucks)
  - traffic volumes (AADT) according to the last census.

The data collection and processing is based on the uniform reference system, consisting of sections, subsections and portions of subsections.

- 4. The examples of the TEMSTAT 1 and 2 data collection forms were attached to the report submitted to the fifty-second meeting of the Working Party held on 14-16 November 2001 (TRANS/WP.6/2001/11).
- 5. On the basis of the decision of the twenty-sixth session of the TEM Steering Committee (25-27 November 1996, Geneva), the extended TEMSTAT data collection commenced in 1997. Data thus obtained are being processed and analysed by the Project Central Office in Warsaw.

The twenty-eighth session of the Steering Committee (22-26 November 1997, Geneva) further decided that the TEMSTAT forms, together with the reference system, would be revised and updated annually and that a special co-ordination meeting of experts responsible for data supply would be convened every year.

- 6. In accordance with this decision, the TEMSTAT Coordination and Training meetings were held in Istanbul, Turkey (25-27 March 1998), in Prague, Czech Republic (30 March-1 April 1998), in Vilnius, Lithuania (7-9 April 1999), in Budapest, Hungary on 17-19 April 2000, on 18-20 April 2001, on 8-9 April 2002 and on 19-21 May 2003 and in Prague on 18-19 March 2004.
- 7. At these meetings, the problems related to the TEMSTAT data collection and processing, to the reference system and mapping are being discussed and clarified on a country-by-country basis.
- 8. As from 1999, data on the status of the network as of 1 January each year are communicated to the TEM PCO by contact persons from the 13 participating countries electronically. This information is also used to describe the annual status of the TEM network (see Annex 1).
- 9. As regards the TEMSTAT maps, the TEM PCO is in position to produce these basic types of maps in the ArcView format:
  - maps showing the present status of the TEM corridor and main (AGR, TINA) road network in the TEM region
  - maps showing the existing (in operation) and future (under construction, in design stage, planned) motorway network in the chosen time horizons
  - maps showing the present or forecasted traffic flows in the chosen time horizons.

All these maps cover either the whole TEM region, separate member countries or selected areas (e.g. vicinity of a big city or industrial agglomeration).

- 10. As from the year 2000 annually, on the basis of the data transferred by the member countries, the separate TEMSTAT road/motorway infrastructure maps of all TEM member countries mostly on the scale 1:750000 are launched by the TEM PCO and made available to the member countries in hard and electronic copies. By integration of individual TEMSTAT country maps, the map of the whole TEM region is also being produced.
- 11. Furthermore, as from the end of 2002, the TEMSTAT data transferred electronically by the member countries and processed by the TEM PCO are being interactively linked to the TEM mapping system, making it possible to introduce the reported annual infrastructure changes to the respective maps automatically and thus having transformed the TEMSTAT mapping system to the full-fledged GIS one.
- 12. Within the framework of the co-operation of the TEM PCO with the WERD (Western European Road Directors), transformed in 2003 to CEDR (Conference of European Directors of Roads), its representatives participate regularly in the abovementioned annual TEMSTAT

meetings with the aim of harmonizing road and motorway data collection and processing procedures, reference and mapping systems of the newly acceded Central European countries with those of the European Union.

- 13. Furthermore, in accordance with the TEM Programme of Work for the years 2001-2004, constituting an integral part of the TEM Co-operation Trust Fund Agreement, the elaboration of the TEM Master Plan commenced in September 2003. This activity was also included in the Short-term Strategy for Further Integration of TEM in New European Transport Environment, approved by the 36<sup>th</sup> session of the Steering Committee held at Geneva on 4-6 December 2001, representing one of its most important outcomes.
- 14. At its 39<sup>th</sup> session which took place at Geneva, Switzerland on 26-28 May 2003, the Steering Committee approved the revised Terms of Reference, elaborated by the UNECE Transport Division and decided that the Master Plan had to be finished in September 2004. The Committee also gave a mandate to the Master Plan Coordination Group (Director and/or Regional Adviser of the UNECE Transport Division, TEM Project Manager and his Deputy, External Consultants) to start the work as soon as possible and to apply a flexible approach, reflecting the real situations encountered, understanding that the Committee will be kept informed about the decisions taken and progress reached.
- 15. The elaboration of the TEM Master Plan resulted in the need of additional data collection necessary for priority projects' identification and evaluation in line with the approved evaluation methodology, elaborated by the external consultants.
- 16. For this purpose, the attached templates (Annexes 2-6) were sent to the TEM participating countries as well as to 8 other interested Eastern and South-Eastern European countries to be returned filled in by the end of April 2004.

Annexes: 6

# UNECE TEM Project Central Office

Warsaw, Poland

1											Anı	ПСЛ	. 1					
	CATORS	DEGREE OF COMPLETION (% of length in operation)	10	0.68	-	30.7	32.1	54.2		8.0	34.9	2.66	80.3	15.4	3.8	9.89	59.4	41.2
	COMPARATIVE INDICATORS	CONSTRUCTION PROGRESS (% of length under construction)	6	1	1	1.6	18.8	3.7		-	-	-	0.7	4.7	4.5	9.5	4.6	4.3
	COMPA	% of total TEM length	8	2.1	3.3	3.9	6.2	4.1		4.4	6.9	6.4	3.1	13.9	12.6	3.9	29.2	100.00
01.2003)	RATION	both carriageways	7	414	ı	274	420	527		8	547	1515	456	464	114	348	1995	7082
K (as of 1.	IN OPERATION	one carriageway	9	35	1	19	101			-	40	-	266	98	-	588	4227	5362
OF TEM NETWORK (as of 1.01.2003)	UNDER CONSTRUCTION	both carriageways	5	1	ı	15	257	32		-	-	-	-	152	134	77	321	886
OF TEM	UNI CONSTR	one carriageway	4		1	1	36	8		-	-	-	10	6	_	23	ı	98
STATUS	PROGRAMMED (in study, preliminary design and design phases)	Both carriageways	3	36	792	617	564	405		1045	1037	4	11	2247	2735	487	378	10358
	PROGR (in study, design and o	one carriageway	2	35	1		311	8		-	40	-	205	425	_	_		1024
	Total length	km	1	485	792	925	1465	972		1053	1624	1519	733	3297	2983	936	6921	23705
	COUNTRY		Column No.	AUSTRIA	BOSNIA and HERZEGOVINA	BULGARIA	CROATIA	CZECH	REPUBLIC	GEORGIA	HUNGARY	ITALY	LITHUANIA	POLAND	ROMANIA	SLOVAKIA	TURKEY	TOTAL

# <u>UNECE TEM and TER Master Plans</u> **TEMPLATE 1 – Identified Projects**

Project ID*	Road and related infrastructure	Project Name	Project cost (€ MIO)	Overall Budget (€ MIO)
	Sections	e.g. Rehabilitation of: Ankara by- pass	Please indicate the currency	
				per year of the years covered by the
				national plans

Note: Each country is expected to fill a template

**TEMPLATE 2A – Road and related infrastructure Project Fiche** 

Project Name:									
Nature of Project:		Rehabilitation		Upgrad	le		Oth	er	
Location:	٠,	eographical Descrip ferably a map)	otion	including i	main	cities	, ports,	etc	and
Status of Project:		Study		Tendering	J		Plannin	ıg	
		Identification		Design			Under Constru	uction	า
Project Objectives: *								<u></u>	-
<b>Project Description</b>	า: <i>D</i> (	escribe the new pro	oject,	as it differs	s fron	n the o	existing	situe	ation
(Technical Characte									
template, and the ne									
I. Current average (AADT)**	e an	nual daily traffic							
a) All vehicles									
b) International	traff	ic							
b1) trucks									
b2) buses / c	oacl	nes							
b3) private ve	ehicl	es							
<ul><li>c) Domestic tra</li></ul>	ffic								
c1) trucks									
c2) buses / c									
c3) private ve									
II. Projected avera (AADT) (2010)**		annual daily traffic	·						
a) All vehicles									
b) International	traff	ic							
b1) trucks									
b2) buses / c	oacl	nes							
b3) private ve									
c) Domestic traf									
c1) trucks									
c2) buses / c	oach	nes							
c3) private ve									
III. Travel costs for	•								
		per km for the sec							
		g, and if project is							
implemented)**									
IV. Travel time for									
		sidered (existing, a	and						
if project is imp									
V. Technical Design		naracteristics of th	10						
existing situation		ational agreement /							
a) Part of an int	ema	ational agreement (a	<b>15</b>						
				•					

b) Type of road (I	nighway, controlled access
motorway, ope	n access motorway, etc;)
c) No of lanes	
d) Length (in km)	
	I structures (length of
	of bridges, etc)
f) Existence of to	
,	characteristics of the
project	
a) Part of an inter	national agreement (as
AGR)	·
b) Type of road (h	ighway, controlled access
	n access motorway, etc;)
c) No. of lanes	,
g) Length (in km)	
h) Type of specia	I structures (length of
tunnels, length	of bridges, etc)
i) Existence of to	lls / toll fare
a) Type of specia	
b) Location of spe	ecial infrastructure
	special infrastructure
Estimated	
<b>Investment Cost</b>	
(€ or \$, 2003	
prices):	
İRR	From the feasibility study or expected one
Expected benefits:	
•	
Existing Reports:	
Implementation	Preparation: Expropriation: Construction:
Programme	
(years):	Total:
Implementation	
Authority:	
Funding Sources:	National funds:
(Total number per	Bank loan:
source or in % of	Grants (e.g. from EU, USA, Japan etc.):
total budget per	Private sector:
source)****	
Note: Data characteriz	zed with

Note: Data characterized with

<sup>\*</sup> are optional

<sup>\*\*</sup> if not existent in official statistics, an estimate is sufficient. If no estimation, then relevant studies will be used as sources (i.e. TINA, TIRS etc.)
\*\*\* estimation only

<sup>\*\*\*\*</sup> if not available leave it blank

**TEMPLATE 2C Maritime/port Fiche<sup>1</sup>** 

Port		20 Maritim	Стротетто	110							
Nam	e:										
Loca	ation:		nical Desci	ription includii	ng r	main cit	ies, p	orts, etc	and	prefe	rably
		a map)									
				s description							
		scription: e/installation		information	if	there	are	plans	for	the	port
IIa.				ffic (AAT)**							
a)		gers (intern									
b)				, private cars)	)						
c)		s domestic	•	• •							
d)	Genera domest	I cargo in to ic)	ons (interna	ational,							
e)		ers (numbe	r of TEUs	, tons)—							
f)	Contair	ners (numbe /exports	er of TEUs	, tons)—							
g)		ers (numbe	r of TEUs	, tons)—							
II.			annual t	raffic (AAT)							
	(2010)*	_		(, , , , , , , , , , , , , , , , , , ,							
a)	Passen	gers (intern	ational, do	mestic)							
b)	Vehicle	s internation	nal (trucks	, private cars)	)						
c)		s domestic	•	•							
d)		l cargo in to	ns (intern	ational,							
e)	domest	ic) iers (numbe	r of TELIS	tone\_							
6)	domest		1011203	, toris <i>j</i> —							
f)		ners (numbe	r of TEUs	, tons)—							
	•	/exports									
g)	Contair tranship	ners (numbe	er of TEUs	, tons)—							
III.		nual throu	ahnut (in	tons for							
				containers)							
IV.	Travel	costs in po									
2)	charge Per cor	<del> </del>									
a) b)		of general	cardo								
c)	Per truc		Sargo								
d)		p (average)									
<b>V</b> .		ng/process	ing time i	n ports***							
a)	Per cor		<u> </u>								
b)		of general	cargo								
c)	Per truc	•									
VI.		costs in po	rts (hand	ling, port				-			
	charge	s etc) ***									

 $<sup>^{1}</sup>$  TEMPLATE 2B is related to Rail and related infrastructure not relevant to TEM

a)	Per container	
b)	Per ton of general cargo	
c)	Per truck	
d)	Per ship average	
VII.	Characteristics of port connections with	
	the other ports in the TEM or TER	
	countries	
a)	Container ships: connections per month,	
	cost of sea voyage, travel time of sea	
	voyage, number of TEUs per year	
b)	General cargo ships: connections per month,	
	cost of sea voyage, travel time of sea	
	voyage, number of tons per year	
c)	RO/RO RO-RO/ferries: connections per	
	month, cost of sea voyage, travel time of sea	
	voyage, number of trucks and private	
	vehicles per year	

Note: Data characterized with

\*\*\* estimation only

<sup>\*</sup> are optional

<sup>\*\*</sup> if not existent in official statistics, an estimate is sufficient. If no estimate then relevant studies will be used as sources (i.e. TINA, TIRS, etc.)

Annex 5

TEMPLATE 3 Project Criteria Scores (each country complete the relevant column, if so wishes)

																		7 3	11111
	UKR																		
	T																		
	S-M																		
	SL																		
	SK																		
	RU																		
	RO																		
* to	PL																		
proje	MD																		
in the																			
olved	П																		
- invo	⊥																		
untry	Н																		
Scores per Country - involved in the project **	GR																		
ores p	GE																		
Sc	CR FYROM GE																		
	CR																		
	CZ																		
	BL																		
	В-Н																		
	BG																		
	AT																		
fo /	s*																		
Criteria Default Set of Scores by	consultant																		
Criteria		$C_{\!$	C <sub>A1</sub>	$C_{A2}$	$C_{A3}$	C <sub>A4</sub>	$C_{A5}$	ပီ	C <sub>B1</sub>	$C_{B2}$	$C_{B3}$	$C_{B4}$	$C_{B5}$	$C_{C}$	$C_{C1}$	$C_{C2}$	$\mathbf{c}_{\mathrm{c}_3}$	$C_{C4}$	$C_{C5}$

Or provided by the Delphi team when necessary.

<sup>\*\*</sup> In case country experts disagree with proposed scores, they may fill up the respective column of their country with their proposed scores, providing an adequate justification of the wanted change.

Annex 6

TEMPLATE 4 Project Criteria Weights (each country complete the relevant column, if so wishes)

Weights	Weights Default Set of Weight by								$\perp$	er Cou	ntry - i	nvolve	d in th	e proje	ct **	•		•		•		
	consultants*	ΑT	BG	В-Н	BL	CZ	CR	FYROM	GE	GR	HU	Ш	LT	MD	Ы	RO	RN	SK	SL (	S-M	$\Box$	UKR
$W_{A}$																						
$W_{A^1}$	12%																					
$W_{A2}$	4%																					
$W_{A3}$	8%																					
$W_{A4}$																						
$W_{A5}$	4%																					
$W_B$																						
W <sub>B1</sub>																						
$W_{B2}$																						
$W_{B3}$	13%																					
$W_{B4}$																						
$W_{B5}$	8%																					
Ww																						
$W_{w^1}$																						
$W_{W2}$																						
Ww <sub>3</sub>	3%																					
$W_{W4}$																						
Wws																						
SUM	100%																					

<sup>\*</sup> Provided by the Delphi team (See Annex II).
\*\* In case country experts disagree with proposed weights. They may fill up the respective column of their country with their proposed weights providing an adequate justification of the wanted change.