

ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

Working Party on the Transport of Dangerous Goods

Eighty-first session

Geneva, 25-27 October 2006

agenda item 3

INTERPRETATION OF THE EUROPEAN AGREEMENT CONCERNING THE
INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR)

Communication of the Danube Commission Special Group of Experts

Note by the secretariat

The secretariat reproduces hereafter a request from the ad hoc group of experts of the Danube Commission on matters relating to the carriage of dangerous goods.

At its tenth session, the Joint Meeting of Experts on the Regulations annexed to the European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (ADN) adopted the amendments adopted by the RID/ADR/ADN Joint Meeting.

The ad hoc group of experts of the Danube Commission on matters relating to the carriage of dangerous goods noted that a new prescription was inserted in 5.3.2.2.1 as follows "The plate shall not become detached from its mount in the event of a 15 minutes' engulfment in fire.". Nevertheless, this prescription does not include any indication relating to the characteristics of the fire and the test procedures to validate that this requirement is fulfilled are not described.

The ad hoc group of experts would like to ask WP.15 to consider this issue.

INF.14



DONAUKOMMISSION
COMMISSION DU DANUBE
ДУНАЙСКАЯ КОМИССИЯ

CD 133/VI-2006

Budapest, le 16 juin 2006
An/Ge/Pl

M. Olivier KERVELLA
Chef de section
Marchandises dangereuses
Commission Economique pour l'Europe de l'ONU

G E N E V E

Objet : ADN, sous-point 5.3.2.2.1

Monsieur,

La dixième session (Genève, 23-27 janvier 2006) de la Réunion commune d'experts sur le Règlement annexé à l'Accord européen relatif au transport international des marchandises dangereuses par voies de navigations intérieures (ADN) a adopté un amendement au contenu du 2.3.2.2.1.

Le groupe spécial d'experts de la Commission du Danube pour les questions de transport de marchandises dangereuses par voies de navigation intérieures a constaté qu'en tant que 5.3.2.2.1 de l'ADN avait été insérée une prescription selon laquelle les panneaux orange ne doivent pas se détacher de leur fixation après un incendie d'une durée de 15 minutes. Ceci étant, la prescription ne contient nulle indication concrète quant au caractère de l'action du feu ou sur les procédures d'essai prévues pour attester cette prescription.

Le groupe spécial prie le Secrétariat du groupe de travail WP. 15/AC.2 de la CEE-ONU d'attirer à cet égard l'attention des groupes de travail s'occupant de l'ADR.

Veillez agréer l'expression de ma haute considération.

Signé
Capitaine Danail Nedialkov m.p.

Directeur général du Secrétariat