

**Committee of Experts on the Transport of Dangerous Goods
and on the Globally Harmonized System of Classification
and Labelling of Chemicals**

12 May 2010

Sub-Committee of Experts on the
Transport of Dangerous Goods

Sub-Committee of Experts on the Globally
Harmonized System of Classification
and Labelling of Chemicals

Thirty-seventh session

Geneva, 21 – 30 June 2010

Item 10 of the provisional agenda:

**Issues relating to the Globally Harmonized System of
Classification and Labelling of Chemicals (GHS)**

Nineteenth session

Geneva, 30 June – 2 July 2010

Item 4 (a) of the provisional agenda:

**Implementation of the GHS: Implementation
issues**

**GHS classification of dangerous goods most commonly
carried: comparison between transport classification and EU
CLP Regulation (Regulation (EC) No 1272/2008)**

Note by the secretariat

1. At its eighteenth session (Geneva, 9-11 December 2009), the GHS Sub-Committee discussed the issue of the development of classification lists based on GHS criteria, on the basis of informal document INF.10 submitted by the expert from Australia. See ST/SG/AC.10/C.4/36, paras 34-38, reproduced below:

"34. Several experts were of the opinion that the development of a harmonized classification list needed to be considered. It was noted that some Governments as well as other international bodies had already started to create, for their own purposes, lists of chemicals classified according to the GHS and that a comparison between them revealed inconsistencies in the classification results for a certain number of given substances. They were of the view that, as a first step, the Sub-Committee could try to reach consensus on a harmonized classification for those substances for which inconsistencies in classification have been detected.

35. A member of the secretariat suggested that the classification exercise could start with the substances listed in the Dangerous Goods List of the UN Model Regulations on the Transport of Dangerous Goods (e.g. sulphuric acid), since they were the substances most commonly transported internationally. This view was also shared by other experts.

36. The representative of the OECD said that the OECD continued to work on the classification of chemicals listed in Annex III of the Rotterdam Convention in accordance with the GHS. She explained that after having compiled the GHS classification elements, the OECD had performed a pilot exercise to review underlying classification data for a subset of those chemicals. The analysis of the results had demonstrated that the main reason for diverging classification results was the difference in the data sets used to assess the hazards. She said that it was expected that the report on this activity would be available for the next session of the Sub-Committee.

37. Several experts acknowledged the importance of having access to a complete chemical data set (preferably available on-line) to ensure the availability of hazard information to enable classification. It was noted that following the entry into force

of the REACH Regulation (Regulation (EC) No. 1907/2006) in the European Union, the amount of information available should increase significantly.

38. Noting that this issue would be further discussed at the meeting of the correspondence group on implementation issues, the Sub-Committee invited all experts to take part in the work and welcomed discussions on this matter in the future."

2. The United Nations Recommendations on the Transport of Dangerous Goods, Model Regulations, contain in Chapter 3.2, a list of dangerous goods. This list is non exhaustive, but it covers all dangerous goods most commonly carried, i.e. those which are carried internationally in quantities significant enough to deserve a specific entry (UN number) to which the relevant transport conditions are assigned.

3. Since it is not possible in such regulations to list by name all dangerous chemicals that may be subject to the transport regulations, the list includes four types of entries:

(a) Single entries for well-defined substances or articles e.g.

1090 ACETONE
1194 ETHYL NITRITE SOLUTION;

(b) Generic entries for well-defined groups of substances or articles e.g.

1133 ADHESIVES
1266 PERFUMERY PRODUCTS
2757 CARBAMATE PESTICIDE, SOLID, TOXIC
3101 ORGANIC PEROXIDE, TYPE B, LIQUID;

(c) Specific n.o.s. entries covering a group of substances or articles of a particular chemical or technical nature e.g.

1477 NITRATES, INORGANIC, N.O.S.
1987 ALCOHOLS, N.O.S.;

(d) General n.o.s. entries covering a group of substances or articles meeting the criteria of one or more classes or divisions e.g.

1325 FLAMMABLE SOLID, ORGANIC, N.O.S.
1993 FLAMMABLE LIQUID, N.O.S.

4. When a substance (or mixture) is listed by name ("single entries" as defined in (a) above) the substance has to be shipped under this entry and this name ("Proper shipping name").

5. When a substance (or mixture) is not listed by name but meets the classification criteria, the substance has to be shipped under the most specific "generic entry" or "N.O.S" (Not Otherwise Specified) entry. Therefore the system regulates all dangerous goods that meet the classification criteria, whether or not listed by name.

6. For substances (or mixtures) that are classified under generic or n.o.s entries, the secretariat believes that there is no problem of compatibility with other lists, since GHS data generated for the purposes of classification under other regulatory systems could also be used for classification for transport.

7. However, for substances (or mixtures) that are listed by name, there could be conflicts between this list and other lists established for different purposes, and this could lead to conflicting labelling requirements which could cause confusion during transport operations.

8. To illustrate the problem, the secretariat has compared the classification of substances which are deemed to be the most commonly carried, as contained in the United Nations Recommendations on the Transport of Dangerous Goods, Model Regulations, with that contained in table 3.1 (List of harmonized classification and labelling of hazardous substances) of Annex VI of the Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP Regulation).

9. The comparison table is attached to this document. The two last columns summarize the comparison, giving the GHS classification according to the TDG regulations and the GHS classification according to the CLP Regulation.

10. For the TDG regulations, it should be noted that only the physical hazard classification corresponds exactly to the GHS classification. The TDG health hazard classification criteria (acute toxicity and corrosivity) correspond also to the GHS criteria, but some substances were classified a long time ago, when the criteria were not exactly the same, or sometimes on the basis of human experience.

11. When the TDG and CLP regulations indicate the same, or compatible* classification, this has been highlighted in green. In all other cases, there are some differences.

12. When an asterisk appears in the last column (CLP Regulation), it indicates minimum classification.

13. The UN Recommendations on the Transport of Dangerous Goods, Model Regulations, do not identify hazard to the aquatic environment when substances already possess other hazards. However, the International Maritime Dangerous Goods Code identifies this hazard by the letters P or PP (marine pollutants) which have been assigned on the basis of criteria other than those of the GHS. With the application of the GHS, the identification of substances as marine pollutants should correspond to Aquatic Acute 1, Aquatic Chronic 1 or Aquatic Chronic 2. Therefore inconsistencies between the IMDG Code and the CLP Regulation in this respect have also been taken into account.

14. It should also be noted that, in some cases, the secretariat did not find an entry in the CLP Regulation corresponding to an entry in the TDG regulations.

15. The secretariat suggests that both the TDG Sub-Committee and the GHS Sub-Committee should consider these differences and decide how to deal with such inconsistencies between the various lists developed or being developed at national or regional level or by other organizations, and the TDG list developed under the auspices of the Committee itself and to be used whenever hazardous chemicals have to be transported from a country to another one.

* Some GHS classes or categories are not regulated for transport.

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0004	AMMONIUM PICRATE dry or wetted with less than 10% water, by mass†	1.1D																	
0027	BLACK POWDER (GUNPOWDER), granular or as a meal†	1.1D																	
0028	BLACK POWDER (GUNPOWDER), COMPRESSED or BLACK POWDER (GUNPOWDER), IN PELLETS†	1.1D																	
0072	CYCLOTRI-METHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX), WETTED with not less than 15% water, by mass†	1.1D			266														
0074	DIAZODINITROPHENOL, WETTED with not less than 40% water, or mixture of alcohol and water, by mass†	1.1A			266														
0075	DIETHYLENE-GLYCOL DINITRATE, DESENSITIZED with not less than 25% non-volatile, water-insoluble phlegmatizer, by mass†	1.1D			266	603-033-01-1	oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate; [$>25\%$ phlegmatizer]	211-745-8	693-21-0	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 3	H201 H330 H310 H300 H373 ** H412	GHS01 GHS06 GHS08 Dgr	H201 H330 H310 H300 H373 ** H412			CLP00/	Exp. 1.1D Ac.tox	Expl. 1.1 Ac. Tox. 1 Aq.Chr.3	
						603-033-00-4	oxydiethylene dinitrate; diethylene glycol dinitrate; digol dinitrate	211-745-8	693-21-0	Unst. Expl Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 3	H200 H330 H310 H300 H373 ** H412	GHS01 GHS06 GHS08 Dgr	H200 H330 H310 H300 H373 ** H412			CLP00/	Transport prohibited		
0076	DINITROPHENOL, dry or wetted with less than 15% water, by mass†	1.1D	6.1			609-041-00-4	2,4-dinitrophenol	200-087-7	51-28-5	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H311 H301 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H400			CLP00/	Exp. 1.1D Ac.tox P	Ac.Tox. 3* Aq.Ac.1	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0077	DINITRO-PHENOLATES, alkali metals, dry or wetted with less than 15% water, by mass†	1.3C	6.1																
0078	DINITRORESORCINOL, dry or wetted with less than 15% water, by mass†	1.1D																	
0079	HEXANITRODIPHENYLAMINE (DIPICRYLAMINE; HEXYL)†	1.1D				612-018-00-1	bis(2,4,6-trinitrophenyl)amine; hexyl	205-037-8	131-73-7	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 Aquatic Chronic 2	H201 H330 H310 H300 H373** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373** H411			CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac.Tox. 1 Aq.Chr.2	
0094	FLASH POWDER†	1.1G																	
0113	GUANYL NITROSAMINO GUANYLIDENE HYDRAZINE, WETTED with not less than 30% water, by mass†	1.1A			266														
0114	GUANYL NITROSAMINO-GUANYLTETRAZENE (TETRAZENE), WETTED with not less than 30% water, or mixture of alcohol and water, by mass†	1.1A			266														
0118	HEXOLITE (HEXOTOL), dry or wetted with less than 15% water, by mass†	1.1D																	
0129	LEAD AZIDE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass†	1.1A			266	082-003-01-4	lead diazide; lead azide [≥ 20 % phlegmatiser]	236-542-1	13424-46-9	Expl. 1.1 Repr. 1A Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H201 H360Df H332 H302 H373 ** H410		1	CLP00/	Exp. 1.1A	Expl. 1.1 Ac.Tox. 4* Aq.Ac.1 Aq.Chr.1	
						082-003-00-7	lead diazide; lead azide	236-542-1	13424-46-9	Unst. Expl. Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H200 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H200 H360Df H332 H302 H373 ** H410		1	CLP00/	Transport prohibited		

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0130	LEAD STYPHNATE (LEAD TRINITRORESORCINATE), WETTED with not less than 20% water, or mixture of alcohol and water, by mass†	1.1A			266	609-019-01-1	lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate (≥ 20 % phlegmatiser)	239-290-0	15245-44-0	Expl. 1.1 Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H201 H360Df H332 H302 H373 ** H410			1	CLP00/	Exp. 1.1A	Expl. 1.1 Ac.Tox. 4* Aq.Ac.1 Aq.Chr.1
						609-019-00-4	lead 2,4,6-trinitro- <i>m</i> -phenylene dioxide; lead 2,4,6-trinitroresorcinoxide; lead styphnate	239-290-0	15245-44-0	Unst. Expl Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H200 H360Df H332 H302 H373 ** H400 H410	GHS01 GHS08 GHS07 GHS09 Dgr	H200 H360Df H332 H302 H373 ** H410			1	CLP00/	Transport prohibited	
0133	MANNITOL HEXANITRATE (NITROMANNITE), WETTED with not less than 40% water, or mixture of alcohol and water, by mass†	1.1D			266	603-036-01-8	mannitol hexanitrate; nitromannite; [≥40 % phlegmatiser]	239-924-6	15825-70-4	Expl. 1.1	H201	GHS01 Dgr	H201				CLP00/	Exp. 1.1D	Expl. 1.1
						603-036-00-0	mannitol hexanitrate; nitromannite	239-924-6	15825-70-4	Unst. Expl.	H200	GHS01 Dgr	H200				CLP00/	Transport prohibited	
0135	MERCURY FULMINATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass†	1.1A			266	080-005-01-X	mercury difulminate; mercuric fulminate; fulminate of mercury (≥ 20 % phlegmatiser)	211-057-8	628-86-4	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H201 H331 H311 H301 H373 ** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H400 H410				CLP00/	Exp. 1.1A	Expl. 1.1 Ac.Tox.3* Aq.Ac.1 Aq.Chr.1

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
						080-005-00-2	mercury difulminate; mercuric fulminate; fulminate of mercury	211-057-8	628-86-4	Unst. Expl. Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H200 H331 H311 H301 H373 ** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H200 H331 H311 H301 H373 ** H400 H410					CLP00/	Transport prohibited	
0143	NITROGLYCERIN, DESENSITIZED with not less than 40% non-volatile water-insoluble phlegmatizer, by mass†	1.1D	6.1		266 271	603-034-01-7	glycerol trinitrate; nitroglycerine; [>40 % phlegmatizer]	200-240-8	55-63-0	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H201 H330 H310 H300 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 ** H411				CLP00/	Exp. 1.1D	Expl. 1.1 Ac.Tox. 1 Aq.Chr.2	
						603-034-00-X	glycerol trinitrate; nitroglycerine	200-240-8	55-63-0	Unst. Expl. Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H200 H330 H310 H300 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H200 H330 H310 H300 H373 ** H411				CLP00/	Transport prohibited		
0144	NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 10% nitroglycerin†	1.1D																		
0146	NITROSTARCH, dry or wetted with less than 20% water, by mass†	1.1D																		
0147	NITRO UREA†	1.1D																		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0150	PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN), WETTED with not less than 25% water, by mass, or PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN), DESENSITIZED with not less than 15% phlegmatizer, by mass†	1.1D			266	603-035-01-2	pentaerythritol tetranitrate; pentaerythritol tetranitrate; P.E.T.N.; [≥ 20 % phlegmatiser]	201-084-3	78-11-5	Expl. 1.1	H201	GHS01 Dgr	H201			T	CLP00/	Exp. 1.1D	Expl. 1.1
						603-035-00-5	pentaerythritol tetranitrate; P.E.T.N.	201-084-3	78-11-5	Unst. Expl.	H200	GHS01 Dgr	H200				CLP00/	Transport prohibited	
0151	PENTOLITE, dry or wetted with less than 15% water, by mass†	1.1D																	
0153	TRINITROANILINE (PICRAMIDE)†	1.1D																	
0154	TRINITROPHENOL (PICRIC ACID), dry or wetted with less than 30% water, by mass†	1.1D				609-009-00-X	2,4,6-trinitrophenol; picric acid	201-865-9	88-89-1	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301				CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac.Tox.3*
						609-010-00-5	salts of picric acid	-	-	Unst. Expl Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301		T	CLP00/	Transport prohibited		
0155	TRINITROCHLOROBENZENE (PICRYL CHLORIDE)†	1.1D																	
0207	TETRANITROANILINE†	1.1D																	
0208	TRINITROPHENYLMETHYLNITRAMINE (TETRYL)†	1.1D				612-017-00-6	N-methyl-N-2,4,6-tetranitroaniline; tetryl	207-531-9	479-45-8	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2	H201 H331 H311 H301 H373**	GHS01 GHS06 GHS08 Dgr	H201 H331 H311 H301 H373**				CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac.Tox.3*
0209	TRINITROTOLUENE (TNT), dry or wetted with less than 30% water, by mass†	1.1D				609-008-00-4	2,4,6-trinitrotoluene; TNT	204-289-6	118-96-7	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H201 H331 H311 H301 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H411				CLP00/	Exp. 1.1D	Expl. 1.1 Ac.Tox.3* Aq.Chr.2

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0213	TRINITROANISOLE†	1.1D				609-011-00-0	2,4,6-trinitroanisole	-	606-35-9	Expl. 1.1 Acute Tox. 4 *	H201 H332 H312 H302 H411	GHS01 GHS07 GHS09 Wng	H201 H332 H312 H302 H411			CLP00/	Exp. 1.1D	Expl. 1.1 Ac.Tox.4 * Aq.Chr.2	
0214	TRINITRO-BENZENE, dry or wetted with less than 30% water, by mass†	1.1D				609-005-00-8	1,3,5-trinitrobenzene	202-752-7	99-35-4	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H330 H310 H300 H373** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373** H410			CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac.Tox. 1 Aq.Ac.1 Aq. Chr.1	
0215	TRINITROBENZOIC ACID, dry or wetted with less than 30% water, by mass†	1.1D																	
0216	TRINITRO-m-CRESOL†	1.1D				609-012-00-6	2,4,6-trinitro-m-cresol	210-027-1	602-99-3	Expl. 1.1 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H201 H332 H312 H302	GHS01 GHS07 Wng	H201 H332 H312 H302			CLP00/	Exp. 1.1D	Expl. 1.1 Ac.Tox.4*	
0217	TRINITRONAPHTHALENE†	1.1D																	
0218	TRINITROPHENETOLE†	1.1D																	
0219	TRINITRORESORCINOL (STYPHNIC ACID), dry or wetted with less than 20% water, or mixture of alcohol and water, by mass†	1.1D				609-018-00-9	2,4,6-trinitroresorcinol; styphnic acid	201-436-6	82-71-3	Expl. 1.1 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H201 H332 H312 H302	GHS01 GHS07 Dgr	H201 H332 H312 H302			CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac. Tox.4*	
0220	UREA NITRATE, dry or wetted with less than 20% water, by mass†	1.1D																	
0222	AMMONIUM NITRATE with more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance†	1.1D																	
0224	BARIUM AZIDE, dry or wetted with less than 50% water, by mass†	1.1A	6.1																

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						056-002-00-7	barium salts, with the exception of barium sulphate, salts of 1-azo-2-hydroxynaphthalenyl aryl sulphonic acid and of salts specified elsewhere in this Annex	-	-	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302		*	A 1	CLP00/		
0226	CYCLOTETRA-METHYLENE-TETRAMINE (HMX; OCTOGEN), WETTED with not less than 15% water, by mass†	1.1D			266														
0234	SODIUM DINITRO-o-CRESOLATE, dry or wetted with less than 15% water, by mass†	1.3C				609-021-00-5	sodium salt of DNOC; sodium 4,6-dinitro-o-cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro-o-cresolate [2]	219-007-7 [1] - [2]	2312-76-7 [1] 5787-96-2 [2]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H410			CLP00/	Exp. 1.3C P	Ac.Tox.3* Aq.Ac.1 Aq.Chr.1	
0235	SODIUM PICRAMATE, dry or wetted with less than 20% water, by mass†	1.3C																	
0236	ZIRCONIUM PICRAMATE, dry or wetted with less than 20% water, by mass†	1.3C																	
0266	OCTOLITE (OCTOL), dry or wetted with less than 15% water, by mass†	1.1D																	
0282	NITROGUANIDINE (PICRITE), dry or wetted with less than 20% water, by mass†	1.1D																	
0340	NITROCELLULOSE, dry or wetted with less than 25% water (or alcohol), by mass†	1.1D				603-037-00-6	cellulose nitrate; nitrocellulose	-	-	Expl. 1.1	H201	GHS01 Dgr	H201		T	CLP00/ATP01	Exp. 1.1D	Expl. 1.1	
0341	NITROCELLULOSE, unmodified or plasticized with less than 18% plasticizing substance, by mass†	1.1D																	
0342	NITROCELLULOSE, WETTED with not less than 25% alcohol, by mass†	1.3C			105														
0343	NITROCELLULOSE, PLASTICIZED with not less than 18% plasticizing substance, by mass†	1.3C			105														
0385	5-NITROBENZOTRIAZOL†	1.1D																	
0386	TRINITROBENZENE-SULPHONIC ACID†	1.1D																	
0387	TRINITROFLUORENONE†	1.1D																	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
0388	TRINITROTOLUENE (TNT) AND TRINITROBENZENE MIXTURE or TRINITROTOLUENE (TNT) AND HEXANITROSTILBENE MIXTURE†	1.1D																		
0389	TRINITROTOLUENE (TNT) MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE†	1.1D																		
0390	TRITONAL†	1.1D																		
0391	CYCLOTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, WETTED with not less than 15% water, by mass or CYCLOTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass†	1.1D			266															
0392	HEXANITROSTILBENE†	1.1D																		
0393	HEXOTONAL†	1.1D																		
0394	TRINITRORESORCINOL (STYPHNIC ACID), WETTED with not less than 20% water, or mixture of alcohol and water, by mass†	1.1D				609-018-00-9	2,4,6-trinitroresorcinol; styphnic acid	201-436-6	82-71-3	Expl. 1.1 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H201 H332 H312 H302	GHS01 GHS07 Dgr	H201 H332 H312 H302				CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ac.Tox.4*	
0401	DIPICRYL SULPHIDE, dry or wetted with less than 10% water, by mass†	1.1D																		
0402	AMMONIUM PERCHLORATE†	1.1D			152	017-009-00-0	ammonium perchlorate; [containing ≥ 80 % of 0-30 µm particles]	232-235-1	7790-98-9	Expl. 1.1 Ox. Sol. 1	H201 H271	GHS01 Dgr	H201 H271			T	CLP00/ATP01	Exp. 1.1D	Expl. 1.1 Ox. Sol. 1	
0406	DINITROSOBENZENE†	1.3C																		
0407	TETRAZOL-1-ACETIC ACID†	1.4C																		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
0411	PENTAERYTHRITETETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) with not less than 7% wax, by mass†	1.1D			131	603-035-01-2	pentaerythritol tetranitrate; pentaerythritol tetranitrate; P.E.T.N.; [≥ 20 % phlegmatiser]	201-084-3	78-11-5	Expl. 1.1	H201	GHS01 Dgr	H201		T	CLP00/	Exp. 1.1D	Expl. 1.1	
						603-035-00-5	pentaerythritol tetranitrate; P.E.T.N.	201-084-3	78-11-5	Unst. Expl.	H200	GHS01 Dgr	H200			CLP00/	Transport prohibited		
0448	5-MERCAPTOTETRAZOL-1-ACETIC ACID†	1.4C																	
0483	CYCLOTTRIMETHYLENE-TRINITRAMINE (CYCLONITE; HEXOGEN; RDX), DESENSITIZED	1.1D																	
0484	CYCLOTETRAMETHYLENE-TETRANITRAMINE (HMX; OCTOGEN), DESENSITIZED	1.1D																	
0489	DINITROGLYCOURIL (DINGU)†	1.1D																	
0490	NITROTRIAZOLONE (NTO)†	1.1D																	
0491	CHARGES, PROPELLING†	1.4C																	
0496	OCTONAL	1.1D																	
0504	1H-TETRAZOLE	1.1D																	
0508	1-HYDROXYBENZOTRIAZOLE, ANHYDROUS, dry or wetted with less than 20% water, by mass	1.3C				613-285-00-7	1-hydroxybenzotriazole, anhydrous; [1] 1-hydroxybenzotriazole, monohydrated [2]	219-989-7 [1] 219-989-7 [2]	2592-95-2 [1] 123333-53-9 [2]	Expl. 1.3	H203	GHS01 Dgr	H203		ATP01/	Exp. 1.3C	Expl. 1.3		
0509	POWDER, SMOKELESS†	1.4C																	
1001	ACETYLENE, DISSOLVED	2.1				601-015-00-0	acetylene; ethyne	200-816-9	74-86-2	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220	EUH006	U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1002	AIR, COMPRESSED	2.2																	
1003	AIR, REFRIGERATED LIQUID	2.2	5.1																
1005	AMMONIA, ANHYDROUS LC50 (mg/m3) (4h) = 2000	2.3	8		23	007-001-00-5	ammonia, anhydrous	231-635-3	7664-41-7	Flam. Gas 2 Press. Gas Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H221 H331 H314 H400	GHS04 GHS06 GHS05 GHS09 Dgr	H221 H331 H314 H400		U	CLP00/	Press. Gas (liq.dis) Ac.tox 3 Corr.	Press. Gas Flam. Gas 2 Ac.Tox.3 * Skin Corr.1B Aq.Ac.1	
1006	ARGON, COMPRESSED	2.2																	
1008	BORON TRIFLUORIDE LC50 (mg/m3) (4h) = 193.5	2.3	8			005-001-00-X	boron trifluoride	231-569-5	7637-07-2	Press. Gas Acute Tox. 2 * Skin Corr. 1A	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314	EUH014	U	CLP00/	Press. Gas (liq.dis) Ac.Tox. 2 Corr.	Press. Gas Ac.Tox.2 * Skin Corr. 1A	
1009	BROMOTRIFLUOROMETHANE (REFRIGERANT GAS R 13B1)	2.2																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1010	BUTADIENES, STABILIZED or BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED, containing more than 40% butadienes	2.1																	
						601-013-00-X	1,3-butadiene; buta-1,3-diene	203-450-8	106-99-0	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340			D U	CLP00/		
1011	BUTANE	2.1				601-004-00-0	butane; [1] and isobutane [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		C U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
						601-004-01-8	butane (containing ≥ 0,1 % butadiene (203-450-8)); [1] isobutane (containing ≥ 0,1 % butadiene (203-450-8)) [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	Flam. Gas 1 Press. Gas Carc. 1A Muta. 1B	H220 H350 H340	GHS02 GHS04 GHS08 Dgr	H220 H350 H340		C S U	CLP00/			
1012	BUTYLENE	2.1																	
1013	CARBON DIOXIDE	2.2																	
1016	CARBON MONOXIDE, COMPRESSED LC50 (mg/m3) (4h) = 1880	2.3	2.1			006-001-00-2	carbon monoxide	211-128-3	630-08-0	Flam. Gas 1 Press. Gas Repr. 1A Acute Tox. 3 * STOT RE 1	H220 H360D *** H331 H372 **	GHS02 GHS04 GHS06 GHS08 Dgr	H220 H360D *** H331 H372 **		U	CLP00/	Press. Gas (comp.) Flam. Gas 1 Ac.Tox. 3	Press. Gas Flam. Gas 1 Ac.Tox. 3 *	
1017	CHLORINE LC50 (mg/m3) (4h) = 146.5	2.3	5.1 8			017-001-00-7	chlorine	231-959-5	7782-50-5	Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H331 H319 H335 H315 H400	GHS06 GHS09 Dgr	H331 H319 H335 H315 H400	M=100		CLP00/ATP01	Press. Gas (liq.dis) Ac.Tox. 2 Oxid. Corr. P	Ac.Tox. 3 * Aq. Ac.1	
1018	CHLORODIFLUOROMETHANE (REFRIGERANT GAS R 22)	2.2																	
1020	CHLOROPENTAFLUORO-ETHANE (REFRIGERANT GAS R 115)	2.2																	
1021	1-CHLORO-1,2,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 124)	2.2																	
1022	CHLOROTRIFLUORO-METHANE (REFRIGERANT GAS R 13)	2.2																	
1023	COAL GAS, COMPRESSED	2.3	2.1																
1026	CYANOGEN LC50 (mg/m3) (4h) = 175	2.3	2.1			608-011-00-8	oxalonitrile; cyanogen	207-306-5	460-19-5	Press. Gas Flam. Gas 1 Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H220 H331 H400 H410	GHS02 GHS04 GHS06 GHS09 Dgr	H220 H331 H410			CLP00/ATP01	Press. Gas (liq.dis) Flam. Gas 1 Ac.tox.2	Press. Gas Flam. Gas 1 Ac.Tox. 3 * Aq.Ac.1 Aq. Chr.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1027	CYCLOPROPANE	2.1				601-016-00-6	cyclopropane	200-847-8	75-19-4	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas
1028	DICHLORODIFLUORO-METHANE (REFRIGERANT GAS R 12)	2.2																	
1029	DICHLOROFLUOROMETHANE (REFRIGERANT GAS R 21)	2.2																	
1030	1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)	2.1																	
1032	DIMETHYLAMINE, ANHYDROUS	2.1				612-001-00-9	mono-methylamine: [1] di-methylamine; [2] tri-methylamine [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Gas 1 Press. Gas Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H220 H332 H335 H315 H318	GHS02 GHS04 GHS05 GHS07 Dgr	H220 H332 H335 H315 H318		* Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 %	U 5	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas Ac.Tox. 4 *
						612-001-01-6	mono-methylamine ... %: [1] di-methylamine ... %: [2] tri-methylamine ... % [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H224 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H332 H302 H314		* STOT SE 3; H335: C ≥ 5 %	B	CLP00/		
1033	DIMETHYL ETHER	2.1				603-019-00-8	dimethyl ether	204-065-8	115-10-6	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas
1035	ETHANE	2.1				601-002-00-X	ethane	200-814-8	74-84-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas
1036	ETHYLAMINE	2.1				612-002-00-4	ethylamine	200-834-7	75-04-7	Flam. Gas 1 Press. Gas Eye Irrit. 2 STOT SE 3	H220 H319 H335	GHS02 GHS04 GHS07 Dgr	H220 H319 H335			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas
1037	ETHYL CHLORIDE	2.1				602-009-00-0	chloroethane	200-830-5	75-00-3	Flam. Gas 1 Press. Gas Car. 2 Aqutic Chronic 3	H220 H351 H412	GHS02 GHS04 GHS08 Dgr	H220 H351 H412			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas Aq.Chr.3
1038	ETHYLENE, REFRIGERATED LIQUID	2.1				601-010-00-3	ethylene	200-815-3	74-85-1	Flam. Gas 1 Press. Gas STOT SE 3	H220 H336	GHS02 GHS04 GHS07 Dgr	H220 H336			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas
1039	ETHYL METHYL ETHER	2.1				603-020-00-3	ethyl methyl ether	-	540-67-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220			U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1040	ETHYLENE OXIDE, or ETHYLENE OXIDE WITH NITROGEN up to a total pressure of 1 MPa (10 bar) at 50 °C LC50 (mg/m3) (4h) = 1450	2.3	2.1		342	603-023-00-X	ethylene oxide; oxirane	200-849-9	75-21-8	Press. Gas Flam. Gas 1 Carc. 1B Muta. 1B Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H220 H350 H340 H331 H319 H335 H315	GHS02 GHS04 GHS06 GHS08 Dgr	H220 H350 H340 H331 H319 H335 H315				CLP00/ATP01	Press. Gas (liq.dis) Flam. Gas 1 Ac.tox. 3	Press. Gas Flam. Gas 1 Ac.Tox. 3 *
1041	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide	2.1																	
						603-023-00-X	ethylene oxide; oxirane	200-849-9	75-21-8	Press. Gas Flam. Gas 1 Carc. 1B Muta. 1B Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H220 H350 H340 H331 H319 H335 H315	GHS02 GHS04 GHS06 GHS08 Dgr	H220 H350 H340 H331 H319 H335 H315				CLP00/ATP01		
1043	FERTILIZER AMMONIATING SOLUTION with free ammonia	2.2																	
1044	FIRE EXTINGUISHERS with compressed or liquefied gas	2.2			225														
1045	FLUORINE, COMPRESSED LC50 (mg/m3) (4h) = 92.5	2.3	5.1 8			009-001-00-0	fluorine	231-954-8	7782-41-4	Press. Gas Ox. Gas 1 Acute Tox. 2 * Skin Corr. 1A	H270 H330 H314	GHS04 GHS03 GHS06 GHS05 Dgr	H270 H330 H314				CLP00/ATP01	Press. Gas (comp.) Oxid.1 Ac.tox.1 Corr.	Press. Gas Ox. Gas 1 Ac.Tox. 2 * Skin Corr. 1A
1046	HELIUM, COMPRESSED	2.2																	
1048	HYDROGEN BROMIDE, ANHYDROUS LC50 (mg/m3) (4h) = 1430	2.3	8			035-002-00-0	hydrogen bromide	233-113-0	10035-10-6	Press. Gas Skin Corr. 1A STOT SE 3	H314 H335	GHS04 GHS05 GHS07 Dgr	H314 H335		U		CLP00/	Press.Gas (liq.dis) Ac.tox.3 Corr.	Press. Gas Skin Corr. 1A
1049	HYDROGEN, COMPRESSED	2.1				001-001-00-9	hydrogen	215-605-7	1333-74-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U		CLP00/	Flam. Gas.1 Press. Gas	Flam. Gas 1 Press. Gas
1050	HYDROGEN CHLORIDE, ANHYDROUS LC50 (mg/m3) (4h) = 1405	2.3	8			017-002-00-2	hydrogen chloride	231-595-7	7647-01-0	Press. Gas Acute Tox. 3 * Skin Corr. 1A	H331 H314	GHS04 GHS06 GHS05 Dgr	H331 H314		U 5		CLP00/	Press.Gas (liq.dis) Ac.tox.3 Corr.	Press. Gas Ac. Tox. 3 * Skin Corr. 1A
1051	HYDROGEN CYANIDE, STABILIZED containing less than 3% water	6.1	3	I															

UN Model Reg. Rev.16						CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						006-006-00-X	hydrogen cyanide; hydrocyanic acid	200-821-6	74-90-8	Flam. Liq. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H224 H330 H400 H410	GHS02 GHS06 GHS09 Dgr	H224 H330 H410			CLP00/			
						006-006-01-7	hydrogen cyanide ...%; hydrocyanic acid ...%	200-821-6	74-90-8	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410		B	CLP00/			
1052	HYDROGEN FLUORIDE, ANHYDROUS	8	6.1	1		009-002-00-6	hydrogen fluoride	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314			CLP00/	Corr.1A Ac.tox	Skin Corr. 1A Ac. Tox. 1	
1053	HYDROGEN SULPHIDE LC50 (mg/m3) (4h) = 356	2.3	2.1			016-001-00-4	hydrogen sulphide	231-977-3	7783-06-4	Flam. Gas 1 Press. Gas Acute Tox. 2 * Aquatic Acute 1	H220 H330 H400	GHS02 GHS04 GHS06 GHS09 Dgr	H220 H330 H400		U	CLP00/	Press.Gas (liq.dis) Flam. Gas 1 Ac.tox.2 Corr.	Press. Gas Flam. Gas 1 Ac.Tox. 2 * Aq.Ac.1	
1055	ISOBUTYLENE	2.1				601-012-00-4	but-1-ene; [1] butene, mixed-1-and-2-isomers; [2] 2-methylpropene; [3] (Z)-but-2-ene; [4] (E)-but-2-ene [5]	203-449-2 [1] 203-452-9 [2] 204-066-3 [3] 209-673-7 [4] 210-855-3 [5]	106-98-9 [1] 107-01-7 [2] 115-11-7 [3] 590-18-1 [4] 624-64-6 [5]	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		C U	CLP00/	Flam. Gas.1	Flam. Gas 1 Press. Gas	
1056	KRYPTON, COMPRESSED	2.2																	
1060	METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED	2.1																	
1061	METHYLAMINE, ANHYDROUS	2.1																	
						612-001-00-9	mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Gas 1 Press. Gas Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H220 H332 H335 H315 H318	GHS02 GHS04 GHS05 GHS07 Dgr	H220 H332 H335 H315 H318		U 5	CLP00/		* Skin Irrit. 2; H315: C ≥ 5 % Eye Dam. 1; H318: C ≥ 5 % Eye Irrit. 2; H319; 0,5 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 %	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1075	PETROLEUM GASES, LIQUEFIED	2.1				649-202-00-6	Petroleum gases, liquefied; Petroleum gas; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₃ through C ₇ and boiling in the range of approximately -40 °C to 80 °C (-40 °F to 176 °F).]	270-704-2	68476-85-7	Press. Gas Flam. Gas 1 Carc. 1B Muta. 1B	H220 H350 H340	GHS04 GHS02 GHS08 Dgr	H220 H350 H340		H K S U	CLP00/ATP01	Flam. Gas. 1	Flam. Gas 1 Press. Gas	
1076	PHOSGENE LC50 (mg/m3) (4h) = 2.5	2.3	8			006-002-00-8	phosgene; carbonyl chloride	200-870-3	75-44-5	Press. Gas Acute Tox. 2 * Skin Corr. 1B	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314		U	CLP00/	Press.Gas (liq.dis) Ac.tox.1 Corr.	Press. Gas Ac.Tox. 2 * Skin Corr. 1B	
1077	PROPYLENE	2.1				601-011-00-9	propene; propylene	204-062-1	115-07-1	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U	CLP00/	Flam. Gas. 1	Flam. Gas 1 Press. Gas	
1079	SULPHUR DIOXIDE LC50 (mg/m3) (4h) = 1260	2.3	8			016-011-00-9	sulphur dioxide	231-195-2	7446-09-5	Press. Gas Acute Tox. 3 * Skin Corr. 1B	H331 H314	GHS04 GHS06 GHS05 Dgr	H331 H314	*	U 5	CLP00/	Press.Gas (liq.dis) Ac.tox.3 Corr.	Press. Gas Ac.Tox. 3 * Skin Corr. 1B	
1080	SULPHUR HEXAFLUORIDE	2.2																	
1081	TETRAFLUOROETHYLENE, STABILIZED	2.1																	
1082	TRIFLUOROCHLORO-ETHYLENE, STABILIZED	2.3	2.1																
1083	TRIMETHYLAMINE, ANHYDROUS	2.1				612-001-00-9	mono-methylamine; [1] di-methylamine; [2] tri-methylamine [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Gas 1 Press. Gas Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H220 H332 H335 H315 H318	GHS02 GHS04 GHS05 GHS07 Dgr	H220 H332 H335 H315 H318	*	U 5	CLP00/	Flam. Gas. 1	Flam. Gas 1 Press. Gas Ac.Tox. 4 *	
						612-001-01-6	mono-methylamine ... %; [1] di-methylamine ... %; [2] tri-methylamine ... % [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H224 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H332 H302 H314	*	B	CLP00/			
1085	VINYL BROMIDE, STABILIZED	2.1				602-024-00-2	bromoethylene	209-800-6	593-60-2	Press. Gas Flam. Gas 1 Carc. 1B	H220 H350	GHS02 GHS08 Dgr	H220 H350		U	CLP00/	Flam. Gas. 1	Flam. Gas 1 Press. Gas	
1086	VINYL CHLORIDE, STABILIZED	2.1				602-023-00-7	vinyl chloride; chloroethylene	200-831-0	75-01-4	Press. Gas Flam. Gas 1 Carc. 1A	H220 H350	GHS02 GHS08 Dgr	H220 H350		D U	CLP00/	Flam. Gas. 1	Flam. Gas 1 Press. Gas	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1087	VINYL METHYL ETHER, STABILIZED	2.1				603-021-00-9	methyl vinyl ether	203-475-4	107-25-5	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		D U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1088	ACETAL	3		II		605-015-00-1	1,1-dithioxyethane; acetal	203-310-6	105-57-7	Flam. Liq. 2 Eye Irrit. 2 Skin Irrit. 2	H225 H319 H315	GHS02 GHS07 Dgr	H225 H319 H315			CLP00/	Flam.2	Flam. Liq. 2	
1089	ACETALDEHYDE	3		I		605-003-00-6	acetaldehyde; ethanal	200-836-8	75-07-0	Flam. Liq. 1 Carc. 2 Eye Irrit. 2 STOT SE 3	H224 H351 H319 H335	GHS02 GHS08 GHS07 Dgr	H224 H351 H319 H335			CLP00/	Flam.1	Flam. Liq. 1	
1090	ACETONE	3		II		606-001-00-8	acetone; propan-2-one; propanone	200-662-2	67-64-1	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		CLP00/	Flam.2	Flam. Liq. 2	
1091	ACETONE OILS	3		II															
1092	ACROLEIN, STABILIZED FP= -26°C BP= 52°C	6.1	3	I	354	605-008-00-3	acrylaldehyde; acrolein; prop-2-enal	203-453-4	107-02-8	Flam. Liq. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H225 H330 H311 H301 H314 H400	GHS02 GHS06 GHS05 GHS09 Dgr	H225 H330 H311 H301 H314 H400		D	CLP00/	Ac. tox.1 Flam.2	Ac. tox.2* Flam 2 Skin Corr 1B Aq. Ac. 1	
1093	ACRYLONITRILE, STABILIZED	3	6.1	I		608-003-00-4	acrylonitrile	203-466-5	107-13-1	Flam. Liq. 2 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 2	H225 H350 H331 H311 H301 H335 H315 H318 H317 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H331 H311 H301 H335 H315 H318 H317 H411	*	D	CLP00/	Flam.1 Ac.tox.1,2,3	Flam. Liq. 2 Ac.Tox. 3 * Aq.Chr.2	
1098	ALLYL ALCOHOL FP= 21°C	6.1	3	I	354	603-015-00-6	allyl alcohol	203-470-7	107-18-6	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H225 H331 H311 H301 H319 H335 H315 H400	GHS02 GHS06 GHS09 Dgr	H225 H331 H311 H301 H319 H335 H315 H400			CLP00/	Acute tox.1 Flam.2 P	Ac. tox.3* Flam 2 Aq. Ac. 1	
1099	ALLYL BROMIDE	3	6.1	I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1100	ALLYL CHLORIDE	3	6.1	I		602-029-00-X	3-chloropropene; allyl chloride	203-457-6	107-05-1	Flam. Liq. 2 Care. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H225 H351 H341 H332 H312 H302 H373 ** H319 H335 H315 H400	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H351 H341 H332 H312 H302 H373 ** H319 H335 H315 H400			D	CLP00/	Flam.1 Ac.tox.1,2,3	Flam. Liq. 2 Ac.Tox. 4 * Aq.Ac.1
1104	AMYL ACETATES	3		III		607-130-00-2	pentyl acetate; [1] isopentyl acetate; [2] 1-methylbutyl acetate; [3] 2-methylbutyl acetate; [4] 2(or 3)-methylbutyl acetate [5]	211-047-3 [1] 204-662-3 [2] 210-946-8 [3] 210-843-8 [4] 282-263-3 [5]	628-63-7 [1] 123-92-2 [2] 626-38-0 [3] 624-41-9 [4] 84145-37-9 [5]	Flam. Liq. 3	H226	GHS02 Wng	H226	EUH066		C	CLP00/	Flam.3	Flam. Liq. 3
1105	PENTANOLS	3		II		603-200-00-1	1-pentanol; [1] 3-pentanol [2]	200-752-1 [1] 209-526-7 [2]	71-41-0 [1] 584-02-1 [2]	Flam. Liq. 3 Acute Tox. 4 * STOT SE 3 Skin Irrit. 2	H226 H332 H335 H315	GHS02 GHS07 Wng	H226 H332 H335 H315			ATP01/	Flam.2	Flam. Liq. 3 Ac.Tox. 4 *	
1105	PENTANOLS	3		III	223														
1106	AMYLAMINE	3	8	II															
1106	AMYLAMINE	3	8	III	223														
1107	AMYL CHLORIDE	3		II															
1108	1-PENTENE (n-AMYLENE)	3		I															
1109	AMYL FORMATES	3		III															
1110	n-AMYL METHYL KETONE	3		III															
1111	AMYL MERCAPTAN	3		II															
1112	AMYL NITRATE	3		III															
1113	AMYL NITRITE	3		II															
1114	BENZENE	3		II		601-020-00-8	benzene	200-753-7	71-43-2	Flam. Liq. 2 Care. 1A Muta. 1B STOT RE 1 Asp. Tox. 1 Eye Irrit. 2 Skin Irrit. 2	H225 H350 H340 H372 ** H304 H319 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H340 H372 ** H304 H319 H315		E	CLP00/	Flam.2	Flam. Liq. 2	
1120	BUTANOLS	3		II															
1120	BUTANOLS	3		III	223														
						603-004-00-6	butan-1-ol; n-butanol	200-751-6	71-36-3	Flam. Liq. 3 Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H226 H302 H335 H315 H318 H336	GHS02 GHS05 GHS07 Dgr	H226 H302 H335 H315 H318 H336			CLP00/			
1123	BUTYL ACETATES	3		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1123	BUTYL ACETATES	3		III	223														
						607-025-00-1	n-butyl acetate	204-658-1	123-86-4	Flam. Liq. 3 STOT SE 3	H226 H336	GHS02 GHS07 Wng	H226 H336	EUH066			CLP00/		
1125	n-BUTYLAMINE	3	8	II															
						612-005-00-0	butylamine	203-699-2	109-73-9	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314		STOT SE 3; H335		CLP00/		
						612-049-00-0	di-n-butylamine; [1] di-sec-butylamine [2]	203-921-8 [1] 210-937-9 [2]	111-92-2 [1] 626-23-3 [2]	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302				CLP00/		
1126	1-BROMOBUTANE	3		II															
1127	CHLOROBUTANES	3		II															
						602-059-00-3	1-chlorobutane; butyl chloride	203-696-6	109-69-3	Flam. Liq. 2	H225	GHS02 Dgr	H225				CLP00/		
1128	n-BUTYL FORMATE	3		II															
						607-017-00-8	butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3]	209-772-5 [1] 212-105-0 [2] 208-818-1 [3]	592-84-7 [1] 762-75-4 [2] 542-55-2 [3]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335		C		CLP00/		
1129	BUTYRALDEHYDE	3		II															
						605-006-00-2	butyraldehyde	204-646-6	123-72-8	Flam. Liq. 2	H225	GHS02 Dgr	H225				CLP00/	Flam.2	Flam. Liq. 2
1130	CAMPHOR OIL	3		III															
1131	CARBON DISULPHIDE	3	6.1	I															
						006-003-00-3	carbon disulphide	200-843-6	75-15-0	Flam. Liq. 2 Repr. 2 STOT RE 1 Eye Irrit. 2 Skin Irrit. 2	H225 H361fd H372 ** H319 H315	GHS02 GHS08 GHS07 Dgr	H225 H361fd H372 ** H319 H315		Repr. 2; H361fd; C ≥ 1 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.2 % ≤ C < 1 %		CLP00/	Flam.2 Ac.tox.1,2,3	Flam. Liq. 2
1133	ADHESIVES containing flammable liquid	3		I															
1133	ADHESIVES containing flammable liquid	3		II															
1133	ADHESIVES containing flammable liquid	3		III	223														
1134	CHLOROBENZENE	3		III															
						602-033-00-1	chlorobenzene	203-628-5	108-90-7	Flam. Liq. 3 Acute Tox. 4 * Aquatic Chronic 2	H226 H332 H411	GHS02 GHS07 GHS09 Wng	H226 H332 H411		*		CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 * Aq.Chr.2

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
1135	ETHYLENE CHLOROHYDRIN FP=60°C	6.1	3	I	354	603-028-00-7	2-chloroethanol; ethylene chlorohydrin	203-459-7	107-07-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H330 H310 H300	GHS06 Dgr	H330 H310 H300					CLP00/	Ac. tox.1 Flam.3	Ac. tox.1
1136	COAL TAR DISTILLATES, FLAMMABLE	3		II																
1136	COAL TAR DISTILLATES, FLAMMABLE	3		III	223															
						648-001-00-0	Distillates (coal tar), benzole fraction; Light Oil; [A complex combination of hydrocarbons obtained by the distillation of coal tar. It consists of hydrocarbons having carbon numbers primarily in the range of C ₄ to C ₁₀ and distilling in the approximate range of 80°C to 160 °C (175 °F to 320 °F).]	283-482-7	84650-02-2	Carc. 1B	H350	GHS08 Dgr	H350				H	CLP00/		
						648-004-00-7	Distillates (coal tar), benzole fraction, BTX-rich; Light Oil Redistillate, low boiling; [A residue from the distillation of crude benzole to remove benzole fronts. Composed primarily of benzene, toluene and xylenes boiling in the range of approximately 75°C to 200°C (167°F to 392°F).]	309-984-9	101896-26-8	Carc. 1B Muta. 1B	H350 H340	GHS08 Dgr	H350 H340				H J	CLP00/ATP01		
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3		I																
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3		II																
1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle undercoating, drum or barrel lining)	3		III	223															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1143	CROTONALDEHYDE or CROTONALDEHYDE, STABILIZED FP=13°C	6.1	3	I	324 354	605-009-00-9	crotonaldehyde; 2-butenal; [1] (E)-2-butenal; (E)-crotonaldehyde [2]	224-030-0 [1] 204-647-1 [2]	4170-30-3 [1] 123-73-9 [2]	Flam. Liq. 2 Muta. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	H225 H341 H330 H311 H301 H373 ** H335 H315 H318 H400	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H341 H330 H311 H301 H373 ** H335 H315 H318 H400				CLP00/	Ac. tox.1 Flam.2 P	Ac. tox.2* Flam liq.2 Aq. Ac. 1
1144	CROTONYLENE	3		I															
1145	CYCLOHEXANE	3		II		601-017-00-1	cyclohexane	203-806-2	110-82-7	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410				CLP00/	Flam.2	Flam. Liq. 2 Aq.Ac.1 Aq.Chr.1
1146	CYCLOPENTANE	3		II		601-030-00-2	cyclopentane	206-016-6	287-92-3	Flam. Liq. 2 Aquatic Chronic 3	H225 H412	GHS02 Dgr	H225 H412				CLP00/	Flam.2	Flam. Liq. 2 Aq.Chr.3
1147	DECAHYDRONAPHTHALENE	3		III															
1148	DIACETONE ALCOHOL	3		II															
1148	DIACETONE ALCOHOL	3		III	223														
1149	DIBUTYL ETHERS	3		III															
						603-054-00-9	di-n-butyl ether; dibutyl ether	205-575-3	142-96-1	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H226 H319 H335 H315 H412	GHS02 GHS07 Wng	H226 H319 H335 H315 H412		STOT SE 3; H335		CLP00/		
1150	1,2-DICHLOROETHYLENE	3		II		602-026-00-3	1,2-dichloroethylene; [1] cis-dichloroethylene; [2] trans-dichloroethylene [3]	208-750-2 [1] 205-885-7 [2] 205-860-2 [3]	540-59-0 [1] 156-59-2 [2] 156-60-5 [3]	Flam. Liq. 2 Acute Tox. 4 * Aquatic Chronic 3	H225 H332 H412	GHS02 GHS07 Dgr	H225 H332 H412	*	C	CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Aq.Chr.3	
1152	DICHLOROPENTANES	3		III		602-022-00-1	1-chloropentane; [1] 2-chloropentane; [2] 3-chloropentane [3]	208-846-4 [1] 210-885-7 [2] 210-467-4 [3]	543-59-9 [1] 625-29-6 [2] 616-20-6 [3]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302		C	CLP00/	Flam.3	Flam. Liq. 2 Ac.Tox. 4 *	
1153	ETHYLENE GLYCOL DIETHYL ETHER	3		II															
1153	ETHYLENE GLYCOL DIETHYL ETHER	3		III															

UN Model Reg. Rev.16						CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1154	DIETHYLAMINE	3	8	II		612-003-00-X	diethylamine	203-716-3	109-89-7	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314		STOT SE 3; H335		CLP00/ Corr.1B, 1C	Flam.2 Ac.Tox. 4 * Skin Corr. 1A	
1155	DIETHYL ETHER (ETHYL ETHER)	3		I		603-022-00-4	diethyl ether; ether	200-467-2	60-29-7	Flam. Liq. 1 Acute Tox. 4 * STOT SE 3	H224 H302 H336	GHS02 GHS07 Dgr	H224 H302 H336	EUH019 EUH066		CLP00/	Flam.1 Ac. Tox. 4 *		
1156	DIETHYL KETONE	3		II		606-006-00-5	pentan-3-one; diethyl ketone	202-490-3	96-22-0	Flam. Liq. 2 STOT SE 3 STOT SE 3	H225 H335 H336	GHS02 GHS07 Dgr	H225 H335 H336	EUH066		CLP00/	Flam.2 Flam. Liq. 2		
1157	DIISOBUTYL KETONE	3		III		606-005-00-X	2,6-dimethylheptan-4-one; di-isobutyl ketone	203-620-1	108-83-8	Flam. Liq. 3 STOT SE 3	H226 H335	GHS02 GHS07 Wng	H226 H335		STOT SE 3; H335		CLP00/	Flam.3 Flam. Liq. 3	
1158	DIISOPROPYLAMINE	3	8	II		612-129-00-5	diisopropylamine	203-558-5	108-18-9	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H225 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H302 H314		STOT SE 3; H335		CLP00/ Corr.1B, 1C	Flam. Liq. 2 Ac.Tox. 4 * Skin Corr. 1B	
1159	DIISOPROPYL ETHER	3		II		603-045-00-X	diisopropyl ether; [1] dipropyl ether [2]	203-560-6 [1] 203-869-6 [2]	108-20-3 [1] 111-43-3 [2]	Flam. Liq. 2 STOT SE 3	H225 H336	GHS02 GHS07 Dgr	H225 H336	EUH019 EUH066	C	CLP00/	Flam.2 Flam. Liq. 2		
1160	DIMETHYLAMINE AQUEOUS SOLUTION	3	8	II															
1161	DIMETHYL CARBONATE	3		II		607-013-00-6	dimethyl carbonate	210-478-4	616-38-6	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam.2 Flam. Liq. 2		
1162	DIMETHYLDICHLOROSILANE	3	8	II		014-003-00-X	dimethyldichlorosilane	200-901-0	75-78-5	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H319 H335 H315	GHS02 GHS07 Dgr	H225 H319 H335 H315			CLP00/ Corr.1B, 1C	Flam.2 Flam. Liq. 2		
1163	DIMETHYLHYDRAZINE, UNSYMMETRICAL FP=-18°C	6.1	3 8	I	354												Ac.tox.1 Flam 2 Corr 1 P		
						200-316-0	57-14-7	Flam. Liq. 2 Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H225 H350 H331 H301 H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H331 H301 H314 H411				CLP00/		Ac. Tox. 3 * Flam. Liq. 2 Skin Corr. 1B Aq.Chr. 2		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
							540-73-8	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H350 H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H411		Carc. 1B; H350; C		CLP00/				
1164	DIMETHYL SULPHIDE	3		II															
1165	DIOXANE	3		II		603-024-00-5	1,4-dioxane	204-661-8	123-91-1	Flam. Liq. 2 Carc. 2 Eye Irrit. 2 STOT SE 3	H225 H351 H319 H335	GHS02 GHS08 GHS07 Dgr	H225 H351 H319 H335	EUH019 EUH066	D	CLP00/	Flam. 2	Flam. Liq. 2	
1166	DIOXOLANE	3		II		605-017-00-2	1,3-dioxolane	211-463-5	646-06-0	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam. 2	Flam. Liq. 2	
1167	DIVINYL ETHER, STABILIZED	3		I															
1169	EXTRACTS, AROMATIC, LIQUID	3		II															
1169	EXTRACTS, AROMATIC, LIQUID	3		III	223														
1170	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3		II	144	603-002-00-5	ethanol; ethyl alcohol	200-578-6	64-17-5	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam. 2	Flam. Liq. 2	
1170	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3		III	144 223														
1171	ETHYLENE GLYCOL MONOETHYL ETHER	3		III		603-012-00-X	2-ethoxyethanol; ethylene glycol monoethyl ether	203-804-1	110-80-5	Flam. Liq. 3 Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H360FD H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H226 H360FD H332 H312 H302			CLP00/	Flam. 3	Flam. Liq. 3 Ac. Tox. 4 *	
1172	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE	3		III															
1173	ETHYL ACETATE	3		II		607-022-00-5	ethyl acetate	205-500-4	141-78-6	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		CLP00/	Flam. 2	Flam. Liq. 2	
1175	ETHYLBENZENE	3		II		601-023-00-4	ethylbenzene	202-849-4	100-41-4	Flam. Liq. 2 Acute Tox. 4 *	H225 H332	GHS02 GHS07 Dgr	H225 H332			CLP00/	Flam. 2	Flam. Liq. 2 Ac. Tox. 4 *	
1176	ETHYL BORATE	3		II															
1177	2-ETHYLBUTYL ACETATE	3		III															
1178	2-ETHYLBUTYRALDEHYDE	3		II															
1179	ETHYL BUTYL ETHER	3		II															
1180	ETHYL BUTYRATE	3		III															

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1181	ETHYL CHLOROACETATE FP=54°C	6.1	3	II		607-070-00-7	ethyl chloroacetate	203-294-0	105-39-5	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1	H331 H311 H301 H400	GHS06 GHS09 Dgr	H331 H311 H301 H400				CLP00/	Ac.tox.2 Flam.3 P	Ac. Tox. 3 * Aq. Ac. 1
1182	ETHYL CHLOROFORMATE FP=16°C	6.1	3 8	I	354	607-020-00-4	ethyl chloroformate	208-778-5	541-41-3	Flam. Liq. 2 Acute Tox. 2 * Acute Tox. 4 * Skin Corr. 1B	H225 H330 H302 H314	GHS02 GHS06 GHS05 Dgr	H225 H330 H302 H314				CLP00/	Ac.tox.1 Flam.2 Corr.1	Ac. Tox. 2* Flam liq. 2 Skin Corr.1B
1183	ETHYLDICHLOROSILANE	4.3	3 8	I															
1184	ETHYLENE DICHLORIDE	3	6.1	II		602-012-00-7	1,2-dichloroethane; ethylene dichloride	203-458-1	107-06-2	Flam. Liq. 2 Carc. 1B Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H350 H302 H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H302 H319 H335 H315				CLP00/	Flam.2 Ac.tox.1, 2, 3	Flam. Liq. 2 Ac.Tox. 4 *
1185	ETHYLENEIMINE, STABILIZED FP=-13°C BP=55°C	6.1	3	I	354	613-001-00-1	ethyleneimine; aziridine	205-793-9	151-56-4	Flam. Liq. 2 Carc. 1B Muta. 1B Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1B Aquatic Chronic 2	H225 H350 H340 H330 H310 H300 H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H340 H330 H310 H300 H314 H411		D		CLP00/	Ac.tox.1 Flam.2	Ac.tox.1 Flam liq.2 Skin Corr.1B Aq. Chr.2
1188	ETHYLENE GLYCOL MONOMETHYL ETHER	3		III		603-011-00-4	2-methoxyethanol; ethylene glycol monomethyl ether	203-713-7	109-86-4	Flam. Liq. 3 Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H360FD H332 H312 H302	GHS02 GHS08 GHS07 Dgr	H226 H360FD H332 H312 H302				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
1189	ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE	3		III															
1190	ETHYL FORMATE	3		II		607-015-00-7	ethyl formate	203-721-0	109-94-4	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H225 H332 H302 H319 H335	GHS02 GHS07 Dgr	H225 H332 H302 H319 H335				CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *
1191	OCTYL ALDEHYDES	3		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1192	ETHYL LACTATE	3		III		607-129-00-7	ethyl lactate; ethyl DL-lactate; [1] ethyl (S)-2-hydroxypropionate; ethyl L-lactate; ethyl-(S)-lactate [2]	202-598-0 [1] 211-694-1 [2]	97-64-3 [1] 687-47-8 [2]	Flam. Liq. 3 STOT SE 3 Eye Dam. 1	H226 H335 H318	GHS02 GHS05 GHS07 Dgr	H226 H335 H318		C	CLP00/	Flam.3	Flam. Liq. 3	
1193	ETHYL METHYL KETONE (METHYL ETHYL KETONE)	3		II		606-002-00-3	butanone; ethyl methyl ketone	201-159-0	78-93-3	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066		CLP00/	Flam.2	Flam. Liq. 2	
1194	ETHYL NITRITE SOLUTION	3	6.1	I															
						007-006-00-2	ethyl nitrite	203-722-6	109-95-5	Flam. Gas 1 Press. Gas Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H220 H332 H312 H302	GHS02 GHS04 GHS07 Dgr	H220 H332 H312 H302		U	CLP00/			
1195	ETHYL PROPIONATE	3		II		607-028-00-8	ethyl propionate	203-291-4	105-37-3	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam.2	Flam. Liq. 2	
1196	ETHYLTRICHLOROSILANE	3	8	II															
1197	EXTRACTS, FLAVOURING, LIQUID	3		II															
1197	EXTRACTS, FLAVOURING, LIQUID	3		III	223														
1198	FORMALDEHYDE SOLUTION, FLAMMABLE	3	8	III		605-001-00-5	formaldehyde ... %	200-001-8	50-00-0	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1	H351 H331 H311 H301 H314 H317	GHS06 GHS08 GHS05 Dgr	H351 H331 H311 H301 H314 H317		B D	CLP00/	Flam.3 Corr.1C	Ac. Tox. 3 * Skin Corr. 1B	
1199	FURALDEHYDES 2-furaldehyde: FP=60°C 3-furaldehyde: FP=48°C	6.1	3	II		605-010-00-4	2-furaldehyde	202-627-7	98-01-1	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H351 H331 H301 H312 H319 H335 H315	GHS06 GHS08 Dgr	H351 H331 H301 H312 H319 H335 H315			CLP00/ATP01	Ac.tox.2 Flam.3	Ac.tox.3	
1201	FUSEL OIL	3		II															
1201	FUSEL OIL	3		III	223														

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT	3		III		649-224-00-6	Fuels, diesel; Gasoil - unspecified; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₆ through C ₂₀ and boiling in the range of approximately 163°C to 357 °C (325 °F to 675 °F).]	269-822-7	68334-30-5	Carc. 2	H351	GHS08 Wng	H351			H N	CLP00/	Flam.3	
						649-225-00-1	Fuel oil, No 2; Gasoil - unspecified; [A distillate oil having a minimum viscosity of 32,6 SUS at 37,7°C (100 °F) to a maximum of 37,9 SUS at 37,7°C (100 °F).]	270-671-4	68476-30-2	Carc. 2	H351	GHS08 Wng	H351			H	CLP00/		
1203	MOTOR SPIRIT or GASOLINE or PETROL	3		II	243	649-378-00-4	Gasoline; Low boiling point naphtha - unspecified; [A complex combination of hydrocarbons consisting primarily of paraffins, cycloparaffins, aromatic and olefinic hydrocarbons having carbon numbers predominantly greater than C ₆ and boiling in the range of 30°C to 260°C (86°F to 500°F).]	289-220-8	86290-81-5	Carc. 1B Muta. 1B Asp. Tox. 1	H350 H340 H304	GHS08 Dgr	H350 H340 H304			H P	CLP00/ATP01	Flam.2	
1204	NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin	3		II															
1206	HEPTANES	3		II		601-008-00-2	heptane; n -heptane; [1] 2,4-dimethylpentane; [2] 2,2,3-trimethylbutane; [3] 3,3-dimethylpentane; [4] 2,3-dimethylpentane; [5] 3-methylhexane; [6] 2,2-dimethylpentane; [7] 2-methylhexane; [8] 3-ethylpentane; [9] isoheptane; [10]	205-563-8 [1] 203-548-0 [2] 207-346-3 [3] 209-230-8 [4] 209-280-0 [5] 209-643-3 [6] 209-680-5 [7] 209-730-6 [8] 210-529-0 [9] 250-610-8 [10]	142-82-5 [1] 108-08-7 [2] 464-06-2 [3] 562-49-2 [4] 565-59-3 [5] 589-34-4 [6] 590-35-2 [7] 591-76-4 [8] 617-78-7 [9] 31394-54-4 [10]	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410			C	CLP00/ATP01	Flam.2	Flam. Liq. 2 Aq. Ac. 1 Aq. Chr. 1
1207	HEXALDEHYDE	3		III															
1208	HEXANES	3		II															
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3		I	163														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3		II	163														
1210	PRINTING INK, flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3		III	163 223														
1212	ISOBUTANOL (ISOBUTYL ALCOHOL)	3		III		603-108-00-1	2-methylpropan-1-ol; iso-butanol	201-148-0	78-83-1	Flam. Liq. 3 STOT SE 3 Skin Irrit. 2 Eye Dam. 1 STOT SE 3	H226 H335 H315 H318 H336	GHS02 GHS05 GHS07 Dgr	H226 H335 H315 H318 H336				CLP00/	Flam.3	Flam. Liq. 3
1213	ISOBUTYL ACETATE	3		II		607-026-00-7	sec-butyl acetate; [1] isobutyl acetate; [2] tert-butyl acetate [3]	203-300-1 [1] 203-745-1 [2] 208-760-7 [3]	105-46-4 [1] 110-19-0 [2] 540-88-5 [3]	Flam. Liq. 2	H225	GHS02 Dgr	H225	EUH066			CLP00/	Flam.2	Flam. Liq. 2
1214	ISOBUTYLAMINE	3	8	II															
1216	ISOOCETENES	3		II															
1218	ISOPRENE, STABILIZED	3		I		601-014-00-5	isoprene (stabilised); 2-methyl-1,3-butadiene	201-143-3	78-79-5	Flam. Liq. 1 Carc. 1B Muta. 2 Aquatic Chronic 3	H224 H350 H341 H412	GHS02 GHS08 Dgr	H224 H350 H341 H412				CLP00/	Flam.1	Flam. Liq. 1 Aq. Chr.3
1219	ISOPROPANOL (ISOPROPYL ALCOHOL)	3		II		603-117-00-0	propan-2-ol; isopropyl alcohol; isopropanol	200-661-7	67-63-0	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336				CLP00/	Flam.2	Flam. Liq. 2
1220	ISOPROPYL ACETATE	3		II		607-024-00-6	propyl acetate; [1] isopropyl acetate [2]	203-686-1 [1] 203-561-1 [2]	109-60-4 [1] 108-21-4 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066			CLP00/	Flam.2	Flam. Liq. 2
1221	ISOPROPYLAMINE	3	8	I		612-007-00-1	2-aminopropane; isopropylamine	200-860-9	75-31-0	Flam. Liq. 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H224 H319 H335 H315	GHS02 GHS07 Dgr	H224 H319 H335 H315				CLP00/	Flam.1 Corr.1A, 1B, 1C	Flam. Liq. 1
1222	ISOPROPYL NITRATE	3		II	26														
1223	KEROSENE	3		III		649-404-00-4	Kerosine (petroleum); Straight run kerosene; [A complex combination of hydrocarbons produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C ₉ through C ₁₆ and boiling in the range of approximately 150°C to 290 °C (320 °F to 554 °F).]	232-366-4	8008-20-6	Asp. Tox. 1	H304	GHS08 Dgr	H304				CLP00/	Flam.3	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif	
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.						
1229	MESITYL OXIDE	3		III		606-009-00-1	4-methylpent-3-en-2-one; mesityl oxide	205-502-5	141-79-7	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302		*		CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *	
1230	METHANOL	3	6.1	II	279	603-001-00-X	methanol	200-659-6	67-56-1	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT SE 1	H225 H331 H311 H301 H370 **	GHS02 GHS06 GHS08 Dgr	H225 H331 H311 H301 H370 **		*	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %		CLP00/	Flam.2 Ac.tox 1, 2,3	Flam. Liq. 2 Ac.Tox. 3 *
1231	METHYL ACETATE	3		II		607-021-00-X	methyl acetate	201-185-2	79-20-9	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066			CLP00/	Flam.2	Flam. Liq. 2	
1233	METHYLAMYL ACETATE	3		III																
1234	METHYLAL	3		II																
1235	METHYLAMINE, AQUEOUS SOLUTION Commercial product is 40% solution: FP= -13°C BP = 48°C	3	8	II		612-001-01-6	mono-methylamine ... %; [1] di-methylamine ... %; [2] tri-methylamine ... % [3]	200-820-0 [1] 204-697-4 [2] 200-875-0 [3]	74-89-5 [1] 124-40-3 [2] 75-50-3 [3]	Flam. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H224 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H332 H302 H314		*	STOT SE 3; H335: C ≥ 5 %	B	CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 1 Ac. Tox. 4 * Ac. Tox. 4 * Skin Corr. 1B
1237	METHYL BUTYRATE	3		II																
1238	METHYL CHLOROFORMATE FP=5°C	6.1	3 8	I	354	607-019-00-9	methyl chloroformate	201-187-3	79-22-1	Flam. Liq. 2 Acute Tox. 2 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H225 H330 H312 H302 H314	GHS02 GHS06 GHS05 Dgr	H225 H330 H312 H302 H314				CLP00/	Ac.tox.1 Flam.2 Corr.1	Ac. tox. 2 * Flam liq.2 Skin Corr.1B	
1239	METHYL CHLOROMETHYL ETHER FP=-18°C	6.1	3	I	354													Ac.tox.1 Flam.2		
1242	METHYLDICHLOROSILANE	4.3	3 8	I																
1243	METHYL FORMATE	3		I		607-014-00-1	methyl formate	203-481-7	107-31-3	Flam. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H224 H332 H302 H319 H335	GHS02 GHS07 Dgr	H224 H332 H302 H319 H335				CLP00/	Flam.1	Flam. Liq. 1 Ac.Tox. 4 *	

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1244	METHYLHYDRAZINE FP=20°C	6.1	3 8	I	354													Ac.tox.1 Flam.2 Corr.1	
1245	METHYL ISOBUTYL KETONE	3		II															
1246	METHYL ISOPROPENYL KETONE, STABILIZED	3		II															
1247	METHYL METHACRYLATE MONOMER, STABILIZED	3		II															
1248	METHYL PROPIONATE	3		II		607-027-00-2	methyl propionate	209-060-4	554-12-1	Flam. Liq. 2 Acute Tox. 4 *	H225 H332	GHS02 GHS07 Dgr	H225 H332			CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *	
1249	METHYL PROPYL KETONE	3		II															
1250	METHYLTRICHLOROSILANE	3	8	II															
1251	METHYL VINYL KETONE, STABILIZED FP=-7°C	6.1	3 8	I	354													Ac.tox.1 Flam.2 Corr.1	
1259	NICKEL CARBONYL FP=-20°C	6.1	3	I														Ac.tox.1 Flam.2 PP	
1261	NITROMETHANE	3		II	26	609-036-00-7	nitromethane	200-876-6	75-52-5	Flam. Liq. 3 Acute Tox. 4 *	H226 H302	GHS02 GHS07 Wng	H226 H302			CLP00/	Flam.2	Flam. Liq. 3 Ac. Tox. 4 *	
1262	OCTANES	3		II		601-009-00-8	octane; <i>n</i> -octane; [1] 2,2,4-trimethylpentane; [2] 2,3,3-trimethylpentane; [3] 3,3-dimethylhexane; [4] 2,2,3-trimethylpentane; [5] 2,3,4-trimethylpentane; [6] 3,4-dimethylhexane; [7] 2,3-dimethylhexane; [8] 2,4-dimethylhexane; [9] 4-methylheptane; [10] 3-methylheptane; [11] 2,2-dimethylhexane; [12] 2,5-dimethylhexane; [13] 2-methylheptane; [14] 2,2,3,3-tetramethylbutane; [15] 3-ethyl-2-methylpentane; [16] 3-ethylhexane; [17] 3-ethyl-3-methylpentane; [18] isooctane; [19]	#####	#####	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H225 H304 H315 H336 H400 H410	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H410		C	CLP00/ATP01	Flam.2	Flam. Liq. 2 Aq.Ac.1 Aq.Chr.1	

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL. (including paint thinning or reducing compound)	3		I	163														
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL. (including paint thinning or reducing compound)	3		II	163														
1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL. (including paint thinning or reducing compound)	3		III	163 223														
1264	PARALDEHYDE	3		III		605-004-00-1	2,4,6-trimethyl-1,3,5-trioxane; paraldehyde	204-639-8	123-63-7	Flam. Liq. 3	H226	GHS02 Wng	H226			CLP00/ATP01	Flam.3	Flam. Liq. 3	
1265	PENTANES, liquid	3		I		601-006-00-1	pentane	203-692-4	109-66-0	Flam. Liq. 2 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H225 H304 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H336 H411	EUH066	C	CLP00/	Flam.1	Flam. Liq. 2 Aq.Chr.2	
1265	PENTANES, liquid	3		II															
1266	PERFUMERY PRODUCTS with flammable solvents	3		II	163														
1266	PERFUMERY PRODUCTS with flammable solvents	3		III	163 223														
1267	PETROLEUM CRUDE OIL	3		I	357														
1267	PETROLEUM CRUDE OIL	3		II	357														
1267	PETROLEUM CRUDE OIL	3		III	223 357														
1272	PINE OIL	3		III															
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)	3		II		603-003-00-0	propan-1-ol; n-propanol	200-746-9	71-23-8	Flam. Liq. 2 Eye Dam. 1 STOT SE 3	H225 H318 H336	GHS02 GHS05 GHS07 Dgr	H225 H318 H336		CLP00/	Flam.2	Flam. Liq. 2		
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)	3		III	223														
1275	PROPIONALDEHYDE	3		II		605-018-00-8	propanal; propionaldehyde	204-623-0	123-38-6	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H319 H335 H315	GHS02 GHS07 Dgr	H225 H319 H335 H315		CLP00/	Flam.2	Flam. Liq. 2		
1276	n-PROPYL ACETATE	3		II		607-024-00-6	propyl acetate; [1] isopropyl acetate [2]	203-686-1 [1] 203-561-1 [2]	109-60-4 [1] 108-21-4 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H336	GHS02 GHS07 Dgr	H225 H319 H336	EUH066	C	CLP00/	Flam.2	Flam. Liq. 2	
1277	PROPYLAMINE	3	8	II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						612-007-00-1	2-aminopropane; isopropylamine	200-860-9	75-31-0	Flam. Liq. 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H224 H319 H335 H315	GHS02 GHS07 Dgr	H224 H319 H335 H315			CLP00/			
1278	1-CHLOROPROPANE	3			II	602-018-00-X	1-chloropropane; [1] 2-chloropropane [2]	208-749-7 [1] 200-858-8 [2]	540-54-5 [1] 75-29-6 [2]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302		C	CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *	
1279	1,2-DICHLOROPROPANE	3			II	602-020-00-0	1,2-dichloropropane; propylene dichloride	201-152-2	78-87-5	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *	
1280	PROPYLENE OXIDE	3			I	603-055-00-4	propylene oxide; 1,2-epoxypropane; methyloxirane	200-879-2	75-56-9	Flam. Liq. 1 Care. 1B Muta. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H224 H350 H340 H332 H312 H302 H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H224 H350 H340 H332 H312 H302 H319 H335 H315			CLP00/	Flam.1	Flam. Liq. 1 Ac.Tox. 4 *	
1281	PROPYL FORMATES	3			II	607-016-00-2	propyl formate; [1] isopropyl formate [2]	203-798-0 [1] 210-901-2 [2]	110-74-7 [1] 625-55-8 [2]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 STOT SE 3	H225 H319 H335 H336	GHS02 GHS07 Dgr	H225 H319 H335 H336		C	CLP00/	Flam.2	Flam. Liq. 2	
1282	PYRIDINE	3			II	613-002-00-7	pyridine	203-809-9	110-86-1	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302	*		CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *	
1286	ROSIN OIL	3			II														
1286	ROSIN OIL	3			III	223													
						650-015-00-7	rosin; colophony	232-475-7 232-484-6 277-299-1	8050-09-7 8052-10-6 73138-82-6	Skin Sens. 1	H317	GHS07 Wng	H317			CLP00/			
1287	RUBBER SOLUTION	3			II														
1287	RUBBER SOLUTION	3			III	223													
1288	SHALE OIL	3			II														
1288	SHALE OIL	3			III	223													
1289	SODIUM METHYLATE SOLUTION in alcohol	3	8		II														
1289	SODIUM METHYLATE SOLUTION in alcohol	3	8		III	223													

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1292	TETRAETHYL SILICATE	3		III		014-005-00-0	tetraethyl silicate; ethyl silicate	201-083-8	78-10-4	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H226 H332 H319 H335	GHS02 GHS07 Wng	H226 H332 H319 H335				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
1293	TINCTURES, MEDICINAL	3		II															
1293	TINCTURES, MEDICINAL	3		III	223														
1294	TOLUENE	3		II		601-021-00-3	toluene	203-625-9	108-88-3	Flam. Liq. 2 Repr. 2 Asp. Tox. 1 STOT RE 2 * Skin Irrit. 2 STOT SE 3	H225 H361d *** H304 H373 ** H315 H336	GHS02 GHS08 GHS07 Dgr	H225 H361d *** H304 H373 ** H315 H336				CLP00/	Flam.2	Flam. Liq. 2
1295	TRICHLOROSILANE	4.3	3 8	I		014-001-00-9	trichlorosilane	233-042-5	10025-78-2	Flam. Liq. 1 Pyr. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H224 H250 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H224 H250 H332 H302 H314	EUH014 EUH029	* STOT SE 3; H335: C ≥ 1 %	T	CLP00/	Water-react. 1 Flam. Corr.	Flam. Liq. 1 Skin Corr. 1A Pyr. Liq. 1 Ac.Tox. 4 *
1296	TRIETHYLAMINE	3	8	II		612-004-00-5	triethylamine	204-469-4	121-44-8	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314				CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 2 Ac.Tox. 4 * Skin Corr. 1A
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3	8	I															
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3	8	II															
1297	TRIMETHYLAMINE, AQUEOUS SOLUTION, not more than 50% trimethylamine, by mass	3	8	III	223														
1298	TRIMETHYLCHLOROSILANE	3	8	II															

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1299	TURPENTINE	3		III		650-002-00-6	turpentine, oil	232-350-7	8006-64-2	Flam. Liq. 3 Acute Tox. 4 *	H226 H332 H312 H302 H304 H319 H315 H317 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H226 H332 H312 H302 H304 H319 H315 H317 H411				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 * Aq.Chr.2
1300	TURPENTINE SUBSTITUTE	3		II															
1300	TURPENTINE SUBSTITUTE	3		III	223														
1301	VINYL ACETATE, STABILIZED	3		II		607-023-00-0	vinyl acetate	203-545-4	108-05-4	Flam. Liq. 2	H225	GHS02 Dgr	H225		D		CLP00/	Flam.2	Flam. Liq. 2
1302	VINYL ETHYL ETHER, STABILIZED	3		I															
1303	VINYLDIENE CHLORIDE, STABILIZED	3		I		602-025-00-8	1,1-dichloroethylene; vinyldiene chloride	200-864-0	75-35-4	Flam. Liq. 1 Carc. 2 Acute Tox. 4 *	H224 H351 H332	GHS02 GHS08 GHS07 Dgr	H224 H351 H332	*	D		CLP00/	Flam.1 P	Flam. Liq. 1 Ac.Tox. 4 *
1304	VINYL ISOBUTYL ETHER, STABILIZED	3		II															
1305	VINYLTRICHLOROSILANE	3	8	II															
1306	WOOD PRESERVATIVES, LIQUID	3		II															
1306	WOOD PRESERVATIVES, LIQUID	3		III	223														
1307	XYLENES	3		II															
1307	XYLENES	3		III	223														
						601-022-00-9	<i>o</i> -xylene; [1] <i>p</i> -xylene; [2] <i>m</i> -xylene; [3] xylene [4]	202-422-2 [1] 203-396-5 [2] 203-576-3 [3] 215-535-7 [4]	95-47-6 [1] 106-42-3 [2] 108-38-3 [3] 1330-20-7 [4]	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2	H226 H332 H312 H315	GHS02 GHS07 Wng	H226 H332 H312 H315	*	C		CLP00/		
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID	3		I															
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID	3		II															
1308	ZIRCONIUM SUSPENDED IN A FLAMMABLE LIQUID	3		III	223														
1309	ALUMINIUM POWDER, COATED	4.1		II															
1309	ALUMINIUM POWDER, COATED	4.1		III	223														
						013-001-00-6	aluminium powder (pyrophoric)	231-072-3	7429-90-5	Water-react. 2 Pyr. Sol. 1	H261 H250	GHS02 Dgr	H261 H250		T		CLP00/		
1310	AMMONIUM PICRATE, WETTED with not less than 10% water, by mass	4.1		I	28														

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1312	BORNEOL	4.1		III															
1313	CALCIUM RESINATE	4.1		III															
1314	CALCIUM RESINATE, FUSED	4.1		III															
1318	COBALT RESINATE, PRECIPITATED	4.1		III															
1320	DINITROPHENOL, WETTED with not less than 15% water, by mass	4.1	6.1	I	28														
						609-041-00-4	2,4-dinitrophenol	200-087-7	51-28-5	Acute Tox. 3 * Acute Tox. 3 ** Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H311 H301 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H400			CLP00/			
						609-054-00-5	2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5]	200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] - [5]	66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] - [5]	Acute Tox. 3 * Acute Tox. 3 ** Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411			CLP00/			
1321	DINITROPHENOLATES, WETTED with not less than 15% water, by mass	4.1	6.1	I	28														
1322	DINITRORESORCINOL, WETTED with not less than 15% water, by mass	4.1		I	28														
1323	FERROCERIUM	4.1		II	249														
1324	FILMS, NITROCELLULOSE BASE, gelatin coated, except scrap	4.1		III															
1326	HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1		II															
1327	HAY, STRAW or BHUSA	4.1			281														
1328	HEXAMETHYLENE-TETRAMINE	4.1		III		612-101-00-2	methenamine; hexamethylenetetramine	202-905-8	100-97-0	Flam. Sol. 2 Skin Sens. 1	H228 H317	GHS02 GHS07 Wng	H228 H317			CLP00/ATP01	Flam. Sol. 2	Flam. Sol. 2	
1330	MANGANESE RESINATE	4.1		III															
1331	MATCHES, 'STRIKE ANYWHERE'	4.1		III	293														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1332	METALDEHYDE	4.1		III		605-005-00-7	2,4,6,8-tetramethyl-1,3,5,7-tetraoxacyclooctane; metaldehyde	203-600-2	108-62-3	Flam. Sol. 2 Acute Tox. 4 *	H228 H302	GHS02 GHS07 Dgr	H228 H302			CLP00/ATP01	Flam. Sol. 2	Flam. Sol. 2 Ac. Tox. 4 *	
1333	CERIUM, slabs, ingots or rods	4.1		II															
1334	NAPHTHALENE, CRUDE or NAPHTHALENE, REFINED	4.1		III		601-052-00-2	naphthalene	202-049-5	91-20-3	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS07 GHS08 GHS09 Wng	H351 H302 H410			CLP00/	Flam. Sol. 2	Ac. Tox. 4 * Aq. Ac. 1 Aq. Chr. 1	
1336	NITROGUANIDINE (PICRITE), WETTED with not less than 20% water, by mass	4.1		I	28														
1337	NITROSTARCH, WETTED with not less than 20% water, by mass	4.1		I	28														
1338	PHOSPHORUS, AMORPHOUS	4.1		III															
1339	PHOSPHORUS HEPTASULPHIDE, free from yellow and white phosphorus	4.1		II															
1340	PHOSPHORUS PENTASULPHIDE, free from yellow and white phosphorus	4.3	4.1	II		015-104-00-1	diphosphorus pentasulphide; phosphorus pentasulphide	215-242-4	1314-80-3	Flam. Sol. 1 Water-react. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H228 H260 H332 H302 H400	GHS02 GHS07 GHS09 Dgr	H228 H260 H332 H302 H400	EUH029	T	CLP00/	Water-react. 2 Flam. Sol. 1	Water-react. 1 Flam. Sol. 1 Ac. Tox. 4 * Aq. Ac. 1	
1341	PHOSPHORUS SESQUISULPHIDE, free from yellow and white phosphorus	4.1		II		015-012-00-1	tetraphosphorus trisulphide; phosphorus sesquisulphid	215-245-0	1314-85-8	Flam. Sol. 2 Water-react. 1 Acute Tox. 4 * Aquatic Acute 1	H228 H260 H302 H400	GHS02 GHS07 GHS09 Dgr	H228 H260 H302 H400		T	CLP00/	Flam. Solid. 1	Flam. Sol. 2 Water-react. 1 Ac. Tox. 4 * Aq. Ac. 1	
1343	PHOSPHORUS TRISULPHIDE, free from yellow and white phosphorus	4.1		II															
1344	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 30% water, by mass	4.1		I	28	609-009-00-X	2,4,6-trinitrophenol; picric acid	201-865-9	88-89-1	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301			CLP00/ATP01			
1345	RUBBER SCRAP or RUBBER SHODDY, powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1		II	223														
1346	SILICON POWDER, AMORPHOUS	4.1		III	32														

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1347	SILVER PICRATE, WETTED with not less than 30% water, by mass	4.1		I	28														
1348	SODIUM DINITRO-o-CRESOLATE, WETTED with not less than 15% water, by mass	4.1	6.1	I	28														
						609-021-00-5	sodium salt of DNOC; sodium 4,6-dinitro-o-cresolate; [1] potassium salt of DNOC; potassium 4,6-dinitro-o-cresolate [2]	219-007-7 [1] - [2]	2312-76-7 [1] 5787-96-2 [2]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H410				CLP00/		
1349	SODIUM PICRAMATE, WETTED with not less than 20% water, by mass	4.1		I	28														
1350	SULPHUR	4.1		III	242	016-094-00-1	sulfur	231-722-6	7704-34-9	Skin Irrit. 2	H315	GHS07 Wng	H315			ATP01/	Flam. Sol. 2		
1352	TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced particle size less than 840 microns	4.1		II															
1354	TRINITROBENZENE, WETTED with not less than 30% water, by mass	4.1		I	28	609-005-00-8	1,3,5-trinitrobenzene	202-752-7	99-35-4	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H330 H310 H300 H373** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373** H410			CLP00/ATP01			
1355	TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass	4.1		I	28														

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Haz stat						
1356	TRINITROTOLUENE (TNT), WETTED with not less than 30% water, by mass	4.1		I	28	609-008-00-4	2,4,6-trinitrotoluene; TNT	204-289-6	118-96-7	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H201 H331 H311 H301 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H411					CLP00/		
1357	UREA NITRATE, WETTED with not less than 20% water, by mass	4.1		I	28 227															
1358	ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced particle size less than 840 microns	4.1		II																
1360	CALCIUM PHOSPHIDE	4.3	6.1	I		015-003-00-2	calcium phosphide; tricalcium diphosphide	215-142-0	1305-99-3	Water-react.1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029	M=100		CLP00/ATP01	Water-react. 1 Ac.Tox.	Water-react. 1 Ac.Tox. 2 * Aq.Ac.1	
1361	CARBON, animal or vegetable origin	4.2		II																
1361	CARBON, animal or vegetable origin	4.2		III	223															
1362	CARBON, ACTIVATED	4.2		III	223															
1363	COPRA	4.2		III	29															
1364	COTTON WASTE, OILY	4.2		III																
1365	COTTON, WET	4.2		III	29															
1369	p-NITROSODIMETHYLANILINE	4.2		II																
1372	FIBRES, ANIMAL or FIBRES, VEGETABLE burnt, wet or damp	4.2		III	117															
1374	FISH MEAL (FISH SCRAP), UNSTABILIZED	4.2		II	300															
1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification	4.2		III	223															
1378	METAL CATALYST, WETTED with a visible excess of liquid	4.2		II	274															
1379	PAPER, UNSATURATED OIL TREATED, incompletely dried (including carbon paper)	4.2		III																

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Haz stat						
1380	PENTABORANE	4.2	6.1	I																
1381	PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION	4.2	6.1	I		015-001-00-1	white phosphorus	231-768-7	12185-10-3	Pyr. Sol. 1 Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1A Aquatic Acute 1	H250 H330 H300 H314 H400	GHS02 GHS06 GHS05 GHS09 Dgr	H250 H330 H300 H314 H400					CLP00/ P	Pyr. Sol. 1 Ac.Toxic P	Pyr. Sol. 1 Ac.Tox. 2 * Skin Corr. 1A Aq.Ac.1
1382	POTASSIUM SULPHIDE, ANHYDROUS or POTASSIUM SULPHIDE with less than 30% water of crystallization	4.2		II		016-006-00-1	dipotassium sulphide; potassium sulphide	215-197-0	1312-73-8	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031				CLP00/	Self-heat. 1	Skin Corr. 1B Aq.Ac.1
1384	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)	4.2		II		016-028-00-1	sodium dithionite; sodium hydrosulphite	231-890-0	7775-14-6	Self-heat. 1 Acute Tox. 4 *	H251 H302	GHS02 GHS07 Dgr	H251 H302	EUH031				CLP00/	Self-heat. 1	Self-heat. 1 Ac. Tox. 4 *
1385	SODIUM SULPHIDE, ANHYDROUS or SODIUM SULPHIDE with less than 30% water of crystallization	4.2		II		016-009-00-8	disodium sulfide; sodium sulfide	215-211-5	1313-82-2	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H311 H302 H314 H400	GHS06 GHS05 GHS09 Dgr	H311 H302 H314 H400					CLP00/ATP01	Self-heat. 1	Ac.Tox. 3 * Skin Corr. 1B Aq.Ac.1
1386	SEED CAKE with more than 1.5% oil and not more than 11% moisture	4.2		III	29															
1387	WOOL WASTE, WET	4.2		III	117															
1389	ALKALI METAL AMALGAM, LIQUID	4.3		I	182															
1390	ALKALI METAL AMIDES	4.3		II	182															
1391	ALKALI METAL DISPERSION or ALKALINE EARTH METAL DISPERSION	4.3		I	182 183															
1392	ALKALINE EARTH METAL AMALGAM, LIQUID	4.3		I	183															
1394	ALUMINIUM CARBIDE	4.3		II																
1395	ALUMINIUM FERROSILICON POWDER	4.3	6.1	II																
1396	ALUMINIUM POWDER, UNCOATED	4.3		II																
1396	ALUMINIUM POWDER, UNCOATED	4.3		III	223															
						013-002-00-1	aluminium powder (stabilised)	231-072-3	7429-90-5	Water-react. 2 Flam. Sol. 1	H261 H228	GHS02 Dgr	H261 H228					CLP00/ATP01	Water-react. 2,3	Water-react. 2 Flam. Sol. 1
						013-001-00-6	aluminium powder (pyrophoric)	231-072-3	7429-90-5	Water-react. 2 Pyr. Sol. 1	H261 H250	GHS02 Dgr	H261 H250					CLP00/	Water-react. 2,3	Water-react. 2 Pyr. Sol. 1

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1397	ALUMINIUM PHOSPHIDE	4.3	6.1	I		015-004-00-8	aluminium phosphide	244-088-0	20859-73-8	Water-react.1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029 EUH032	M=100		CLP00/ATP01	Water-react. 1 Ac.Tox.	Water-react. 1 Ac.Tox. 2 * Aq.Ac.1
1398	ALUMINIUM SILICON POWDER, UNCOATED	4.3		III	37 223														
1400	BARIUM	4.3		II															
1401	CALCIUM	4.3		II		020-001-00-X	calcium	231-179-5	7440-70-2	Water-react. 2	H261	GHS02 Dgr	H261				CLP00/	Water-react. 2	Water-react. 2
1402	CALCIUM CARBIDE	4.3		I		006-004-00-9	calcium carbide	200-848-3	75-20-7	Water-react.1	H260	GHS02 Dgr	H260		T		CLP00/	Water-react. 1	Water-react. 1
1402	CALCIUM CARBIDE	4.3		II															
1403	CALCIUM CYANAMIDE with more than 0.1% calcium carbide	4.3		III	38	615-017-00-4	calcium cyanamide	205-861-8	156-62-7	Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H302 H335 H318	GHS05 GHS07 Dgr	H302 H335 H318				CLP00/	Water-react.3	Ac.Tox. 4 *
1404	CALCIUM HYDRIDE	4.3		I		001-004-00-5	calcium hydride	232-189-2	7789-78-8	Water-react.1	H260	GHS02 Dgr	H260				CLP00/	Water-react. 1	Water-react. 1
1405	CALCIUM SILICIDE	4.3		II															
1405	CALCIUM SILICIDE	4.3		III	223														
1407	CAESIUM	4.3		I															
1408	FERROSILICON with 30% or more but less than 90% silicon	4.3	6.1	III	39 223														
1410	LITHIUM ALUMINIUM HYDRIDE	4.3		I		001-002-00-4	aluminium lithium hydride	240-877-9	16853-85-3	Water-react.1 Skin Corr. 1A	H260 H314	GHS02 GHS05 Dgr	H260 H314				CLP00/ATP01	Water-react. 1	Water-react. 1 Skin Corr. 1A
1411	LITHIUM ALUMINIUM HYDRIDE, ETHEREAL	4.3	3	I															
1413	LITHIUM BOROHYDRIDE	4.3		I															
1414	LITHIUM HYDRIDE	4.3		I															
1415	LITHIUM	4.3		I		003-001-00-4	lithium	231-102-5	7439-93-2	Water-react.1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014			CLP00/	Water-react. 1	Water-react. 1 Skin Corr. 1B
1417	LITHIUM SILICON	4.3		II															
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	I		012-001-00-3	magnesium powder (pyrophoric)	231-104-6	7439-95-4	Water-react.1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250		T		CLP00/	Water-react. 1 Pyr.	Water-react. 1 Pyr. Sol. 1
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	II		012-001-00-3	magnesium powder (pyrophoric)	231-104-6	7439-95-4	Water-react.1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250		T		CLP00/	Water-react. 2 Pyr.	Water-react. 1 Pyr. Sol. 1
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	III	223	012-001-00-3	magnesium powder (pyrophoric)	231-104-6	7439-95-4	Water-react.1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250		T		CLP00/	Water-react. 3 Pyr.	Water-react. 1 Pyr. Sol. 1
1419	MAGNESIUM ALUMINIUM PHOSPHIDE	4.3	6.1	I															
1420	POTASSIUM METAL ALLOYS, LIQUID	4.3		I															
1422	POTASSIUM SODIUM ALLOYS, LIQUID	4.3		I															
1423	RUBIDIUM	4.3		I															
1426	SODIUM BOROHYDRIDE	4.3		I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1427	SODIUM HYDRIDE	4.3		I		001-003-00-X	sodium hydride	231-587-3	7646-69-7	Water-react.1	H260	GHS02 Dgr	H260			CLP00/	Water-react. 1	Water-react. 1	
1428	SODIUM	4.3		I		011-001-00-0	sodium	231-132-9	7440-23-5	Water-react.1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		CLP00/	Water-react. 1	Water-react. 1 Skin Corr. 1B	
1431	SODIUM METHYLATE	4.2	8	II															
1432	SODIUM PHOSPHIDE	4.3	6.1	I															
1433	STANNIC PHOSPHIDES	4.3	6.1	I															
1435	ZINC ASHES	4.3		III	223														
1436	ZINC POWDER or ZINC DUST	4.3	4.2	I															
1436	ZINC POWDER or ZINC DUST	4.3	4.2	II															
1436	ZINC POWDER or ZINC DUST	4.3	4.2	III	223	030-001-00-1	zinc powder - zinc dust (pyrophoric)	231-175-3	7440-66-6	Water-react. 1 Pyr. Sol. 1 Aquatic Acute 1 Aquatic Chronic 1	H260 H250 H400 H410	GHS02 GHS09 Dgr	H260 H250 H410		T	CLP00/	Water-react. 3 Pyr. Sol. 1	Water-react. 1 Pyr. Sol. 1 Aq.Ac. 1 Aq.Chr. 1	
						030-001-01-9	zinc powder - zinc dust (stabilised)	231-175-3	7440-66-6	Aquatic Acute 1 Aquatic Chronic 1	H400 H410	GHS09 Wng	H410			CLP00/			
1437	ZIRCONIUM HYDRIDE	4.1		II															
1438	ALUMINIUM NITRATE	5.1		III															
1439	AMMONIUM DICHROMATE	5.1		II		024-003-00-1	ammonium dichromate	232-143-1	7789-09-5	Ox. Sol. 2 **** Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H272 H350 H340 H360FD H330 H301 H372 ** H312 H314 H334 H317 H410		STOT SE 3; H335: C ≥ 5 % Resp. Sens.; H334: C ≥ 0.2 % Skin Sens.; H317: C ≥ 0.2 %	G 3	CLP00/	Ox. Sol. 2	Ox. Sol. 2 **** Ac.Tox. 2 * Skin Corr. 1B Aq.Ac. 1 Aq.Chr. 1
1442	AMMONIUM PERCHLORATE	5.1		II	152	017-009-00-0	ammonium perchlorate; [containing ≥ 80 % of 0-30 µm particles]	232-235-1	7790-98-9	Expl. 1.1 Ox. Sol. 1	H201 H271	GHS01 Dgr	H201 H271		T	CLP00/ATP01	Ox. Sol. 2	Ox. Sol. 1 Expl. 1.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1444	AMMONIUM PERSULPHATE	5.1		III		016-060-00-6	diammonium peroxodisulphate; ammonium persulphate	231-786-5	7727-54-0	Ox. Sol. 3 Acute Tox. 4 *	H272 H302 H319 H335 H315 H334 H317	GHS03 GHS08 GHS07 Dgr	H272 H302 H319 H335 H315 H334 H317				CLP00/	Ox. Sol. 3	Ox. Sol. 3 Ac.Tox. 4 *
1445	BARIUM CHLORATE, SOLID	5.1	6.1	II		017-003-00-8	barium chlorate	236-760-7	13477-00-4	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411				CLP00/	Ox. Sol. 2 Ac.Tox.	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2
1446	BARIUM NITRATE	5.1	6.1	II															
1447	BARIUM PERCHLORATE, SOLID	5.1	6.1	II		017-007-00-X	barium perchlorate	236-710-4	13465-95-7	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 *	H271 H332 H302	GHS03 GHS07 Dgr	H271 H332 H302				CLP00/	Ox. Sol. 2 Ac.Tox.	Ox. Sol. 1 Ac.Tox. 4 *
1448	BARIUM PERMANGANATE	5.1	6.1	II															
1449	BARIUM PEROXIDE	5.1	6.1	II		056-001-00-1	barium peroxide	215-128-4	1304-29-6	Ox. Sol. 2 Acute Tox. 4 * Acute Tox. 4 *	H272 H332 H302	GHS03 GHS07 Dgr	H272 H332 H302				CLP00/	Ox. Sol. 2 Ac.Tox.	Ox. Sol. 2 Ac.Tox. 4 *
1451	CAESIUM NITRATE	5.1		III															
1452	CALCIUM CHLORATE	5.1		II															
1453	CALCIUM CHLORITE	5.1		II															
1454	CALCIUM NITRATE	5.1		III	208														
1455	CALCIUM PERCHLORATE	5.1		II															
1456	CALCIUM PERMANGANATE	5.1		II															
1457	CALCIUM PEROXIDE	5.1		II															
1458	CHLORATE AND BORATE MIXTURE	5.1		II															
1458	CHLORATE AND BORATE MIXTURE	5.1		III	223														
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	5.1		II															
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	5.1		III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1463	CHROMIUM TRIOXIDE, ANHYDROUS	5.1	6.1 8	II		024-001-00-0	chromium (VI) trioxide	215-607-8	1333-82-0	Ox. Sol. 1 Care. 1A Muta. 1B Repr. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Skin Corr. 1A Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H271 H350 H340 H361f*** H330 H311 H301 H372 ** H314 H334 H317 H400 H410	GHS03 GHS06 GHS08 GHS05 GHS09 Dgr	H271 H350 H340 H361f*** H330 H311 H301 H372 ** H314 H334 H317 H410		STOT SE 3; H335		CLP00/	Ox. Sol. 2 Ac.Tox. Corr.	Ox. Sol. 1 Ac.Tox. 2 * Skin Corr. 1A Aq.Ac. 1 Aq.Chr.1
1465	DIDYMIUM NITRATE	5.1		III															
1466	FERRIC NITRATE	5.1		III															
1467	GUANIDINE NITRATE	5.1		III															
1469	LEAD NITRATE	5.1	6.1	II															
1470	LEAD PERCHLORATE, SOLID	5.1	6.1	II															
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	5.1		II															
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	5.1		III	223														
1472	LITHIUM PEROXIDE	5.1		II															
1473	MAGNESIUM BROMATE	5.1		II															
1474	MAGNESIUM NITRATE	5.1		III	332														
1475	MAGNESIUM PERCHLORATE	5.1		II															
1476	MAGNESIUM PEROXIDE	5.1		II															
1484	POTASSIUM BROMATE	5.1		II		035-003-00-6	potassium bromate	231-829-8	7758-01-2	Ox. Sol. 1 Care. 1B Acute Tox. 3 *	H271 H350 H301	GHS03 GHS06 GHS08 Dgr	H271 H350 H301			CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 3 *	
1485	POTASSIUM CHLORATE	5.1		II		017-004-00-3	potassium chlorate	223-289-7	3811-04-9	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411			CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2	
1486	POTASSIUM NITRATE	5.1		III															
1487	POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE	5.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1488	POTASSIUM NITRITE	5.1		II		007-011-00-X	potassium nitrite	231-832-4	7758-09-0	Ox. Sol. 2 Acute Tox. 3 * Aquatic Acute 1	H272 H301 H400	GHS03 GHS06 GHS09 Dgr	H272 H301 H400		*		CLP00/	Ox. Sol. 2	Ox. Sol. 2 Ac.Tox. 3 * Aq.Ac.1
1489	POTASSIUM PERCHLORATE	5.1		II		017-008-00-5	potassium perchlorate	231-912-9	7778-74-7	Ox. Sol. 1 Acute Tox. 4 *	H271 H302	GHS03 GHS07 Dgr	H271 H302				CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 *
1490	POTASSIUM PERMANGANATE	5.1		II		025-002-00-9	potassium permanganate	231-760-3	7722-64-7	Ox. Sol. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H410				CLP00/	Ox. Sol. 2	Ox. Sol. 2 Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
1491	POTASSIUM PEROXIDE	5.1		I															
1492	POTASSIUM PERSULPHATE	5.1		III		016-061-00-1	dipotassium peroxodisulphate; potassium persulphate	231-781-8	7727-21-1	Ox. Sol. 3 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H272 H302 H319 H335 H315 H334 H317	GHS03 GHS08 GHS07 Dgr	H272 H302 H319 H335 H315 H334 H317				CLP00/	Ox. Sol. 3	Ox. Sol. 3 Ac.Tox. 4 *
1493	SILVER NITRATE	5.1		II		047-001-00-2	silver nitrate	231-853-9	7761-88-8	Ox. Sol. 2 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H272 H314 H400 H410	GHS03 GHS05 GHS09 Dgr	H272 H314 H410				CLP00/ATP01	Ox. Sol. 2	Ox. Sol. 2 Skin Corr. 1B Aq.Ac.1 Aq.Chr.1
1494	SODIUM BROMATE	5.1		II															
1495	SODIUM CHLORATE	5.1		II		017-005-00-9	sodium chlorate	231-887-4	7775-09-9	Ox. Sol. 1 Acute Tox. 4 * Aquatic Chronic 2	H271 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H302 H411				CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2
1496	SODIUM CHLORITE	5.1		II															
1498	SODIUM NITRATE	5.1		III															
1499	SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE	5.1		III															
1500	SODIUM NITRITE	5.1	6.1	III		007-010-00-4	sodium nitrite	231-555-9	7632-00-0	Ox. Sol. 3 Acute Tox. 3 * Aquatic Acute 1	H272 H301 H400	GHS03 GHS06 GHS09 Dgr	H272 H301 H400		*		CLP00/	Ox. Sol. 3 Ac.Tox.	Ox. Sol. 3 Ac.Tox. 3 * Aq.Ac.1
1502	SODIUM PERCHLORATE	5.1		II		017-010-00-6	sodium perchlorate	231-511-9	7601-89-0	Ox. Sol. 1 Acute Tox. 4 *	H271 H302	GHS03 GHS07 Dgr	H271 H302				CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 *
1503	SODIUM PERMANGANATE	5.1		II															
1504	SODIUM PEROXIDE	5.1		I		011-003-00-1	sodium peroxide	215-209-4	1313-60-6	Ox. Sol. 1 Skin Corr. 1A	H271 H314	GHS03 GHS05 Dgr	H271 H314				CLP00/	Ox. Sol. 1	Ox. Sol. 1 Skin Corr. 1A

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1505	SODIUM PERSULPHATE	5.1		III															
1506	STRONTIUM CHLORATE	5.1		II															
1507	STRONTIUM NITRATE	5.1		III															
1508	STRONTIUM PERCHLORATE	5.1		II															
1509	STRONTIUM PEROXIDE	5.1		II															
1510	TETRANITROMETHANE	6.1	5.1	I	354														
1511	UREA HYDROGEN PEROXIDE	5.1	8	III															
1512	ZINC AMMONIUM NITRITE	5.1		II															
1513	ZINC CHLORATE	5.1		II															
1514	ZINC NITRATE	5.1		II															
1515	ZINC PERMANGANATE	5.1		II															
1516	ZINC PEROXIDE	5.1		II															
1517	ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass	4.1		I	28														
1541	ACETONE CYANOHYDRIN, STABILIZED	6.1		I	354	608-004-00-X	2-hydroxy-2-methylpropanitrile; 2-cyanopropan-2-ol; acetone cyanohydrin	200-909-4	75-86-5	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410			CLP00/	Ac.tox.1 P	Ac.tox.1 Aq. Ac.1 Aq. Chr.1	
1545	ALLYL ISOTHIOCYANATE, STABILIZED	6.1	3	II															
1546	AMMONIUM ARSENATE	6.1		II															
1547	ANILINE	6.1		II	279	612-008-00-7	aniline	200-539-3	62-53-3	Carc. 2 Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H351 H341 H331 H311 H301 H372 ** H318 H317 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H341 H331 H311 H301 H372 ** H318 H317 H400	* STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0.2 % ≤ C < 1 %		CLP00/	Ac.tox.2	Ac.tox.3* Aq.Ac.1	
1548	ANILINE HYDROCHLORIDE	6.1		III															
1550	ANTIMONY LACTATE	6.1		III															
1551	ANTIMONY POTASSIUM TARTRATE	6.1		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1553	ARSENIC ACID, LIQUID	6.1		I		033-005-00-1	arsenic acid and its salts with the exception of those specified elsewhere in this Annex	-	-	Carc. 1A Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H410			A	CLP00/ATP01	Ac.tox.1	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
1554	ARSENIC ACID, SOLID	6.1		II															
1555	ARSENIC BROMIDE	6.1		II															
1558	ARSENIC	6.1		II		033-001-00-X	arsenic	231-148-6	7440-38-2	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H400 H410	GHS06 GHS09 Dgr	H331 H301 H410				CLP00/	Ac.tox.2	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
1559	ARSENIC PENTOXIDE	6.1		II		033-004-00-6	diarsenic pentaoxide; arsenic pentoxide; arsenic oxide	215-116-9	1303-28-2	Carc. 1A Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H410				CLP00/	Ac.tox.2	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
1560	ARSENIC TRICHLORIDE	6.1		I															
1561	ARSENIC TRIOXIDE	6.1		II		033-003-00-0	diarsenic trioxide; arsenic trioxide	215-481-4	1327-53-3	Carc. 1A Acute Tox. 2 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H350 H300 H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H350 H300 H314 H410				CLP00/	Ac.tox.2	Ac.tox.2* Skin Corr.1B Aq.Ac.1 Aq.Chr.1
1562	ARSENICAL DUST	6.1		II															
1565	BARIUM CYANIDE	6.1		I															
1567	BERYLLIUM POWDER	6.1	4.1	II															
1569	BROMOACETONE	6.1	3	II															
1570	BRUCINE	6.1		I	43	614-006-00-1	brucine; 2,3-dimethoxystrychnine	206-614-7	357-57-3	Acute Tox. 2 * Acute Tox. 2 * Aquatic Chronic 3	H330 H300 H412	GHS06 Dgr	H330 H300 H412				CLP00/	Ac.tox.1	Ac.tox.2* Aq.Chr.3
1571	BARIUM AZIDE, WETTED with not less than 50% water, by mass	4.1	6.1	I	28														
1572	CACODYLIC ACID	6.1		II															
1573	CALCIUM ARSENATE	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1574	CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID	6.1		II															
1575	CALCIUM CYANIDE	6.1		I		020-002-00-5	calcium cyanide	209-740-0	592-01-8	Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H300 H400 H410	GHS06 GHS09 Dgr	H300 H410	EUH032		CLP00/	Ac.tox.1 P	Ac.tox.2* Aq. Ac.1 Aq.Chr.1	
1577	CHLORODINITROBENZENES, LIQUID	6.1		II	279	610-003-00-4	chlorodinitrobenzene	-	-	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H410		C	CLP00/	Ac.tox.2 P	Ac.tox.3* Aq. Ac.1 Aq.Chr.1	
1578	CHLORONITROBENZENES, SOLID	6.1		II	279	610-005-00-5	1-chloro-4-nitrobenzene	202-809-6	100-00-5	Carc. 2 Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H351 H341 H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H351 H341 H331 H311 H301 H373 ** H411			CLP00/	Ac.tox.2	Ac.tox.3* Aq.Chr.2	
1579	4-CHLORO-o-TOLUIDINE HYDROCHLORIDE, SOLID	6.1		III		612-196-00-0	4-chloro-o-toluidine; [1] 4-chloro-o-toluidine hydrochloride [2]	202-441-6 [1] 221-627-8 [2]	95-69-2 [1] 3165-93-3 [2]	Carc. 1B Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H331 H311 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H410			CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1 Aq.Chr.1	
1580	CHLOROPICRIN	6.1		I	354	610-001-00-3	trichloronitromethane; chloropicrin	200-930-9	76-06-2	Acute Tox. 2 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H330 H302 H319 H335 H315	GHS06 Dgr	H330 H302 H319 H335 H315			CLP00/	Ac.tox.1 P	Ac.tox.2*	
1581	CHLOROPICRIN AND METHYL BROMIDE MIXTURE with more than 2% chloropicrin	2.3																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1582	CHLOROPICRIN AND METHYL CHLORIDE MIXTURE	2.3																	
1585	COPPER ACETOARSENITE	6.1		II															
1586	COPPER ARSENITE	6.1		II															
1587	COPPER CYANIDE	6.1		II															
1589	CYANOGEN CHLORIDE, STABILIZED	2.3	8																
1590	DICHLOROANILINES, LIQUID	6.1		II	279														
						612-202-00-1	3,4-dichloroaniline	202-448-4	95-76-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H318 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H318 H317 H410				CLP00/		
1591	o-DICHLOROBENZENE	6.1		III	279	602-034-00-7	1,2-dichlorobenzene; o-dichlorobenzene	202-425-9	95-50-1	Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H315 H410	*			CLP00/	Ac.Tox.3 Aq.Ac.1 Aq.Chr.1	Ac.Tox.4* Aq.Ac.1 Aq.Chr.1
1593	DICHLOROMETHANE	6.1		III		602-004-00-3	dichloromethane; methylene chloride	200-838-9	75-09-2	Carc. 2	H351	GHS08 Wng	H351				CLP00/	Ac.Tox.3	
1594	DIETHYL SULPHATE	6.1		II		016-027-00-6	diethyl sulphate	200-589-6	64-67-5	Carc. 1B Muta. 1B Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H350 H340 H332 H312 H302 H314	GHS05 GHS08 GHS07 Dgr	H350 H340 H332 H312 H302 H314				CLP00/	Ac.Tox.2	Ac.Tox.4* Skin Corr.1B
1595	DIMETHYL SULPHATE	6.1	8	I	354	016-023-00-4	dimethyl sulphate	201-058-1	77-78-1	Carc. 1B Muta. 2 Acute Tox. 2 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H350 H341 H330 H301 H314 H317	GHS06 GHS08 GHS05 Dgr	H350 H341 H330 H301 H314 H317	Carc. 1B; H350: C ≥ 0,01 % Muta. 2; H341: C ≥ 0,01 % STOT SE 3; H335: C ≥ 5 %			CLP00/	Ac.Tox.1 Corr.1	Ac.Tox.2* Skin Corr.1B
1596	DINITROANILINES	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						612-040-00-1	2,4-dinitroaniline	202-553-5	97-02-9	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H330 H310 H300 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H411				CLP00/	Ac.Tox. 2	Ac.Tox. 1 Aq.Chr.2
1597	DINITROBENZENES, LIQUID	6.1		II		609-004-00-2	dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4]	246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4]	25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4]	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410				CLP00/	Ac.tox.2	Ac.tox.1 Aq.Ac.1 Aq.Chr.1
1597	DINITROBENZENES, LIQUID	6.1		III	223														
1598	DINITRO- <i>o</i> -CRESOL	6.1		II	43	609-020-00-X	DNOC (ISO); 4,6-dinitro- <i>o</i> -cresol	208-601-1	534-52-1	Muta. 2 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H330 H310 H300 H315 H318 H317 H400 H410	GHS06 GHS08 GHS05 GHS07 GHS09 Dgr	H341 H330 H310 H300 H315 H318 H317 H410	EUH044			CLP00/	Aq.tox.2 P	Ac.tox.1 Aq.Ac.1 Aq.Chr.1
1599	DINITROPHENOL SOLUTION	6.1		II															
1599	DINITROPHENOL SOLUTION	6.1		III	223														
						609-041-00-4	2,4-dinitrophenol	200-087-7	51-28-5	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H311 H301 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H400				CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif	
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.						
						609-054-00-5	2,3-dinitrophenol; [1] 2,5-dinitrophenol; [2] 2,6-dinitrophenol; [3] 3,4-dinitrophenol; [4] salts of dinitrophenol [5]	200-628-7 [1] 206-348-1 [2] 209-357-9 [3] 209-415-3 [4] - [5]	66-56-8 [1] 329-71-5 [2] 573-56-8 [3] 577-71-9 [4] - [5]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411					CLP00/	Ac.tox.3	Ac.tox.3* Aq.Chr.2
1600	DINITROTOLUENES, MOLTEN	6.1		II																
						609-007-00-9	2,4-dinitrotoluene; [1] dinitrotoluene [2]	204-450-0 [1] 246-836-1 [2]	121-14-2 [1] 25321-14-6 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361F*** H331 H311 H301 H373** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361F*** H331 H311 H301 H373** H410					CLP00/ATP01	Ac.tox.2	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
1603	ETHYL BROMOACETATE FP=58°C	6.1	3	II		607-069-00-1	ethyl bromoacetate	203-290-9	105-36-2	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H330 H310 H300	GHS06 Dgr	H330 H310 H300					CLP00/	Ac.tox.2 Flam.3	Ac.tox.1
1604	ETHYLENEDIAMINE FP=34°C	8	3	II		612-006-00-6	ethylenediamine; 1,2-diaminoethane	203-468-6	107-15-3	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H226 H312 H302 H314 H334 H317	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H312 H302 H314 H334 H317					CLP00/	Corr.1B Flam.Liq.3	Skin Corr.1B Flam liq.3 Ac.tox.4*
1605	ETHYLENE DIBROMIDE	6.1		I	354															
1606	FERRIC ARSENATE	6.1		II																
1607	FERRIC ARSENITE	6.1		II																
1608	FERROUS ARSENATE	6.1		II																
1611	HEXAETHYL TETRAPHOSPHATE	6.1		II																
1612	HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE	2.3																		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict. SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1613	HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	6.1		I	48	006-006-01-7	hydrogen cyanide ...%; hydrocyanic acid ...%	200-821-6	74-90-8	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410			B	CLP00/	Ac.tox.1	Ac.tox.1 Aq.Ac.1 Aq.Chr.1
1614	HYDROGEN CYANIDE, STABILIZED, containing less than 3% water and absorbed in a porous inert material	6.1		I															
						006-006-00-X	hydrogen cyanide; hydrocyanic acid	200-821-6	74-90-8	Flam. Liq. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H224 H330 H400 H410	GHS02 GHS06 GHS09 Dgr	H224 H330 H410				CLP00/		
1616	LEAD ACETATE	6.1		III		082-005-00-8	lead di(acetate)	206-104-4	301-04-2	Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H360Df H373 ** H410			1	CLP00/	Ac.tox.3 P	Aq.Ac.1 Aq.Chr.1
						082-007-00-9	lead acetate, basic	215-630-3	1335-32-6	Carc. 2 Repr. 1A STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H351 H360Df H373 ** H400 H410	GHS08 GHS09 Dgr	H351 H360Df H373 ** H410			1	CLP00/	Ac.tox.3 P	Aq.Ac.1 Aq.Chr.1
1617	LEAD ARSENATES	6.1		II															
1618	LEAD ARSENITES	6.1		II															
1620	LEAD CYANIDE	6.1		II															
1621	LONDON PURPLE	6.1		II	43														
1622	MAGNESIUM ARSENATE	6.1		II															
1623	MERCURIC ARSENATE	6.1		II															
1624	MERCURIC CHLORIDE	6.1		II		080-010-00-X	mercury dichloride; mercuric chloride	231-299-8	7487-94-7	Muta. 2 Repr. 2 Acute Tox. 2 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H341 H361F*** H300 H372** H314 H400 H410	GHS06 GHS05 GHS08 GHS09 Dgr	H341 H361F*** H300 H372** H314 H410				CLP00/ATP01	Ac.tox.2 PP	Ac.tox.2* Skin Corr.1B Aq.Ac.1 Aq.Chr.1
1625	MERCURIC NITRATE	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1626	MERCURIC POTASSIUM CYANIDE	6.1		I															
1627	MERCUROUS NITRATE	6.1		II															
1629	MERCURY ACETATE	6.1		II															
1630	MERCURY AMMONIUM CHLORIDE	6.1		II															
1631	MERCURY BENZOATE	6.1		II															
1634	MERCURY BROMIDES	6.1		II															
1636	MERCURY CYANIDE	6.1		II															
1637	MERCURY GLUCONATE	6.1		II															
1638	MERCURY IODIDE	6.1		II															
1639	MERCURY NUCLEATE	6.1		II															
1640	MERCURY OLEATE	6.1		II															
1641	MERCURY OXIDE	6.1		II															
1642	MERCURY OXYCYANIDE, DESENSITIZED	6.1		II		080-006-00-8	dimercury dicyanide oxide; mercuric oxycyanide	215-629-8	1335-31-5	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H331 H311 H301 H373** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373** H410			CLP00/ATP01	Ac.tox.2 PP	Expl.1.1 Ac.tox.3* Aq.Ac.1 Aq.Chr.1	
1643	MERCURY POTASSIUM IODIDE	6.1		II															
1644	MERCURY SALICYLATE	6.1		II															
1645	MERCURY SULPHATE	6.1		II															
1646	MERCURY THIOCYANATE	6.1		II															
1647	METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURE, LIQUID	6.1		I	354														
1648	ACETONITRILE	3		II		608-001-00-3	acetonitrile; cyanomethane	200-835-2	75-05-8	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2	H225 H332 H312 H302 H319	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319			CLP00/	Flam.2	Flam. Liq. 2 Ac. Tox. 4 *	
1649	MOTOR FUEL ANTI-KNOCK MIXTURE	6.1		I															
1650	beta-NAPHTHYLAMINE, SOLID	6.1		II		612-022-00-3	2-naphthylamine	202-080-4	91-59-8	Carc. 1A Acute Tox. 4 * Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411	Carc. 1A; H350: C		CLP00/	Ac.tox.2	Ac.Tox.4* Aq.Chr.2	
1651	NAPHTHYLTHIOUREA	6.1		II	43	006-008-00-0	antu (ISO); 1-(1-naphthyl)-2-thiourea	201-706-3	86-88-4	Acute Tox. 2 * Carc. 2	H300 H351	GHS06 GHS08 Dgr	H300 H351			CLP00/	Ac.tox.2	Ac.Tox.2*	
1652	NAPHTHYLUREA	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1653	NICKEL CYANIDE	6.1		II		028-034-00-1	nickel dicyanide	209-160-8	557-19-7	Carc. 1A STOT RE 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350i H372** H334 H317 H400 H410	GHS08 GHS09 Dgr	H350i H372** H334 H317 H410	EUH032		H	ATP01/	Ac.tox.2 PP	Aq.Ac.1 Aq.Chr.1
1654	NICOTINE	6.1		II		614-001-00-4	nicotine (ISO); 3-(N-methyl-2-pyrrolidinyl)pyridine	200-193-3	54-11-5	Acute Tox. 1 Acute Tox. 3 * Aquatic Chronic 2	H310 H301 H411	GHS06 GHS09 Dgr	H310 H301 H411				CLP00/	Ac.tox.2	Ac.tox.1 Aq.Chr.2
						614-002-00-X	salts of nicotine	-	-	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Chronic 2	H330 H310 H300 H411	GHS06 GHS09 Dgr	H330 H301 H300 H411		A		CLP00/		
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION	6.1		II	43														
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION	6.1		III	43 223														
1657	NICOTINE SALICYLATE	6.1		II															
1658	NICOTINE SULPHATE SOLUTION	6.1		II															
1658	NICOTINE SULPHATE SOLUTION	6.1		III	223														
1659	NICOTINE TARTRATE	6.1		II															
1660	NITRIC OXIDE, COMPRESSED	2.3	5.1 8																
1661	NITROANILINES (o-, m-, p-)	6.1		II	279	612-012-00-9	<i>o</i> -nitroaniline; [1] <i>m</i> -nitroaniline; [2] <i>p</i> -nitroaniline [3]	201-855-4 [1] 202-729-1 [2] 202-810-1 [3]	88-74-4 [1] 99-09-2 [2] 100-01-6 [3]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 3	H331 H311 H301 H373 ** H412	GHS06 GHS08 Dgr	H331 H311 H301 H373 ** H412		C	CLP00/	Ac.tox.2	Ac.tox.3* Aq.Chr.3	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1662	NITROBENZENE	6.1		II	279	609-003-00-7	nitrobenzene	202-716-0	98-95-3	Carc. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Aquatic Chronic 2	H351 H361f *** H331 H311 H301 H372 ** H411	GHS06 GHS08 GHS09 Dgr	H351 H361f *** H331 H311 H301 H372 ** H411			CLP00/	Ac.tox.2	Ac.tox.3* Aq.Chr.2	
1663	NITROPHENOLS (o-, m-, p-)	6.1		III	279	609-015-00-2	4-nitrophenol; p-nitrophenol	202-811-7	100-02-7	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 *	H332 H312 H302 H373 **	GHS08 GHS07 Wng	H332 H312 H302 H373 **			CLP00/	Ac.tox.3	Ac.tox.4*	
1664	NITROTOLUENES, LIQUID	6.1		II		609-006-00-3	4-nitrotoluene	202-808-0	99-99-0	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411				Ac.tox.2	Ac.tox.3* Aq.Chr.2	
						609-065-00-5	2-nitrotoluene	201-853-3	88-72-2	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 4 * Aquatic Chronic 2	H350 H340 H361f *** H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H340 H361f *** H302 H411			CLP00/	Ac.tox.2	Ac.tox.4* Aq.Chr.2	
1665	NITROXYLENES, LIQUID	6.1		II															
1669	PENTACHLOROETHANE	6.1		II		602-017-00-4	pentachloroethane	200-925-1	76-01-7	Carc. 2 STOT RE 1 Aquatic Chronic 2	H351 H372 ** H411	GHS08 GHS09 Dgr	H351 H372 ** H411	STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,2 % ≤ C < 1 %		CLP00/	Ac.tox.2 P	Aq.Chr.2	
1670	PERCHLOROMETHYL MERCAPTAN	6.1		I	354														
1671	PHENOL, SOLID	6.1		II	279	604-001-00-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	203-632-7	108-95-2	Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Skin Corr. 1B	H341 H331 H311 H301 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H341 H331 H311 H301 H373 ** H314	* Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %	CLP00/	Ac.tox.2	Ac.tox.3* Skin Corr.1B		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1672	PHENYL CARBYLAMINE CHLORIDE	6.1		I															
1673	PHENYLENEDIAMINES (o-, m-, p-)	6.1		III	279	612-145-00-2	o-phenylenediamine	202-430-6	95-54-5	Carc. 2 Muta. 2 Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H351 H341 H301 H332 H312 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H341 H301 H332 H312 H319 H317 H410				CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
						612-147-00-3	m-phenylenediamine	203-584-7	108-45-2	Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H341 H331 H311 H301 H319 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H341 H331 H311 H301 H319 H317 H410				CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
						612-028-00-6	p-phenylenediamine	203-404-7	106-50-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H319 H317 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H319 H317 H410				CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1 Aq.Chr.1
1674	PHENYLMERCURIC ACETATE	6.1		II	43	080-011-00-5	phenylmercury acetate	200-532-5	62-38-4	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410				CLP00/	Ac.tox.2 PP	Ac.tox.3* Aq.Ac.1 Aq.Chr.1 Skin Corr.1B
1677	POTASSIUM ARSENATE	6.1		II															
1678	POTASSIUM ARSENITE	6.1		II															
1679	POTASSIUM CUPROCYANIDE	6.1		II															
1680	POTASSIUM CYANIDE, SOLID	6.1		I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1683	SILVER ARSENITE	6.1		II															
1684	SILVER CYANIDE	6.1		II															
1685	SODIUM ARSENATE	6.1		II															
1686	SODIUM ARSENITE, AQUEOUS SOLUTION	6.1		II	43														
1686	SODIUM ARSENITE, AQUEOUS SOLUTION	6.1		III	43 223														
1687	SODIUM AZIDE	6.1		II		011-004-00-7	sodium azide	247-852-1	26628-22-8	Acute Tox. 2 * Aq. Chronic 1	H300 H400 H410	GHS06 GHS09 Dgr	H300 H400 H410	EUH032		CLP00/	Ac.tox.2	Ac.tox.2* Aq.Ac.1 Aq.Chr.1	
1688	SODIUM CACODYLATE	6.1		II															
1689	SODIUM CYANIDE, SOLID	6.1		I															
1690	SODIUM FLUORIDE, SOLID	6.1		III		009-004-00-7	sodium fluoride	231-667-8	7681-49-4	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2	H301 H319 H315	GHS06 Dgr	H301 H319 H315	EUH032		CLP00/	Ac.tox.3	Ac.tox.3*	
1691	STRONTIUM ARSENITE	6.1		II															
1692	STRYCHNINE or STRYCHNINE SALTS	6.1		I		614-003-00-5	strychnine	200-319-7	57-24-9	Acute Tox. 1 Acute Tox. 2 * Aq. Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		CLP00/	Ac.tox.1 P	Ac.tox.1 Aq.Ac.1 Aq.Chr.1		
						614-004-00-0	salts of strychnine	-	-	Acute Tox. 2 * Acute Tox. 2 * Aq. Chronic 1	H330 H300 H400 H410	GHS06 GHS09 Dgr	H330 H300 H410		A	CLP00/			
1694	BROMOBENZYL CYANIDES, LIQUID	6.1		I	138														
1695	CHLOROACETONE, STABILIZED	6.1	3 8	I	354														
1697	CHLOROACETOPHENONE, SOLID	6.1		II															
1698	DIPHENYLAMINE CHLOROARSINE	6.1		I															
1699	DIPHENYLCHLOROARSINE, LIQUID	6.1		I															
1700	TEAR GAS CANDLES	6.1	4.1	II															
1701	XYLYL BROMIDE, LIQUID	6.1		II															
1702	1,1,2,2-TETRACHLOROETHANE	6.1		II		602-015-00-3	1,1,2,2-tetrachloroethane	201-197-8	79-34-5	Acute Tox. 2 * Acute Tox. 1 Aq. Chronic 2	H330 H310 H411	GHS06 GHS09 Dgr	H330 H310 H411		CLP00/	Ac.tox.2 P	Ac.tox.1 Aq.Chr.2		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1704	TETRAETHYL DITHIOPYROPHOSPHATE	6.1		II	43	015-027-00-3	sulfotep (ISO); <i>O,O,O,O</i> -tetraethyl dithiopyrophosphate	222-995-2	3689-24-5	Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H310 H300 H400 H410	GHS06 GHS09 Dgr	H310 H300 H410		M = 1000		CLP00/	Ac.tox.2 P	Ac.tox.1 Aq.Ac.1 Aq.Chr.1
1708	TOLUIDINES, LIQUID	6.1		II	279	612-091-00-X	<i>o</i> -toluidine; 2-aminotoluene	202-429-0	95-53-4	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Aquatic Acute 1	H350 H331 H301 H319 H400	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H319 H400			CLP00/	Ac.tox.2	Ac.tox.3* Aq.Ac.1	
						612-024-00-4	<i>m</i> -toluidine; 3-aminotoluene	203-583-1	108-44-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H311 H301 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H400			CLP00/			
						612-160-00-4	<i>p</i> -toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3]	203-403-1 [1] 208-740-8 [2] 208-741-3 [3]	106-49-0 [1] 540-23-8 [2] 540-25-0 [3]	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H351 H331 H311 H301 H319 H317 H400	GHS06 GHS08 GHS09 Dgr	H351 H331 H311 H301 H319 H317 H400			CLP00/	Ac.tox.3	Ac.tox.3* Aq.Ac.1 Aq.Chr.1	
1709	2,4-TOLUYLENEDIAMINE, SOLID	6.1		III		612-099-00-3	4-methyl- <i>m</i> -phenylenediamine; 2,4-toluenediamine	202-453-1	95-80-7	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 4 * STOT RE 2 * Skin Sens. 1 Aquatic Chronic 2	H350 H341 H361F*** H301 H312 H373** H317 H411	GHS06 GHS08 GHS09 Dgr	H350 H341 H361F*** H301 H312 H373** H317 H411			CLP00/ATP01	Ac.tox.3	Ac.tox.3* Aq.Chr.2	
1710	TRICHLOROETHYLENE	6.1		III		602-027-00-9	trichloroethylene; trichloroethene	201-167-4	79-01-6	Carc. 1B Muta. 2 Eye Irrit. 2 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 3	H350 H341 H319 H315 H336 H412	GHS08 GHS07 Dgr	H350 H341 H319 H315 H336 H412			CLP00/	Ac.tox.3	Aq.Chr.3	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1711	XYLIDINES, LIQUID	6.1		II		612-161-00-X	2,6-xylylidine; 2,6-dimethylaniline	201-758-7	87-62-7	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H351 H332 H312 H302 H335 H315 H411	GHS08 GHS07 GHS09 Wng	H351 H332 H312 H302 H335 H315 H411				CLP00/	Ac.tox.2	Ac.tox.4* Aq.Chr.2
						612-027-00-0	xylylidines with the exception of those specified elsewhere in this Annex; dimethyl anilines with the exception of those specified elsewhere in this Annex	-	-	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411		C		CLP00/		
1712	ZINC ARSENATE, ZINC ARSENITE or ZINC ARSENATE AND ZINC ARSENITE MIXTURE	6.1		II															
1713	ZINC CYANIDE	6.1		I															
1714	ZINC PHOSPHIDE	4.3	6.1	I		015-006-00-9	trizinc diphosphide; zinc phosphide	215-244-5	1314-84-7	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H260 H300 H400 H410	GHS02 GHS06 GHS09 Dgr	H260 H300 H410	EUH029 EUH032	M=100	T	CLP00/ATP01	Water-react. 1 Ac.Tox.	Water-react. 1 Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1
1715	ACETIC ANHYDRIDE	8	3	II		607-008-00-9	acetic anhydride	203-564-8	108-24-7	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H332 H302 H314				CLP00/	Corr.1B Flam.Liq.3	Skin Corr. 1B Flam. Liq. 3 Ac.Tox. 4 *
1716	ACETYL BROMIDE	8		II															
1717	ACETYL CHLORIDE	3	8	II		607-011-00-5	acetyl chloride	200-865-6	75-36-5	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314	EUH014			CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 2 Skin Corr. 1B
1718	BUTYL ACID PHOSPHATE	8		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1722	ALLYL CHLOROFORMATE	6.1	3 8	I															
1723	ALLYL IODIDE	3	8	II		602-054-00-6	3-iodpropene; allyl iodide	209-130-4	556-56-9	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314			CLP00/ATP01	Flam. 2 Corr.1B, 1C	Flam. Liq. 2 Skin Corr. 1B	
1724	ALLYLTRICHLOROSILANE, STABILIZED	8	3	II															
1725	ALUMINIUM BROMIDE, ANHYDROUS	8		II															
1726	ALUMINIUM CHLORIDE, ANHYDROUS	8		II		013-003-00-7	aluminium chloride, anhydrous	231-208-1	7446-70-0	Skin Corr. 1B	H314	GHS05 Dgr	H314			CLP00/	Corr.1B	Skin Corr. 1B	
1727	AMMONIUM HYDROGENDIFLUORIDE, SOLID	8		II		009-009-00-4	ammonium bifluoride; ammonium hydrogen difluoride	215-676-4	1341-49-7	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314			CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 3 *	
1728	AMYLTRICHLOROSILANE	8		II															
1729	ANISOYL CHLORIDE	8		II															
1730	ANTIMONY PENTACHLORIDE, LIQUID	8		II		051-002-00-3	antimony pentachloride	231-601-8	7647-18-9	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411		STOT SE 3; H335	CLP00/	Corr.1B	Skin Corr. 1B Aq.Chr.2	
1731	ANTIMONY PENTACHLORIDE SOLUTION	8		II															
1731	ANTIMONY PENTACHLORIDE SOLUTION	8		III	223														
1732	ANTIMONY PENTAFLUORIDE	8	6.1	II															
1733	ANTIMONY TRICHLORIDE	8		II		051-001-00-8	antimony trichloride	233-047-2	10025-91-9	Skin Corr. 1B Aquatic Chronic 2	H314 H411	GHS05 GHS09 Dgr	H314 H411		STOT SE 3; H335	CLP00/	Corr.1B	Skin Corr. 1B Aq.Chr.2	
1736	BENZOYL CHLORIDE	8		II		607-012-00-0	benzoyl chloride	202-710-8	98-88-4	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1	H332 H312 H302 H314 H317	GHS05 GHS07 Dgr	H332 H312 H302 H314 H317			CLP00/ATP01	Corr.1B	Skin Corr. 1B Ac.Tox. 4 *	
1737	BENZYL BROMIDE	6.1	8	II		602-057-00-2	α -bromotoluene; benzyl bromide	202-847-3	100-39-0	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315			CLP00/	Ac.tox.2 Corr.1		

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1738	BENZYL CHLORIDE	6.1	8	II		602-037-00-3	α-chlorotoluene; benzyl chloride	202-853-6	100-44-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * STOT RE 2 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H350 H331 H302 H373 ** H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H350 H331 H302 H373 ** H335 H315 H318			CLP00/	Ac.tox.2 Corr.1	Ac.tox.3*	
1739	BENZYL CHLOROFORMATE	8		I		607-064-00-4	benzyl chloroformate	207-925-0	501-53-1	Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410		STOT SE 3; H335	CLP00/	Corr.1A P	Skin Corr. 1B Aq.Ac.1 Aq.Chr.1	
1741	BORON TRICHLORIDE LC50 (mg/m3) (4h) = 1270.5	2.3	8			005-002-00-5	boron trichloride	233-658-4	10294-34-5	Press. Gas Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1B	H330 H300 H314	GHS04 GHS06 GHS05 Dgr	H330 H300 H314	EUH014	U	CLP00/	Press.Gas (liq.dis) Ac.tox.3 Corr.	Press. Gas Ac.Tox. 2 * Skin Corr. 1B	
1742	BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID	8		II															
1743	BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID	8		II															
1744	BROMINE or BROMINE SOLUTION	8	6.1	I		035-001-00-5	bromine	231-778-1	7726-95-6	Acute Tox. 2 * Skin Corr. 1A Aquatic Acute 1	H330 H314 H400	GHS06 GHS05 GHS09 Dgr	H330 H314 H400			CLP00/	Corr.1A Ac.Tox.	Skin Corr. 1A Ac.Tox. 2 * Aq.Ac.1	
1745	BROMINE PENTAFLUORIDE	5.1	6.1 8	I															
1746	BROMINE TRIFLUORIDE	5.1	6.1 8	I															
1747	BUTYLTRICHLOROSILANE	8	3	II															
1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	5.1		II	314	017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	Ox. Sol. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H272 H302 H314 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H400	EUH031	T	CLP00/ATP01	Ox. Sol. 2	Ox. Sol. 2 Ac.Tox. 4 * Skin Corr. 1B Aq.Ac.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	5.1		III	316														
1749	CHLORINE TRIFLUORIDE	2.3	5.1 8																
1750	CHLOROACETIC ACID SOLUTION	6.1	8	II															
1751	CHLOROACETIC ACID, SOLID	6.1	8	II		607-003-00-1	chloroacetic acid	201-178-4	79-11-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H331 H311 H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H400	STOT SE 3; H335		CLP00/ATP01	Ac.tox.2 Corr.1	Ac.tox.3* Skin Corr.1B Aq.Ac.1	
1752	CHLOROACETYL CHLORIDE	6.1	8	I	354	607-080-00-1	chloroacetyl chloride	201-171-6	79-04-9	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Skin Corr. 1A Aquatic Acute 1	H331 H311 H301 H372 ** H314 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H331 H311 H301 H372 ** H314 H400	EUH014 EUH029		CLP00/	Ac.tox.1 Corr.1	Ac.tox.3* Skin Corr.1A Aq.Ac.1	
1753	CHLOROPHENYLTRICHLOROSILANE	8		II															
1754	CHLOROSULPHONIC ACID (with or without sulphur trioxide)	8		I		016-017-00-1	chlorosulphonic acid	232-234-6	7790-94-5	Skin Corr. 1A STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		CLP00/	Corr.1A	Skin Corr. 1A	
1755	CHROMIC ACID SOLUTION	8		II															
1755	CHROMIC ACID SOLUTION	8		III	223														
1756	CHROMIC FLUORIDE, SOLID	8		II															
1757	CHROMIC FLUORIDE SOLUTION	8		II															
1757	CHROMIC FLUORIDE SOLUTION	8		III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1758	CHROMIUM OXYCHLORIDE	8		I		024-005-00-2	chromyl dichloride; chromic dichloride	239-056-8	14977-61-8	Ox. Liq. 1 Care. 1B Muta. 1B Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H271 H350i H340 H314 H317 H400 H410	GHS03 GHS08 GHS05 GHS07 GHS09 Dgr	H271 H350i H340 H314 H317 H410		Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 5 % ≤ C < 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 5 % Eye Irrit. 2; H319; 0,5 % ≤ C < 5 % STOT SE 3; H335: 0,5 % ≤ C < 5 % Skin Sens. 1; H317: C ≥ 0,5 %	T 3	CLP00/	Corr.1A	Skin Corr. 1A Ox. Liq. 1 Aq.Ac.1 Aq.Chr.1
1761	CUPRIETHYLENEDIAMINE SOLUTION	8	6.1	II															
1761	CUPRIETHYLENEDIAMINE SOLUTION	8	6.1	III	223														
1762	CYCLOHEXYL-TRICHLOROSILANE	8		II															
1763	CYCLOHEXYL-TRICHLOROSILANE	8		II															
1764	DICHLOROACETIC ACID	8		II		607-066-00-5	dichloroacetic acid	201-207-0	79-43-6	Skin Corr. 1A Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400			CLP00/	Corr.1B	Skin Corr. 1A Aq.Ac.1	
1765	DICHLOROACETYL CHLORIDE	8		II		607-067-00-0	dichloroacetyl chloride	201-199-9	79-36-7	Skin Corr. 1A Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400			CLP00/	Corr.1B	Skin Corr. 1A Aq.Ac.1	
1766	DICHLOROPHENYL-TRICHLOROSILANE	8		II															
1767	DIETHYLDICHLOROSILANE	8	3	II															
1768	DIFLUOROPHOSPHORIC ACID, ANHYDROUS	8		II															
1769	DIPHENYLDICHLOROSILANE	8		II															
1770	DIPHENYLMETHYL BROMIDE	8		II															
1771	DODECYLTRICHLOROSILANE	8		II															
1773	FERRIC CHLORIDE, ANHYDROUS	8		III															
1774	FIRE EXTINGUISHER CHARGES, corrosive liquid	8		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1775	FLUOROBORIC ACID	8		II		009-010-00-X	fluoroboric acid ... %	240-898-3	16872-11-0	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B	CLP00/	Corr.1B	Skin Corr. 1B
1776	FLUOROPHOSPHORIC ACID, ANHYDROUS	8		II															
1777	FLUOROSULPHONIC ACID	8		I		016-018-00-7	fluorosulphonic acid	232-149-4	7789-21-1	Acute Tox. 4 * Skin Corr. 1A	H332 H314	GHS05 GHS07 Dgr	H332 H314			CLP00/	Corr.1A	Skin Corr. 1A Ac.Tox. 4 *	
1778	FLUOROSILICIC ACID	8		II		009-011-00-5	fluorosilicic acid ... %	241-034-8	16961-83-4	Skin Corr. 1B	H314	GHS05 Dgr	H314		B	CLP00/	Corr.1B	Skin Corr. 1B	
1779	FORMIC ACID with more than 85% acid by mass	8	3	II		607-001-00-0	formic acid ... %	200-579-1	64-18-6	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Irrit. 2; H319: 2 % ≤ C < 10 %	B	CLP00/	Corr.1B Flam.Liq.3	Skin Corr. 1A
1780	FUMARYL CHLORIDE	8		II															
1781	HEXADECYL-TRICHLOROSILANE	8		II															
1782	HEXAFLUOROPHOSPHORIC ACID	8		II															
1783	HEXAMETHYLENEDIAMINE SOLUTION	8		II		612-104-00-9	hexamethylenediamine	204-679-6	124-09-4	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Corr. 1B	H312 H302 H335 H314	GHS05 GHS07 Dgr	H312 H302 H335 H314			CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 4 *	
1783	HEXAMETHYLENEDIAMINE SOLUTION	8		III	223														
1784	HEXYLTRICHLOROSILANE	8		II															
1786	HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE	8	6.1	I		009-002-00-6	hydrogen fluoride	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314			CLP00/	Corr.1A Ac.Tox.	Skin Corr. 1A Ac.Tox. 1	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Haz stat						
						009-003-00-1	hydrofluoric acid ... %	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314		Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Irrit. 2; H319 0,1 % ≤ C < 1 %	B	CLP00/			
1787	HYDRIODIC ACID	8		II		053-002-01-6	hydroiodic acid ... %	-	-	Skin Corr. 1B	H314	GHS05 Dgr			Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319 10 % ≤ C < 25 %	B	CLP00/	Corr.1B	Skin Corr. 1B	
						053-002-00-9	hydrogen iodide	233-109-9	10034-85-2	Press. Gas Skin Corr. 1A	H314	GHS04 GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 10 % Skin Corr. 1B; H314: 0,2 % ≤ C < 10 % Skin Irrit. 2; H315: 0,02 % ≤ C < 0,2 % Eye Irrit. 2; H319 0,02 % ≤ C < 0,2 % STOT SE 3; H335: C ≥ 0,02 %	U 5	CLP00/			
1787	HYDRIODIC ACID	8		III	223															
1788	HYDROBROMIC ACID	8		II		035-002-00-0	hydrogen bromide	233-113-0	10035-10-6	Press. Gas Skin Corr. 1A STOT SE 3	H314 H335	GHS04 GHS05 GHS07 Dgr	H314 H335				U	CLP00/	Corr.1B	Press. Gas Skin Corr. 1A
1788	HYDROBROMIC ACID	8		III	223	035-002-01-8	hydrobromic acid ... %	-	-	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335		Skin Corr. 1B; H314: C ≥ 40 % Skin Irrit. 2; H315: 10 % ≤ C < 40 % Eye Irrit. 2; H319 10 % ≤ C < 40 % STOT SE 3; H335: C ≥ 10 %	B	CLP00/	Corr. 1C	Skin Corr. 1B	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1789	HYDROCHLORIC ACID	8		II		017-002-01-X	hydrochloric acid ... %	231-595-7	-	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	B	CLP00/	Corr.1B	Skin Corr. 1B
1790	HYDROFLUORIC ACID, with more than 60% hydrogen fluoride	8	6.1	I	223	009-003-00-1	hydrofluoric acid ... %	231-634-8	7664-39-3	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1A	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314		Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Irrit. 2; H319 0,1 % ≤ C < 1 %	B	CLP00/	Corr.1A Ac.Tox.	Skin Corr. 1A Ac.Tox. 1
1790	HYDROFLUORIC ACID, with not more than 60% hydrogen fluoride	8	6.1	II															
1791	HYPOCHLORITE SOLUTION	8		II															
1791	HYPOCHLORITE SOLUTION	8		III	223														
1792	IODINE MONOCHLORIDE	8		II															
1793	ISOPROPYL ACID PHOSPHATE	8		III															
1794	LEAD SULPHATE with more than 3% free acid	8		II															
						082-001-00-6	lead compounds with the exception of those specified elsewhere in this Annex	-	-	Repr. 1A Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H360Df H332 H302 H373 ** H400 H410	GHS08 GHS07 GHS09 Dgr	H360Df H332 H302 H373 ** H410		Repr. 2; H361F: C ≥ 2,5 % * STOT RE 2; H373: C ≥ 0,5 %	CA 1	CLP00/	Corr.1B	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
1796	NITRATING ACID MIXTURE with more than 50% nitric acid	8	5.1	I															
1796	NITRATING ACID MIXTURE with not more than 50% nitric acid	8		II															
1798	NITROHYDROCHLORIC ACID	8		I															
1799	NONYLTRICHLOROSILANE	8		II															

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1800	OCTADECYL-TRICHLOROSILANE	8		II															
1801	OCTYLTRICHLOROSILANE	8		II															
1802	PERCHLORIC ACID with not more than 50% acid, by mass	8	5.1	II		017-006-00-4	perchloric acid ... %	231-512-4	7601-90-3	Ox. Liq. 1 Skin Corr. 1A	H271 H314	GHS03 GHS05 Dgr	H271 H314		Skin Corr. 1A; H314: C ≥ 50 % Skin Corr. 1B; H314: 10 % ≤ C < 50 % Skin Irrit. 2; H315: 1 % ≤ C < 10 % Eye Irrit. 2; H319: 1 % ≤ C < 10 % Ox. Liq. 1; H271: C > 50 % Ox. Liq. 2; H272: C ≤ 50 %	B	CLP00/	Corr.1B Ox. Liq. 3	Skin Corr. 1A Ox. Liq. 1
1803	PHENOLSULPHONIC ACID, LIQUID	8		II															
1804	PHENYLTRICHLOROSILANE	8		II															
1805	PHOSPHORIC ACID, SOLUTION	8		III	223	015-011-00-6	phosphoric acid ... %, orthophosphoric acid ... %	231-633-2	7664-38-2	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B	CLP00/	Corr. 1C	Skin Corr. 1B
1806	PHOSPHORUS PENTACHLORIDE	8		II		015-008-00-X	phosphorus pentachloride	233-060-3	10026-13-8	Acute Tox. 2 * Acute Tox. 4 * STOT RE 2 * Skin Corr. 1B	H330 H302 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H330 H302 H373 ** H314	EUH014 EUH029		CLP00/	Corr.1B	Skin Corr. 1B Ac. Tox. 2 *	
1807	PHOSPHORUS PENTOXIDE	8		II		015-010-00-0	phosphorus pentoxide	215-236-1	1314-56-3	Skin Corr. 1A	H314	GHS05 Dgr	H314			CLP00/	Corr.1B	Skin Corr. 1A	
1808	PHOSPHORUS TRIBROMIDE	8		II		015-103-00-6	phosphorus tribromide	232-178-2	7789-60-8	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014		CLP00/	Corr.1B	Skin Corr. 1B	
1809	PHOSPHORUS TRICHLORIDE	6.1	8	I	354	015-007-00-4	phosphorus trichloride	231-749-3	7719-12-2	Acute Tox. 2 * Acute Tox. 2 * STOT RE 2 * Skin Corr. 1A	H330 H300 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H330 H300 H373 ** H314	EUH014 EUH029		CLP00/	Ac.tox.1 Corr.1	Ac.tox.2* Skin Corr. 1A	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1810	PHOSPHORUS OXYCHLORIDE	6.1	8	I	354	015-009-00-5	phosphoryl trichloride	233-046-7	10025-87-3	Acute Tox. 2 * STOT RE 1 Acute Tox. 4 * Skin Corr. 1A	H330 H372 ** H302 H314	GHS06 GHS08 GHS05 Dgr	H330 H372 ** H302 H314	EUH014 EUH029			CLP00/	Ac.tox.1 Corr	Ac.tox.2* Skin Corr.1A
1811	POTASSIUM HYDROGEN DIFLUORIDE SOLID	8	6.1	II		009-008-00-9	potassium bifluoride; potassium hydrogen difluoride	232-156-2	7789-29-9	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319; 0,1 % ≤ C < 1 %		CLP00/	Corr.1B Ac. Tox.	Skin Corr. 1B Ac. Tox. 3 *
1812	POTASSIUM FLUORIDE, SOLID	6.1		III		009-005-00-2	potassium fluoride	232-151-5	7789-23-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301				CLP00/	Ac.tox.3	Ac.tox.3*
1813	POTASSIUM HYDROXIDE, SOLID	8		II		019-002-00-8	potassium hydroxide; caustic potash	215-181-3	1310-58-3	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319; 0,5 % ≤ C < 2 %		CLP00/	Corr.1B	Skin Corr. 1A Ac. Tox. 4 *
1814	POTASSIUM HYDROXIDE SOLUTION	8		II		019-002-00-8	potassium hydroxide; caustic potash	215-181-3	1310-58-3	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319; 0,5 % ≤ C < 2 %		CLP00/	Corr.1B	Skin Corr. 1A Ac. Tox. 4 *
1814	POTASSIUM HYDROXIDE SOLUTION	8		III	223														
1815	PROPIONYL CHLORIDE	3	8	II		607-093-00-2	propionyl chloride	201-170-0	79-03-8	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314	EUH014		B D	CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 2 Skin Corr. 1B
1816	PROPYLTRICHLOROSILANE	8	3	II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
1817	PYROSULPHURYL CHLORIDE	8		II																
1818	SILICON TETRACHLORIDE	8		II		014-002-00-4	silicon tetrachloride	233-054-0	10026-04-7	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315	EUH014			CLP00/	Corr.1B		
1819	SODIUM ALUMINATE SOLUTION	8		II																
1819	SODIUM ALUMINATE SOLUTION	8		III	223															
1823	SODIUM HYDROXIDE, SOLID	8		II		011-002-00-6	sodium hydroxide; caustic soda	215-185-5	1310-73-2	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319; 0,5 % ≤ C < 2 %		CLP00/	Corr.1B	Skin Corr. 1A	
1824	SODIUM HYDROXIDE SOLUTION	8		II		011-002-00-6	sodium hydroxide; caustic soda	215-185-5	1310-73-2	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 % Eye Irrit. 2; H319; 0,5 % ≤ C < 2 %		CLP00/	Corr.1B	Skin Corr. 1A	
1824	SODIUM HYDROXIDE SOLUTION	8		III	223															
1825	SODIUM MONOXIDE	8		II																
1826	NITRATING ACID MIXTURE, SPENT, with more than 50% nitric acid	8	5.1	I	113															
1826	NITRATING ACID MIXTURE, SPENT, with not more than 50% nitric acid	8		II	113															
1827	STANNIC CHLORIDE, ANHYDROUS	8		II		050-001-00-5	tin tetrachloride; stannic chloride	231-588-9	7646-78-8	Skin Corr. 1B Aquatic Chronic 3	H314 H412	GHS05 Dgr	H314 H412		STOT SE 3; H335		CLP00/	Corr.1B	Skin Corr. 1B Aq.Chr.3	
1828	SULPHUR CHLORIDES	8		I		016-012-00-4	disulphur dichloride; sulfur monochloride	233-036-2	10025-67-9	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1A Aquatic Acute 1	H301 H332 H314 H400	GHS06 GHS05 GHS09 Dgr	H301 H332 H314 H400	EUH014 EUH029	STOT SE 3; H335		CLP00/	Corr.1A	Skin Corr. 1A Ac.Tox. 3 * Aq.Ac.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						016-013-00-X	sulphur dichloride	234-129-0	10545-99-0	Skin Corr. 1B STOT SE 3 Aquatic Acute 1	H314 H335 H400	GHS05 GHS07 GHS09 Dgr	H314 H335 H400	EUH014	STOT SE 3; H335		CLP00/		
1829	SULPHUR TRIOXIDE, STABILIZED	8		I															
1830	SULPHURIC ACID with more than 51% acid	8		II		016-020-00-8	sulphuric acid ... %	231-639-5	7664-93-9	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	B	CLP00/	Corr.1B	Skin Corr. 1A
1831	SULPHURIC ACID, FUMING	8	6.1	I															
1832	SULPHURIC ACID, SPENT	8		II	113														
1833	SULPHUROUS ACID	8		II															
1834	SULPHURYL CHLORIDE	6.1	8	I	354	016-016-00-6	sulphuryl chloride	232-245-6	7791-25-5	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335	EUH014			CLP00/	Ac.tox.1 Corr.1	Skin corr.1B
1835	TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	8		II															
1835	TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	8		III	223														
1836	THIONYL CHLORIDE	8		I		016-015-00-0	thionyl dichloride; thionyl chloride	231-748-8	7719-09-7	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H332 H302 H314	GHS05 GHS07 Dgr	H332 H302 H314	EUH014 EUH029	STOT SE 3; H335		CLP00/	Corr.1A	Skin Corr. 1A Ac.Tox. 4 *
1837	THIOPHOSPHORYL CHLORIDE	8		II															
1838	TITANIUM TETRACHLORIDE	6.1	8	I	354	022-001-00-5	titanium tetrachloride	231-441-9	7550-45-0	Skin Corr. 1B	H314	GHS05 Dgr	H314	EUH014			CLP00/	Ac.tox.1 Corr	Skin Corr. 1B
1839	TRICHLOROACETIC ACID	8		II		607-004-00-7	TCA (ISO); trichloroacetic acid	200-927-2	76-03-9	Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410		STOT SE 3; H335		CLP00/	Corr.1B	Skin Corr. 1A Aq.Ac.1 Aq.Chr.1
1840	ZINC CHLORIDE SOLUTION	8		III	223	030-003-00-2	zinc chloride	231-592-0	7646-85-7	Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410		STOT SE 3; H335		CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
1841	ACETALDEHYDE AMMONIA	9		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1843	AMMONIUM DINITRO-o-CRESOLATE, SOLID	6.1		II		609-022-00-0	ammonium salt of DNOC; ammonium 4,6-dinitro-o -tolyl oxide	221-037-0	2980-64-5	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410				CLP00/ P	Ac.tox.2 P	Ac.tox.1 Aq.Ac.1 Aq.Chr.1
1845	CARBON DIOXIDE, SOLID (DRY ICE)	9			297														
1846	CARBON TETRACHLORIDE	6.1		II		602-008-00-5	carbon tetrachloride; tetrachloromethane	200-262-8	56-23-5	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Aquatic Chronic 3 Ozone	H351 H331 H311 H301 H372 ** H412 EUH059	GHS06 GHS08 Dgr	H351 H331 H311 H301 H372 ** H412	EUH059	*		CLP00/ P	Ac.tox.2 P	Ac.tox.3* Aq.Chr.3
1847	POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization	8		II		016-006-00-1	dipotassium sulphide; potassium sulphide	215-197-0	1312-73-8	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400	EUH031			CLP00/ P	Corr.1B	Skin Corr. 1B Aq.Ac.1
1848	PROPIONIC ACID with not less than 10% and less than 90% acid by mass	8		III		607-089-00-0	propionic acid ... %	201-176-3	79-09-4	Skin Corr. 1B	H314	GHS05 Dgr	H314		B		CLP00/ P	Corr. 1C	Skin Corr. 1B
1849	SODIUM SULPHIDE, HYDRATED with not less than 30% water	8		II		016-009-00-8	disodium sulfide; sodium sulfide	215-211-5	1313-82-2	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H311 H302 H314 H400	GHS06 GHS05 GHS09 Dgr	H311 H302 H314 H400				CLP00/ATP01	Corr.1B	Skin Corr. 1B Ac.Tox. 3 * Aq.Ac.1
1854	BARIUM ALLOYS, PYROPHORIC	4.2		I															
1855	CALCIUM, PYROPHORIC or CALCIUM ALLOYS, PYROPHORIC	4.2		I		020-001-00-X	calcium	231-179-5	7440-70-2	Water-react. 2	H261	GHS02 Dgr	H261				CLP00/ P		
1856	RAGS, OILY	4.2			29 117														

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1857	TEXTILE WASTE, WET	4.2		III	117														
1858	HEXAFLUOROPROPYLENE (REFRIGERANT GAS R 1216)	2.2				602-061-00-4	hexafluoropropene; hexafluoropropylene	204-127-4	116-15-4	Press. Gas Acute Tox. 4 * STOT SE 3	H332 H335	GHS07 Wng	H332 H335		U	CLP00/	Asphyx.	Press. Gas Ac.Tox. 4 *	
1859	SILICON TETRAFLUORIDE	2.3	8																
1860	VINYL FLUORIDE, STABILIZED	2.1																	
1862	ETHYL CROTONATE	3		II															
1863	FUEL, AVIATION, TURBINE ENGINE	3		I		648-154-00-3	Fuels, jet aircraft, coal solvent extn., hydrogenated; [Jet engine fuel produced by hydrogenation of the middle distillate fraction of the products of hydrocracking of coal extract or solution produced by the liquid solvent extraction or supercritical gas extraction processes and boiling in the range of approximately 180 °C to 225 °C (356 °F to 473 °F). Composed primarily of hydrogenated two ring hydrocarbons and their alkyl derivatives having carbon numbers predominantly in the range of C ₁₀ through C ₁₂ .]	302-694-3	94114-58-6	Carc. 2	H351	GHS08 Wng	H350		H	CLP00/	Flam. 1,2,3		
1863	FUEL, AVIATION, TURBINE ENGINE	3		III	223														
1865	n-PROPYL NITRATE	3		II	26														
1866	RESIN SOLUTION, flammable	3		I															
1866	RESIN SOLUTION, flammable	3		II															
1866	RESIN SOLUTION, flammable	3		III	223														
1868	DECABORANE	4.1	6.1	II															
1869	MAGNESIUM or MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons	4.1		III	59	012-002-00-9	magnesium, powder or turnings	231-104-6	-	Flam. Sol. 1 Water-react. 2 Self-heat. 1	H228 H261 H252	GHS02 Dgr	H228 H261 H252		T	CLP00/	Flam. Sol. 2	Flam. Sol. 1 Water-react. 2 Self-heat. 1	
1870	POTASSIUM BOROHYDRIDE	4.3		I															
1871	TITANIUM HYDRIDE	4.1		II															
1872	LEAD DIOXIDE	5.1		III															

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1873	PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass	5.1	8	I	60	017-006-00-4	perchloric acid ... %	231-512-4	7601-90-3	Ox. Liq. 1 Skin Corr. 1A	H271 H314	GHS03 GHS05 Dgr	H271 H314		Skin Corr. 1A; H314: C ≥ 50 % Skin Corr. 1B; H314: 10 % ≤ C < 50 % Skin Irrit. 2; H315: 1 % ≤ C < 10 % Eye Irrit. 2; H319; 1 % ≤ C < 10 % Ox. Liq. 1; H271; C > 50 % Ox. Liq. 2; H272; C ≤ 50 %	B	CLP00/	Ox. Liq. 1 Corr.	Ox. Liq. 1 Skin Corr. 1A
1884	BARIUM OXIDE	6.1		III															
1885	BENZIDINE	6.1		II		612-042-00-2	benzidine; 1,1'-biphenyl-4,4'-diamine; 4,4'-diaminobiphenyl; biphenyl-4,4'-ylenediamine	202-199-1	92-87-5	Carc. 1A Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H350 H302 H400 H410	GHS08 GHS07 GHS09 Dgr	H350 H302 H410		Carc. 1A; H350; C		CLP00/	Ac.tox.2	Ac.tox.4* Aq.Ac.1 Aq.Chr.1
1886	BENZYLIDENE CHLORIDE	6.1		II		602-058-00-8	α,α-dichlorotoluene; benzylidene chloride; benzal chloride	202-709-2	98-87-3	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H351 H331 H302 H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H351 H331 H302 H335 H315 H318				CLP00/	Ac.tox.2	Ac.tox.3*
1887	BROMOCHLOROMETHANE	6.1		III															
1888	CHLOROFORM	6.1		III		602-006-00-4	trichloromethane; chloroform	200-663-8	67-66-3	Carc. 2 Acute Tox. 4 * STOT RE 2 * STOT RE 2 * Skin Irrit. 2	H351 H302 H373 ** H373 ** H315	GHS07 GHS08 Wng	H351 H302 H373 ** H373 ** H315	*	STOT RE 2; H373: C ≥ 5 %		CLP00/	Ac.tox.3	Ac.tox.4*
1889	CYANOGEN BROMIDE	6.1	8	I															
1891	ETHYL BROMIDE BP=38°C FP= ????	6.1		II		602-055-00-1	bromoethane; ethyl bromide	200-825-8	74-96-4	Flam. Liq. 2 Carc. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H351 H332 H302	GHS02 GHS08 GHS07 Dgr	H225 H351 H332 H302				CLP00/	Ac.tox.2	Ac.tox.4* Flam liq.2
1892	ETHYLDICHLOROARSINE	6.1		I	354														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1894	PHENYLMERCURIC HYDROXIDE	6.1		II		080-008-00-9	phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3]	200-242-9 [1] 202-866-7 [2] - [3]	55-68-5 [1] 100-57-2 [2] 8003-05-2 [3]	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410				CLP00/	Ac.tox.2 PP	Ac.tox.3* Skin Corr.1B Aq.Ac.1 Aq.Chr.1
1895	PHENYLMERCURIC NITRATE	6.1		II		080-008-00-9	phenylmercury nitrate; [1] phenylmercury hydroxide; [2] basic phenylmercury nitrate [3]	200-242-9 [1] 202-866-7 [2] - [3]	55-68-5 [1] 100-57-2 [2] 8003-05-2 [3]	Acute Tox. 3 * STOT RE 1 Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H301 H372 ** H314 H400 H410	GHS06 GHS08 GHS05 GHS09 Dgr	H301 H372 ** H314 H410				CLP00/	Ac.tox.2 PP	Ac.tox.3* Skin Corr.1B Aq.Ac.1 Aq.Chr.1
1897	TETRACHLOROETHYLENE	6.1		III		602-028-00-4	tetrachloroethylene	204-825-9	127-18-4	Carc. 2 Aquatic Chronic 2	H351 H411	GHS08 GHS09 Wng	H351 H411				CLP00/	Ac.tox.3 P	Aq.Chr.2
1898	ACETYL IODIDE	8		II															
1902	DIISOCTYL ACID PHOSPHATE	8		III															
1905	SELENIC ACID	8		I															
1906	SLUDGE ACID	8		II															
1907	SODA LIME with more than 4% sodium hydroxide	8		III	62														
1908	CHLORITE SOLUTION	8		II															
1908	CHLORITE SOLUTION	8		III	223														
1910	CALCIUM OXIDE	8		III	106														
1911	DIBORANE	2.3	2.1																
1912	METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE	2.1			228														
1913	NEON, REFRIGERATED LIQUID	2.2																	
1914	BUTYL PROPIONATES	3		III		607-029-00-3	<i>n</i> -butyl propionate; [1] <i>sec</i> -butyl propionate; [2] <i>tert</i> -butyl propionate [3]	209-669-5 [1] - [2] 208-746-0 [3]	590-01-2 [1] 591-34-4 [2] 540-42-1 [3]	Flam. Liq. 3	H226	GHS02 Wng	H226		C	CLP00/	Flam.3	Flam. Liq. 3	
1915	CYCLOHEXANONE	3		III		606-010-00-7	cyclohexanone	203-631-1	108-94-1	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
1916	2,2'-DICHLORODIETHYL ETHER FP=55°C	6.1	3	II		603-029-00-2	bis(2-chloroethyl) ether	203-870-1	111-44-4	Carc. 2 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 *	H351 H330 H310 H300	GHS06 GHS08 Dgr	H351 H330 H310 H300				CLP00/ATP01	Ac.tox.2 Flam. 3	Ac.tox.1

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
1917	ETHYL ACRYLATE, STABILIZED	3		II		607-032-00-X	ethyl acrylate	205-438-8	140-88-5	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H332 H312 H302 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H335 H315 H317		Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 %	D	CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *
1918	ISOPROPYLBENZENE	3		III		601-024-00-X	cumene; [1] propylbenzene [2]	202-704-5 [1] 203-132-9 [2]	98-82-8 [1] 103-65-1 [2]	Flam. Liq. 3 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H226 H304 H335 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H226 H304 H335 H411			C	CLP00/	Flam.3	Flam. Liq. 3 Aq.Chr.2
1919	METHYL ACRYLATE, STABILIZED	3		II		607-034-00-0	methyl acrylate; methyl propenoate	202-500-6	96-33-3	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H332 H312 H302 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H335 H315 H317			D	CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *
1920	NONANES	3		III															
1921	PROPYLENEIMINE, STABILIZED FP=-4°C	3	6.1	I		613-033-00-6	2-methylaziridine; propyleneimine	200-878-7	75-55-8	Flam. Liq. 2 Carc. 1B Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Eye Dam. 1 Aquatic Chronic 2	H225 H350 H330 H310 H300 H318 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H330 H310 H300 H318 H411	Carc. 1B; H350: C		CLP00/	Flam.1 Ac.tox.1,2,3	Flam. Liq. 2 Ac.Tox. 1 Aq.Chr.2	
1922	PYRROLIDINE	3	8	II															
1923	CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)	4.2		II															
1928	METHYL MAGNESIUM BROMIDE IN ETHYL ETHER	4.3	3	I															
1929	POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)	4.2		II															
1931	ZINC DITHIONITE (ZINC HYDROSULPHITE)	9		III															
1932	ZIRCONIUM SCRAP	4.2		III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1938	BROMOACETIC ACID SOLUTION	8		II		607-065-00-X	bromoacetic acid	201-175-8	79-08-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1	H331 H311 H301 H314 H317 H400	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H317 H400				CLP00/ATP01	Corr.1B	Skin Corr. 1A Ac.Tox. 3 * Aq.Ac.1
1938	BROMOACETIC ACID SOLUTION	8		III	223														
1939	PHOSPHORUS OXYBROMIDE	8		II															
1940	THIOGLYCOLIC ACID	8		II		607-090-00-6	thioglycolic acid	200-677-4	68-11-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H331 H311 H301 H314	GHS06 GHS05 Dgr	H331 H311 H301 H314	*			CLP00/	Corr.1B	Skin Corr. 1B Ac. Tox. 3 *
1941	DIBROMODIFLUOROMETHANE	9		III															
1942	AMMONIUM NITRATE, with not more than 0.2% total combustible material, including any organic substance, calculated as carbon to the exclusion of any other added substance	5.1		III	306														
1950	AEROSOLS	2			63 190 277 327 344														
1951	ARGON, REFRIGERATED LIQUID	2.2																	
1952	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide	2.2																	
1957	DEUTERIUM, COMPRESSED	2.1																	
1958	1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 114)	2.2																	
1959	1,1-DIFLUOROETHYLENE (REFRIGERANT GAS R 1132a)	2.1																	
1961	ETHANE, REFRIGERATED LIQUID	2.1				601-002-00-X	ethane	200-814-8	74-84-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U		CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1962	ETHYLENE	2.1				601-010-00-3	ethylene	200-815-3	74-85-1	Flam. Gas 1 Press. Gas STOT SE 3	H220 H336	GHS02 GHS04 GHS07 Dgr	H220 H336		U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1963	HELIUM, REFRIGERATED LIQUID	2.2																	
1966	HYDROGEN, REFRIGERATED LIQUID	2.1				001-001-00-9	hydrogen	215-605-7	1333-74-0	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1969	ISOBUTANE	2.1				601-004-00-0	butane; [1] and isobutane [2]	203-448-7 [1] 200-857-2 [2]	106-97-8 [1] 75-28-5 [2]	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		C U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1970	KRYPTON, REFRIGERATED LIQUID	2.2																	
1971	METHANE, COMPRESSED or NATURAL GAS, COMPRESSED with high methane content	2.1				601-001-00-4	methane	200-812-7	74-82-8	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1972	METHANE, REFRIGERATED LIQUID or NATURAL GAS, REFRIGERATED LIQUID with high methane content	2.1																	
1973	CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROETHANE MIXTURE with fixed boiling point, with approximately 49% chlorodifluoromethane (REFRIGERANT GAS R 502)	2.2																	
1974	CHLORODIFLUORO-BROMOMETHANE (REFRIGERANT GAS R 12B1)	2.2																	
1975	NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE (NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURE)	2.3	5.1 8																
1976	OCTAFLUOROCYCLOBUTANE (REFRIGERANT GAS RC 318)	2.2																	
1977	NITROGEN, REFRIGERATED LIQUID	2.2			345 346														
1978	PROPANE	2.1				601-003-00-5	propane	200-827-9	74-98-6	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220		U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
1982	TETRAFLUOROMETHANE (REFRIGERANT GAS R 14)	2.2																	
1983	1-CHLORO-2,2,2-TRIFLUOROETHANE (REFRIGERANT GAS R 133a)	2.2																	
1984	TRIFLUOROMETHANE (REFRIGERANT GAS R 23)	2.2																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
1990	BENZALDEHYDE	9		III		605-012-00-5	benzaldehyde	202-860-4	100-52-7	Acute Tox. 4 *	H302	GHS07 Wng	H302			CLP00/			
1991	CHLOROPRENE, STABILIZED FP= - 20°C	3	6.1	I		602-036-00-8	chloroprene (stabilised); 2-chlorobuta-1,3-diene (stabilised)	204-818-0	126-99-8	Flam. Liq. 2 Carc. 1B Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H225 H350 H332 H302 H373 ** H319 H335 H315	GHS02 GHS08 GHS07 Dgr	H225 H350 H332 H302 H373 ** H319 H335 H315		D	CLP00/	Flam.1 Ac.tox.1,2,3	Flam. Liq. 2 Ac.Tox. 4 *	
1994	IRON PENTACARBONYL	6.1	3	I	354														
1999	TARS, LIQUID, including road oils, and cutback bitumens	3		II															
1999	TARS, LIQUID, including road oils, and cutback bitumens	3		III	223														
2000	CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap	4.1		III	223														
2001	COBALT NAPHTHENATES, POWDER	4.1		III															
2002	CELLULOID, SCRAP	4.2		III	223														
2004	MAGNESIUM DIAMIDE	4.2		II															
2008	ZIRCONIUM POWDER, DRY	4.2		I		040-001-00-3	zirconium powder (pyrophoric)	231-176-9	7440-67-7	Water-react. 1 Pyr. Sol. 1	H260 H250	GHS02 Dgr	H260 H250		T	CLP00/	Pyr. Sol. 1	Water-react. 1 Pyr. Sol. 1	
2008	ZIRCONIUM POWDER, DRY	4.2		II															
2008	ZIRCONIUM POWDER, DRY	4.2		III	223														
2009	ZIRCONIUM, DRY, finished sheets, strip or coiled wire	4.2		III	223														
2010	MAGNESIUM HYDRIDE	4.3		I															
2011	MAGNESIUM PHOSPHIDE	4.3	6.1	I		015-005-00-3	magnesium phosphide; trimagnesium diphosphide	235-023-7	12057-74-8	Water-react. 1 Acute Tox. 2 * Aq. Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029	M=100	CLP00/ATP01	Water-react. 1 Ac.Tox.	Water-react. 1 Ac.Tox. 2 * Aq.Ac.1	
2012	POTASSIUM PHOSPHIDE	4.3	6.1	I															
2013	STRONTIUM PHOSPHIDE	4.3	6.1	I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2014	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	5.1	8	II		008-003-00-9	hydrogen peroxide solution ... %	231-765-0	7722-84-1	Ox. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H271 H332 H302 H314	GHS03 GHS05 GHS07 Dgr	H271 H332 H302 H314		Ox. Liq. 1; H271: C ≥ 70 %**** Ox. Liq. 2; H272: 50 % ≤ C < 70 % **** * Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: 8 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335; C ≥ 35 %	B	CLP00/ Corr.	Ox. Liq. 2 Ac.Tox. 4 *	Ox. Liq. 1 Ac.Tox. 4 * Skin Corr. 1A
2015	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	5.1	8	I															
2016	AMMUNITION, TOXIC, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	6.1		II															
2017	AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	6.1	8	II															
2018	CHLOROANILINES, SOLID	6.1		II		612-137-00-9	4-chloroaniline	203-401-0	106-47-8	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H331 H311 H301 H317 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H331 H311 H301 H317 H410			CLP00/	Ac.tox.2	Ac.tox.3* Aq.Ac.1 Aq.Chr.1	
2019	CHLOROANILINES, LIQUID	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2020	CHLOROPHENOLS, SOLID	6.1		III	205	604-011-00-7	2,4-dichlorophenol	204-429-6	120-83-2	Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 2	H311 H302 H314 H411	GHS06 GHS05 GHS09 Dgr	H311 H302 H314 H411				CLP00/	Ac.tox.3	Ac.Tox. 3 * Skin Corr. 1B Aq.Chr. 2
						604-008-00-0	2-chlorophenol; [1] 4-chlorophenol; [2] 3-chlorophenol; [3] chlorophenol [4]	202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4]	95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4]	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H332 H312 H302 H411	GHS07 GHS09 Wng	H332 H312 H302 H411		C		CLP00/	Ac.tox.3	Ac. Tox. 4 * Aq.Chr. 2
						604-013-00-8	2,3,4,6-tetrachlorophenol	200-402-8	58-90-2	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H301 H319 H315 H400 H410	GHS06 GHS09 Dgr	H301 H319 H315 H410	*	Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %		CLP00/	Ac.tox.3	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
						604-018-00-5	2,4,6-trichlorophenol	201-795-9	88-06-2	Carc. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H319 H315 H400 H410	GHS08 GHS07 GHS09 Wng	H351 H302 H319 H315 H410				CLP00/	Ac.tox.3	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
						604-017-00-X	2,4,5-trichlorophenol	202-467-8	95-95-4	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H315 H400 H410	GHS07 GHS09 Wng	H302 H319 H315 H410	*	Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %		CLP00/	Ac.tox.3	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
2021	CHLOROPHENOLS, LIQUID	6.1		III		604-008-00-0	2-chlorophenol; [1] 4-chlorophenol; [2] 3-chlorophenol; [3] chlorophenol [4]	202-433-2 [1] 203-402-6 [2] 203-582-6 [3] 246-691-4 [4]	95-57-8 [1] 106-48-9 [2] 108-43-0 [3] 25167-80-0 [4]	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H332 H312 H302 H411	GHS07 GHS09 Wng	H332 H312 H302 H411		C		CLP00/	Ac.tox.3	Ac.Tox. 4 * Aq.Chr.2
2022	CRESYLIC ACID	6.1	8	II		604-004-00-9	<i>m</i> -cresol; [1] <i>o</i> -cresol; [2] <i>p</i> -cresol; [3] mix-cresol [4]	203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4]	108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314	*	C		CLP00/	Ac.tox.2 Corr.	Ac.Tox. 3 * Skin Corr. 1B

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2023	EPICHLOROHYDRIN FP = 32°C	6.1	3	II	279	603-026-00-6	1-chloro-2,3-epoxypropane; epichlorhydrin	203-439-8	106-89-8	Flam. Liq. 3 Care. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H226 H350 H331 H311 H301 H314 H317	GHS02 GHS06 GHS08 GHS05 Dgr	H226 H350 H331 H311 H301 H314 H317		*		CLP00/	Ac.tox.2 Flam.3	Ac.Tox. 3 * Flam liq.3 Skin Corr. 1B
2027	SODIUM ARSENITE, SOLID	6.1		II	43														
2028	BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device	8		II															
2029	HYDRAZINE, ANHYDROUS	8	3 6.1	I		007-008-00-3	hydrazine	206-114-9	302-01-2	Flam. Liq. 3 Care. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H350 H331 H311 H301 H314 H317 H400 H410	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H226 H350 H331 H311 H301 H314 H317 H410	Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319: 3 % ≤ C < 10 %		CLP00/	Corr.1A Flam.Liq Ac.Tox.	Skin Corr. 1B Flam. Liq. 3 Ac.Tox. 3 * Aq.Ac. 1 Aq.Chr.1	
2030	HYDRAZINE AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	I															
2030	HYDRAZINE AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	II															
2030	HYDRAZINE AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	III															
2031	NITRIC ACID, other than red fuming, with more than 70% nitric acid	8	5.1	I		007-004-00-1	nitric acid ... %	231-714-2	7697-37-2	Ox. Liq. 3 Skin Corr. 1A	H272 H314	GHS03 GHS05 Dgr	H272 H314				CLP00/	Corr.1A Ox. Liq.	Skin Corr. 1A Ox. Liq. 3
2031	NITRIC ACID, other than red fuming, with at least 65%, but not more than 70% nitric acid	8	5.1	II															
2031	NITRIC ACID, other than red fuming, with less than 65% nitric acid	8		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2032	NITRIC ACID, RED FUMING	8	5.1 6.1	I															
2033	POTASSIUM MONOXIDE	8		II															
2034	HYDROGEN AND METHANE MIXTURE, COMPRESSED	2.1																	
2035	1,1,1-TRIFLUOROETHANE (REFRIGERANT GAS R 143a)	2.1																	
2036	XENON	2.2																	
2037	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2			191 277 303 344														
2038	DINITROTOLUENES, LIQUID	6.1		II		609-007-00-9	2,4-dinitrotoluene; [1] dinitrotoluene [2]	204-450-0 [1] 246-836-1 [2]	121-14-2 [1] 25321-14-6 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361f*** H331 H311 H301 H373** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361f*** H331 H311 H301 H373** H410			CLP00/ATP01	Ac. Tox. 2	Ac.Tox. 3 * Aq. Ac. 1 Aq.Chr. 1	
						609-049-00-8	2,6-dinitrotoluene	210-106-0	606-20-2	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 3	H350 H341 H361f*** H331 H311 H301 H373** H412	GHS06 GHS08 Dgr	H350 H341 H361f*** H331 H311 H301 H373** H412			CLP00/			
2044	2,2-DIMETHYLPROPANE	2.1				601-005-00-6	2,2-dimethylpropane; neopentane	207-343-7	463-82-1	Flam. Gas 1 Press. Gas Aquatic Chronic 2	H220 H411	GHS02 GHS04 GHS09 Dgr	H220 H411		U	CLP00/	Flam. Gas.1	Flam. Gas 1 Press. Gas Aq.Chr.2	
2045	ISOBUTYRALDEHYDE (ISOBUTYL ALDEHYDE)	3		II															
2046	CYMENES	3		III															
2047	DICHLOROPROPENES	3		II															
2047	DICHLOROPROPENES	3		III	223														

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						602-030-00-5	1,3-dichloropropene; [1] (Z)-1,3-dichloropropene [2]	208-826-5 [1] 233-195-8 [2]	542-75-6 [1] 10061-01-5 [2]	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * Asp. Tox. 1 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H311 H301 H332 H304 H319 H335 H315 H317 H400 H410	GHS02 GHS06 GHS08 GHS09 Dgr	H226 H311 H301 H332 H304 H319 H335 H315 H317 H410			C D	CLP00/ATP01		
						602-031-00-0	1,1-dichloropropene	209-253-3	563-58-6	Flam. Liq. 2 Acute Tox. 3 * Aquatic Chronic 3	H225 H301 H412	GHS02 GHS06 Dgr	H225 H301 H412				CLP00/		
						602-079-00-2	2,3-dichloropropene; 2,3-dichloropropylene	201-153-8	78-88-6	Flam. Liq. 2 Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 3	H225 H341 H332 H312 H302 H335 H315 H318 H412	GHS02 GHS08 GHS05 GHS07 Dgr	H225 H341 H332 H312 H302 H335 H315 H318 H412				CLP00/		
2048	DICYCLOPENTADIENE FP = between 26°C and 38°C	3				601-044-00-9	3a,4,7,7a-tetrahydro-4,7-methanoindene	201-052-9	77-73-6	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H225 H332 H302 H319 H335 H315 H411	GHS02 GHS07 GHS09 Dgr	H225 H332 H302 H319 H335 H315 H411				CLP00/	Flam.3	Flam. Liq. 2 Ac.Tox. 4 * Aq.Chr.2
2049	DIETHYLBENZENE	3																	
2050	DIISOBUTYLENE, ISOMERIC COMPOUNDS	3																	
2051	2-DIMETHYLAMINOETHANOL	8	3		II	603-047-00-0	2-dimethylaminoethanol; N,N-dimethylethanolamine	203-542-8	108-01-0	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H332 H312 H302 H314			STOT SE 3; H335	CLP00/	Corr.1B Flam. Liq.3	Skin Corr. 1B Flam. Liq. 3 Ac.Tox. 4 *

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2052	DIPENTENE	3		III		601-029-00-7	dipentene; [1] limonene; [1] (R)-p-mentha-1,8-diene; [2] d-limonene; [2] (S)-p-mentha-1,8-diene; [3] l-limonene; [3] trans-1-methyl-4-(1-methylvinyl)cyclohexene; [4] (=)-1-methyl-4-(1-methylvinyl)cyclohexene [5]	205-341-0 [1] 227-813-5 [2] 5989-27-5 [2] 227-815-6 [3] 5989-54-8 [3] 229-977-3 [4] 6876-12-6 [4] 231-732-0 [5] 7705-14-8 [5]	138-86-3 [1] 5989-27-5 [2] 5989-54-8 [3] 6876-12-6 [4] 7705-14-8 [5]	Flam. Liq. 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H315 H317 H400 H410	GHS02 GHS07 GHS09 Wng	H226 H315 H317 H410			C	CLP00/	Flam.3 P	Flam. Liq. 3 Aq.Ac.1 Aq.Chr.1
2053	METHYL ISOBUTYL CARBINOL	3		III		603-008-00-8	4-methylpentan-2-ol; methyl isobutyl carbinol	203-551-7	108-11-2	Flam. Liq. 3 STOT SE 3	H226 H335	GHS02 GHS07 Wng	H226 H335		STOT SE 3; H335		CLP00/	Flam.3	Flam. Liq. 3
2054	MORPHOLINE	8	3	I		613-028-00-9	morpholine	203-815-1	110-91-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H332 H312 H302 H314				CLP00/	Corr.1A Flam. Liq.	Skin Corr. 1B Flam. Liq. 3 Ac.Tox. 4 *
2055	STYRENE MONOMER, STABILIZED	3		III		601-026-00-0	styrene	202-851-5	100-42-5	Flam. Liq. 3 Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2	H226 H332 H319 H315	GHS02 GHS07 Wng	H226 H332 H319 H315	*	D	CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *	
2056	TETRAHYDROFURAN	3		II		603-025-00-0	tetrahydrofuran	203-726-8	109-99-9	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335	EUH019	Eye Irrit. 2; H319; C ≥ 25 % STOT SE 3; H335: C ≥ 25 %		CLP00/	Flam.2	Flam. Liq. 2
2057	TRIPROPYLENE	3		II															
2057	TRIPROPYLENE	3		III	223														
2058	VALERALDEHYDE	3		II															
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3		I	198														
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3		II	198														
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3		III	198 223														
2067	AMMONIUM NITRATE BASED FERTILIZER	5.1		III	186 306 307														
2071	AMMONIUM NITRATE BASED FERTILIZER	9		III	186 193														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2073	AMMONIA SOLUTION, relative density less than 0.880 at 15 °C in water, with more than 35% but not more than 50% ammonia	2.2				007-001-01-2	ammonia ...%	215-647-6	1336-21-6	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400		STOT SE 3; H335B		CLP00/	Non-flammable, non-toxic (2.2)	Skin Corr. 1B Aq.Ac.1
2074	ACRYLAMIDE, SOLID	6.1		III		616-003-00-0	acrylamide; prop-2-enamide	201-173-7	79-06-1	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 3 * STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H350 H340 H361f *** H301 H372 ** H332 H312 H319 H315 H317	GHS06 GHS08 Dgr	H350 H340 H361f *** H301 H372 ** H332 H312 H319 H315 H317			D	CLP00/	Ac.tox.3	Ac.Tox. 3 *
2075	CHLORAL, ANHYDROUS, STABILIZED	6.1		II															
2076	CRESOLS, LIQUID	6.1	8	II		604-004-00-9	<i>m</i> -cresol; [1] <i>o</i> -cresol; [2] <i>p</i> -cresol; [3] mix-cresol [4]	203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4]	108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314	*	C	CLP00/	Ac.tox.2 Corr.	Ac.Tox. 3 * Skin Corr. 1B	
2077	alpha-NAPHTHYLAMINE	6.1		III		612-020-00-2	1-naphthylamine	205-138-7	134-32-7	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			CLP00/	Ac.tox.3	Ac.Tox. 4 * Aq. Chr 2	
2078	TOLUENE DIISOCYANATE	6.1		II	279	615-006-00-4	2-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,4-di-isocyanate; [1] 4-methyl- <i>m</i> -phenylene diisocyanate; toluene-2,6-di-isocyanate; [2] <i>m</i> -tolylidene diisocyanate; toluene-diisocyanate [3]	202-039-0 [1] 209-544-5 [2] 247-722-4 [3]	91-08-7 [1] 584-84-9 [2] 26471-62-5 [3]	Carc. 2 Acute Tox. 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H351 H330 H319 H335 H315 H334 H317 H412	GHS06 GHS08 Dgr	H351 H330 H319 H335 H315 H334 H317 H412	Resp. Sens. 1; H33	C	CLP00/	Ac.tox.3	Ac.Tox. 2 * Aq.Chr. 3	
2079	DIETHYLENTRIAMINE	8		II		612-058-00-X	2,2'-iminodiethylamine; diethylenetriamine	203-865-4	111-40-0	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1	H312 H302 H314 H317	GHS05 GHS07 Dgr	H312 H302 H314 H317			CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 4 *	
2186	HYDROGEN CHLORIDE, REFRIGERATED LIQUID	2.3	8			017-002-00-2	hydrogen chloride	231-595-7	7647-01-0	Press. Gas Acute Tox. 3 * Skin Corr. 1A	H331 H314	GHS04 GHS06 GHS05 Dgr	H331 H314		U 5	CLP00/	Press.Gas (Refrig., liq) Ac.tox. Corr.	Press. Gas Ac.Tox. 3 * Skin Corr. 1A	
2187	CARBON DIOXIDE, REFRIGERATED LIQUID	2.2																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2188	ARSINE LC50 (mg/m3) (4h) = 10	2.3	2.1			033-006-00-7	arsine	232-066-3	7784-42-1	Flam. Gas 1 Press. Gas Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H220 H330 H373 ** H400 H410	GHS02 GHS04 GHS06 GHS08 GHS09 Dgr	H220 H330 H373 ** H410			U	CLP00/	Press.Gas (liq.dis) Flam. Gas 1 Ac.tox.1	Press. Gas Flam. Gas 1 Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1
2189	DICHLOROSILANE	2.3	2.1 8																
2190	OXYGEN DIFLUORIDE, COMPRESSED	2.3	5.1 8																
2191	SULPHURYL FLUORIDE LC50 (mg/m3) (4h) = 1510	2.3				009-015-00-7	sulphuryl difluoride	220-281-5	2699-79-8	Press. Gas Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H373 ** H400	GHS04 GHS06 GHS08 GHS09 Dgr	H331 H373 ** H400			U	CLP00/	Press.Gas (liq.dis) Ac.tox.3	Press. Gas Ac.Tox. 3 * Aq.Ac.1
2192	GERMANE	2.3	2.1																
2193	HEXAFLUOROETHANE (REFRIGERANT GAS R 116)	2.2																	
2194	SELENIUM HEXAFLUORIDE	2.3	8																
2195	TELLURIUM HEXAFLUORIDE	2.3	8																
2196	TUNGSTEN HEXAFLUORIDE	2.3	8																
2197	HYDROGEN IODIDE, ANHYDROUS LC50 (mg/m3) (4h) = 1430	2.3	8			053-002-00-9	hydrogen iodide	233-109-9	10034-85-2	Press. Gas Skin Corr. 1A	H314	GHS04 GHS05 Dgr	H314			U 5	CLP00/	Press.Gas (liq.dis) Ac.tox.3 Corr.	Press. Gas Skin Corr. 1A
2198	PHOSPHORUS PENTAFLUORIDE	2.3	8																
2199	PHOSPHINE LC50 (mg/m3) (4h) = 10	2.3	2.1			015-181-00-1	phosphine	232-260-8	7803-51-2	Flam. Gas 1 Press. Gas Acute Tox. 2 * Skin Corr. 1B Aquatic Acute 1	H220 H330 H314 H400	GHS02 GHS04 GHS06 GHS05 GHS09 Dgr	H220 H330 H314 H400			U	CLP00/	Press Gas (liq.dis) Flam.Gas 1 Ac.tox.1	Press. Gas Flam. Gas 1 Ac.Tox. 2 * Skin Corr. 1B Aq.Ac. 1

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2200	PROPADIENE, STABILIZED	2.1																	
2201	NITROUS OXIDE, REFRIGERATED LIQUID	2.2	5.1																
2202	HYDROGEN SELENIDE, ANHYDROUS	2.3	2.1																
2203	SILANE	2.1																	
2204	CARBONYL SULPHIDE	2.3	2.1																
2205	ADIPONITRILE	6.1		III															
2208	CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	5.1		III	314	017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	Ox. Sol. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H272 H302 H314 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H400	EUH031	Skin Corr. 1B; H314: C ≥ 5 % Skin Irrit. 2; H; 315: 1 % ≤ C < 5 % Eye Dam. 1; H318: 3 % ≤ C < 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 %	T	CLP00/ATP01	Ox. Sol. 3	Ox. Sol. 2 Ac.Tox. 4 * Skin Corr. 1B Aq.Ac.1
2209	FORMALDEHYDE SOLUTION with not less than 25% formaldehyde	8		III		605-001-00-5	formaldehyde ... %	200-001-8	50-00-0	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1	H351 H331 H311 H301 H314 H317	GHS06 GHS08 GHS05 Dgr	H351 H331 H311 H301 H314 H317		* Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % STOT SE 3; H335: C ≥ 5 % Skin Sens. 1; H317: C ≥ 0,2 %	B D	CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 3 *
2210	MANEB or MANEB PREPARATION with not less than 60% maneb	4.2	4.3	III	273	006-077-00-7	maneb (ISO); manganese ethylenebis(dithiocarbamate) (polymeric)	235-654-8	12427-38-2	Repr. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d*** H332 H319 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H361d*** H332 H319 H317 H410		M=10		CLP00/ATP01	Self-heat. 2 Water-react P	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
2211	POLYMERIC BEADS, EXPANDABLE, evolving flammable vapour	9		III	207														
2212	BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite, miosorite)	9		II	168	650-013-00-6	asbestos	- - - - - -	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5	Carc. 1A STOT RE 1	H350 H372 **	GHS08 Dgr	H350 H372 **			CLP00/			

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2213	PARAFORMALDEHYDE	4.1		III															
2214	PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride	8		III	169	607-009-00-4	phthalic anhydride	201-607-5	85-44-9	Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1	H302 H335 H315 H318 H334 H317	GHS08 GHS05 GHS07 Dgr	H302 H335 H315 H318 H334 H317				CLP00/	Corr. 1C	Ac.Tox. 4 *
2215	MALEIC ANHYDRIDE	8		III		607-096-00-9	maleic anhydride	203-571-6	108-31-6	Acute Tox. 4 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H302 H314 H334 H317	GHS08 GHS05 GHS07 Dgr	H302 H314 H334 H317				CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 *
2215	MALEIC ANHYDRIDE, MOLTEN	8		III															
2216	FISH MEAL (FISH SCRAP), STABILIZED	9		III	29 117 300 308														
2217	SEED CAKE with not more than 1.5% oil and not more than 11% moisture	4.2		III	29 142														
2218	ACRYLIC ACID, STABILIZED	8	3	II		607-061-00-8	acrylic acid; prop-2-enoic acid	201-177-9	79-10-7	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A Aquatic Acute 1	H226 H332 H312 H302 H314 H400	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H332 H312 H302 H314 H400	STOT SE 3; H335D			CLP00/	Corr.1B Flam. Liq.3	Skin Corr. 1A Flam. Liq. 3 Ac.Tox. 4 * Aq.Ac.1
2219	ALLYL GLYCIDYL ETHER	3		III		603-038-00-1	allyl glycidyl ether; allyl 2,3-epoxypropyl ether; prop-2-en-1-yl 2,3-epoxypropyl ether	203-442-4	106-92-3	Flam. Liq. 3 Carc. 2 Muta. 2 Repr. 2 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Skin Sens. 1 Aquatic Chronic 3	H226 H351 H341 H361F*** H332 H302 H335 H315 H318 H317 H412	GHS02 GHS08 GHS05 GHS07 Dgr	H226 H351 H341 H361F*** H332 H302 H335 H315 H318 H317 H412				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 * Aq.Chr.3
2222	ANISOLE	3		III															
2224	BENZONITRILE	6.1		II		608-012-00-3	benzonnitrile	202-855-7	100-47-0	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302				CLP00/	Ac.tox.2	Ac. Tox. 4 *

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2225	BENZENESULPHONYL CHLORIDE	8		III															
2226	BENZOTRICHLORIDE	8		II		602-038-00-9	<i>o,o',o''</i> -trichlorotoluene; benzotrichloride	202-634-5	98-07-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H350 H331 H302 H335 H315 H318	GHS06 GHS08 GHS05 Dgr	H350 H331 H302 H335 H315 H318				CLP00/	Corr.1B	Ac.Tox. 3 *
2227	n-BUTYL METHACRYLATE, STABILIZED	3		III		607-033-00-5	<i>n</i> -butyl methacrylate	202-615-1	97-88-1	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H226 H319 H335 H315 H317	GHS02 GHS07 Wng	H226 H319 H335 H315 H317		D		CLP00/	Flam.3	Flam. Liq. 3
2232	2-CHLOROETHANAL	6.1		I	354	605-025-00-6	chloroacetaldehyde	203-472-8	107-20-0	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H351 H330 H301 H301 H314 H400	GHS06 GHS08 GHS05 GHS09 Dgr	H351 H330 H311 H301 H314 H400		STOT SE 3; H335		CLP00/	Ac.tox.1	Ac.Tox. 2 * Skin Corr. 1B Aq.Ac.1
2233	CHLOROANISIDINES	6.1		III															
2234	CHLOROBENZOTRIFLUORIDES	3		III															
2235	CHLOROBENZYL CHLORIDES, LIQUID	6.1		III															
2236	3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID	6.1		II															
2237	CHLORONITROANILINES	6.1		III		610-009-00-7	2-chloro-4-nitroaniline	204-502-2	121-87-9	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411				CLP00/	Ac.tox.3 P	Ac.Tox. 4 * Aq.Chr. 2
						610-006-00-0	chloronitroanilines with the exception of those specified elsewhere in this Annex	-	-	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H330 H310 H300 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H411		A C		CLP00/	Ac.tox.3 P	Ac. Tox. 1 Aq.Chr 2
2238	CHLOROTOLUENES Fp = between 43°C and 47°C	3		III		602-040-00-X	2-chlorotoluene; [1] 3-chlorotoluene; [2] 4-chlorotoluene; [3] chlorotoluene [4]	202-424-3 [1] 203-580-5 [2] 203-397-0 [3] 246-698-2 [4]	95-49-8 [1] 108-41-8 [2] 106-43-4 [3] 25168-05-2 [4]	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411		C		CLP00/	Flam.3	Ac.Tox. 4 * Aq.Chr.2

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2239	CHLOROTOLUIDINES, SOLID	6.1		III		612-196-00-0	4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2]	202-441-6 [1] 221-627-8 [2]	95-69-2 [1] 3165-93-3 [2]	Carc. 1B Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H331 H311 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H410			CLP00/	Ac.tox.3	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1	
2240	CHROMOSULPHURIC ACID	8		I															
2241	CYCLOHEPTANE	3		II															
2242	CYCLOHEPTENE	3		II															
2243	CYCLOHEXYL ACETATE	3		III															
2244	CYCLOPENTANOL	3		III															
2245	CYCLOPENTANONE	3		III		606-025-00-9	cyclopentanone	204-435-9	120-92-3	Flam. Liq. 3 Eye Irrit. 2 Skin Irrit. 2	H226 H319 H315	GHS02 GHS07 Wng	H226 H319 H315			CLP00/	Flam.3	Flam. Liq. 3	
2246	CYCLOPENTENE	3		II															
2247	n-DECANE	3		III															
2248	DI-n-BUTYLAMINE	8	3	II		612-049-00-0	di-n-butylamine; [1] di-sec-butylamine [2]	203-921-8 [1] 210-937-9 [2]	111-92-2 [1] 626-23-3 [2]	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302			CLP00/	Corr.1B Flam. Liq.3	Flam. Liq. 3 Ac.Tox. 4 *	
2249	DICHLORODIMETHYL ETHER, SYMMETRICAL FP = 42°C	6.1	3	I		603-046-00-5	bis(chloromethyl) ether; oxybis(chloromethane)	208-832-8	542-88-1	Flam. Liq. 2 Carc. 1A Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 4 *	H225 H350 H330 H311 H302	GHS02 GHS06 GHS08 Dgr	H225 H350 H330 H311 H302	Carc. 1A; H350; C		CLP00/ATP01	Ac.tox.1 Flam.3	Ac.Tox. 2 * Flam. Liq. 2	
2250	DICHLOROPHENYL ISOCYANATES	6.1		II															
2251	BICYCLO[2.2.1]-HEPTA-2,5-DIENE, STABILIZED (2,5-NORBORNADIENE, STABILIZED)	3		II															
2252	1,2-DIMETHOXYETHANE	3		II		603-031-00-3	1,2-dimethoxyethane; ethylene glycol dimethyl ether; EGDME	203-794-9	110-71-4	Flam. Liq. 2 Repr. 1B Acute Tox. 4 *	H225 H360FD H332	GHS02 GHS08 GHS07 Dgr	H225 H360FD H332	EUH019		CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 *	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2253	N,N-DIMETHYLANILINE	6.1		II		612-016-00-0	N,N-dimethylaniline	204-493-5	121-69-7	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H351 H331 H311 H301 H411	GHS06 GHS08 GHS09 Dgr	H351 H331 H311 H301 H411			CLP00/	Ac.tox.2	Ac.Tox. 3 * Aq.Chr. 2	
2254	MATCHES, FUSEE	4.1		III	293														
2256	CYCLOHEXENE	3		II															
2257	POTASSIUM	4.3		I		019-001-00-2	potassium	231-119-8	7440-09-7	Water-react. 1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		CLP00/	Water-react. 1	Water-react. 1 Skin Corr. 1B	
2258	1,2-PROPYLENEDIAMINE	8	3	II		612-100-00-7	propylenediamine	201-155-9	78-90-0	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H226 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H226 H312 H302 H314			CLP00/	Corr.1B Flam. Liq.3	Skin Corr. 1A Flam. Liq. 3 Ac.Tox. 4 *	
2259	TRIETHYLENETETRAMINE	8		II		612-059-00-5	3,6-diazaoctanethylenediamin; triethylenetetramine	203-950-6	112-24-3	Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H314 H317 H412	GHS05 GHS07 Dgr	H312 H314 H317 H412			CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 4 * Aq.Chr.3	
2260	TRIPROPYLAMINE	3	8	III															
2261	XYLENOLS, SOLID	6.1		II		604-006-00-X	3,4-xyleneol; [1] 2,5-xyleneol; [2] 2,4-xyleneol; [3] 2,3-xyleneol; [4] 2,6-xyleneol; [5] xyleneol; [6] 2,4(or 2,5)-xyleneol [7]	202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7]	95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H311 H301 H314 H411	GHS06 GHS05 GHS09 Dgr	H311 H301 H314 H411		C	CLP00/	Ac.tox.2	Ac.Tox. 3 * Skin Corr. 1B Aq.Chr.2	
						604-037-00-9	3,5-xyleneol; 3,5-dimethylphenol	203-606-5	108-68-9	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314			CLP00/	Ac.tox.2	Ac.Tox. 3 * Skin Corr. 1B	
2262	DIMETHYLCARBAMOYL CHLORIDE	8		II		006-041-00-0	dimethylcarbamoyl chloride	201-208-6	79-44-7	Carc. 1B Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H350 H331 H302 H319 H335 H315	GHS06 GHS08 Dgr	H350 H331 H302 H319 H335 H315	Carc. 1B; H350; C		CLP00/	Corr.1B	Ac.Tox. 3 * Ac.Tox. 4 *	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict. SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2263	DIMETHYLCYCLOHEXANES	3		II		601-019-00-2	1,4-dimethylcyclohexane	209-663-2	589-90-2	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H411				CLP00/	Flam.2	Flam. Liq. 2 Aq.Chr.2
2264	N,N-DIMETHYL-CYCLOHEXYLAMINE	8	3	II															
2265	N,N-DIMETHYLFORMAMIDE FP = 58°C	3		III		616-001-00-X	N,N-dimethylformamide; dimethyl formamide	200-679-5	68-12-2	Repr. 1B Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2	H360D *** H332 H312 H319	GHS08 GHS07 Dgr	H360D *** H332 H312 H319				CLP00/	Flam.3	Ac.Tox. 4 *
2266	DIMETHYL-N-PROPYLAMINE	3	8	II															
2267	DIMETHYL THIOPHOSPHORYL CHLORIDE	6.1	8	II															
2269	3,3'-IMINODIPROPYLAMINE	8		III		612-063-00-7	3,3'-iminodi(propylamine); dipropylenetriamine	200-261-2	56-18-8	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1A Skin Sens. 1	H330 H311 H302 H314 H317	GHS06 GHS05 Dgr	H330 H311 H302 H314 H317				CLP00/	Corr. 1C	Skin Corr. 1A Ac.Tox. 2 *
2270	ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine FP (solution) = - 11°C BP (solution) = 56°C FP (pure) = 17°C	3	8	II		612-002-00-4	ethylamine	200-834-7	75-04-7	Flam. Gas 1 Press. Gas Eye Irrit. 2 STOT SE 3	H220 H319 H335	GHS02 GHS04 GHS07 Dgr	H220 H319 H335		U		CLP00/	Flam.2 Corr.1B, 1C	Flam. Gas 1 Press. Gas
2271	ETHYL AMYL KETONE	3		III		606-020-00-1	5-methylheptan-3-one	208-793-7	541-85-5	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3	H226 H319 H335	GHS02 GHS07 Wng	H226 H319 H335				CLP00/	Flam.3	Flam. Liq. 3
2272	N-ETHYLANILINE	6.1		III		612-053-00-2	N-ethylaniline	203-135-5	103-69-5	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 *	H331 H311 H301 H373 **	GHS06 GHS08 Dgr	H331 H311 H301 H373 **				CLP00/	Ac.Tox. 3	Ac.Tox. 3 *
2273	2-ETHYLANILINE	6.1		III															
2274	N-ETHYL-N-BENZYLANILINE	6.1		III															
2275	2-ETHYLBUTANOL FP = 57°C	3		III		603-051-00-2	2-ethylbutan-1-ol	202-621-4	97-95-0	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302				CLP00/	Flam.3	Ac.Tox. 4 *
2276	2-ETHYLHEXYLAMINE	3	8	III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2277	ETHYL METHACRYLATE, STABILIZED	3		II		607-071-00-2	ethyl methacrylate	202-597-5	97-63-2	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H225 H319 H335 H315 H317	GHS02 GHS07 Dgr	H225 H319 H335 H315 H317		D	CLP00/	Flam.2	Flam. Liq. 2	
2278	n-HEPTENE	3		II															
2279	HEXACHLOROBUTADIENE	6.1		III															
2280	HEXAMETHYLENEDIAMINE, SOLID	8		III		612-104-00-9	hexamethylenediamine	204-679-6	124-09-4	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Corr. 1B	H312 H302 H335 H314	GHS05 GHS07 Dgr	H312 H302 H335 H314			CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 *	
2281	HEXAMETHYLENE-DIISOCYANATE	6.1		II		615-011-00-1	hexamethylene-di-isocyanate	212-485-8	822-06-0	Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1	H331 H319 H335 H315 H334 H317	GHS06 GHS08 Dgr	H331 H319 H335 H315 H334 H317	* Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	2	CLP00/	Ac.Tox.2	Ac.Tox.3 *	
2282	HEXANOLS FP = 57°C	3		III		603-059-00-6	hexan-1-ol	203-852-3	111-27-3	Acute Tox. 4 *	H302	GHS07 Wng	H302			CLP00/	Flam.3	Ac.Tox. 4 *	
2283	ISOBUTYL METHACRYLATE, STABILIZED	3		III		607-113-00-X	isobutyl methacrylate	202-613-0	97-86-9	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H226 H319 H335 H315 H317 H400	GHS02 GHS07 GHS09 Wng	H226 H319 H335 H315 H317 H400		D	CLP00/	Flam.3	Flam. Liq. 3 Aq.Ac.1	
2284	ISOBUTYRONITRILE	3	6.1	II															
2285	ISOCYANATOBENZO-TRIFLUORIDES	6.1	3	II															
2286	PENTAMETHYLHEPTANE	3		III															
2287	ISOHEPTENES	3		II															
2288	ISOHEXENES	3		II															
2289	ISOPHORONEDIAMINE	8		III		612-067-00-9	3-aminomethyl-3,5,5-trimethylcyclohexylamine	220-666-8	2855-13-2	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H302 H314 H317 H412	GHS05 GHS07 Dgr	H312 H302 H314 H317 H412			CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 * Aq.Chr.3	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2290	ISOPHORONE DIISOCYANATE	6.1		III		615-008-05	3-isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate; isophorone di-isocyanate	223-861-6	4098-71-9	Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 2	H331 H319 H335 H315 H334 H317 H411	GHS06 GHS08 GHS09 Dgr	H331 H319 H335 H315 H334 H317 H411		* Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	2	CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Chr. 2
2293	4-METHOXY-4-METHYLPENTAN-2-ONE	3		III		606-023-00-8	4-methoxy-4-methylpentan-2-one	203-512-4	107-70-0	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
2294	N-METHYLANILINE	6.1		III		612-015-00-5	N-methylaniline	202-870-9	100-61-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H410				CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
2295	METHYL CHLOROACETATE	6.1	3	I		607-205-00-X	methyl chloroacetate	202-501-1	96-34-4	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 3 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H226 H331 H301 H335 H315 H318	GHS02 GHS06 GHS05 Dgr	H226 H331 H301 H335 H315 H318				CLP00/	Ac.Tox. 1 Flam.3	Ac.Tox.3 * Flam. Liq. 3
2296	METHYLCYCLOHEXANE	3		II		601-018-00-7	methylcyclohexane	203-624-3	108-87-2	Flam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 Dgr	H225 H304 H315 H336 H411				CLP00/	Flam.2	Flam. Liq. 2 Aq.Chr.2
2297	METHYLCYCLOHEXANONE	3		III		606-011-00-2	2-methylcyclohexanone	209-513-6	583-60-8	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
2298	METHYLCYCLOPENTANE	3		II															
2299	METHYL DICHLOROACETATE	6.1		III															
2300	2-METHYL-5-ETHYLPYRIDINE	6.1		III															
2301	2-METHYLFURAN	3		II															
2302	5-METHYLHEXAN-2-ONE	3		III		606-026-00-4	5-methylhexan-2-one; isoamyl methyl ketone	203-737-8	110-12-3	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
2303	ISOPROPENYLBENZENE	3		III		601-027-00-6	2-phenylpropene; α-methylstyrene	202-705-0	98-83-9	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Aquatic Chronic 2	H226 H319 H335 H411	GHS02 GHS07 GHS09 Wng	H226 H319 H335 H411	STOT SE 3; H335			CLP00/	Flam.3	Flam. Liq. 3 Aq.Chronic 2

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2304	NAPHTHALENE, MOLTEN	4.1		III		601-052-00-2	naphthalene	202-049-5	91-20-3	Carc. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H351 H302 H400 H410	GHS07 GHS08 GHS09 Wng	H351 H302 H410			CLP00/	Flam. Sol. 2	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1	
2305	NITROBENZENESULPHONIC ACID	8		II															
2306	NITROBENZOTRIFLUORIDES, LIQUID	6.1		II															
2307	3-NITRO-4-CHLOROBENZOTRIFLUORIDE	6.1		II															
2308	NITROSYLSULPHURIC ACID, LIQUID	8		II															
2309	OCTADIENE	3		II															
2310	PENTANE-2,4-DIONE	3	6.1	III		606-029-00-0	pentane-2,4-dione; acetylacetone	204-634-0	123-54-6	Flam. Liq. 3 Acute Tox. 4 *	H226 H302	GHS02 GHS07 Wng	H226 H302			CLP00/	Flam.3 Ac.tox.3	Flam. Liq. 3 Ac.Tox. 4 *	
2311	PHENETIDINES	6.1		III	279	612-039-00-6	2-ethoxyaniline; o-phenetidine	202-356-4	94-70-2	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 *	H331 H311 H301 H373 **	GHS06 GHS08 Dgr	H331 H311 H301 H373 **			CLP00/	Ac.Tox. 3	Ac.Tox. 3 *	
						612-207-00-9	4-ethoxyaniline; p-phenetidine	205-855-5	156-43-4	Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1	H341 H332 H312 H302 H319 H317	GHS08 GHS07 Wng	H341 H332 H312 H302 H319 H317			CLP00/	Ac.Tox. 3	Ac.Tox. 4 *	
2312	PHENOL, MOLTEN	6.1		II		604-001-00-2	phenol; carbolic acid; monohydroxybenzene; phenylalcohol	203-632-7	108-95-2	Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Skin Corr. 1B	H341 H331 H311 H301 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H341 H331 H311 H301 H373 ** H314	* Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319: 1 % ≤ C < 3 %		CLP00/	Ac.Tox.2	Ac.Tox. 3 * Skin Corr. 1B	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2313	PICOLINES	3		III		613-036-00-2	2-methylpyridine; 2-picoline	203-643-7	109-06-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3	H226 H332 H312 H302 H319 H335	GHS02 GHS07 Wng	H226 H332 H312 H302 H319 H335			CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *	
						613-037-00-8	4-methylpyridine; 4-picoline	203-626-4	108-89-4	Flam. Liq. 3 Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H226 H311 H332 H302 H319 H335 H315	GHS02 GHS06 Dgr	H226 H311 H332 H302 H319 H335 H315			CLP00/			
2315	POLYCHLORINATED BIPHENYLS, LIQUID	9		II	305	602-039-00-4	polychlorobiphenyls; PCB	215-648-1	1336-36-3	STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H373 ** H400 H410	GHS08 GHS09 Wng	H373 ** H410	STOT RE 2; H373C		CLP00/			
2316	SODIUM CUPROCYANIDE, SOLID	6.1		I															
2317	SODIUM CUPROCYANIDE SOLUTION	6.1		I															
2318	SODIUM HYDROSULPHIDE with less than 25% water of crystallization	4.2		II															
2320	TETRAETHYLENEPENTAMINE	8		III		612-060-00-0	3,6,9-triazaundecamethylenediamine; tetraethylenepentamine	203-986-2	112-57-2	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H312 H302 H314 H317 H411	GHS05 GHS07 GHS09 Dgr	H312 H302 H314 H317 H411			CLP00/	Corr. 1C	Skin Corr.1B Ac.Tox. 4 * Aq.Chr.2	
2321	TRICHLOROBENZENES, LIQUID	6.1		III		602-087-00-6	1,2,4-trichlorobenzene	204-428-0	120-82-1	Acute Tox. 4 * Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H302 H315 H400 H410	GHS07 GHS09 Wng	H302 H315 H410			CLP00/	Ac.Tox.3 P	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr. 1	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2322	TRICHLOROBUTENE	6.1		II		602-076-00-6	2,3,4-trichlorobut-1-ene	219-397-9	2431-50-7	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H331 H302 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H331 H302 H319 H335 H315 H410		Carc. 2; H351; C		CLP00/ATP01	Ac.Tox.2 P	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
2323	TRIETHYL PHOSPHITE	3		III															
2324	TRISOBUTYLENE	3		III															
2325	1,3,5-TRIMETHYLBENZENE	3		III		601-025-00-5	mesitylene; 1,3,5-trimethylbenzene	203-604-4	108-67-8	Flam. Liq. 3 STOT SE 3 Aquatic Chronic 2	H226 H335 H411	GHS02 GHS07 GHS09 Wng	H226 H335 H411		STOT SE 3; H335		CLP00/	Flam.3	Flam. Liq. 3 Aq.Chr.2
2326	TRIMETHYL-CYCLOHEXYLAMINE	8		III															
2327	TRIMETHYL-HEXAMETHYLENEDIAMINES	8		III															
2328	TRIMETHYLHEXAMETHYLENE DIISOCYANATE	6.1		III		615-010-00-6	2,2,4-trimethylhexamethylene-1,6-diisocyanate; [1] 2,4,4-trimethylhexamethylene-1,6-diisocyanate [2]	241-001-8 [1] 239-714-4 [2]	16938-22-0 [1] 15646-96-5 [2]	Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Resp. Sens. 1	H331 H319 H335 H315 H334	GHS06 GHS08 Dgr	H331 H319 H335 H315 H334	* Resp. Sens. 1; H334: C ≥ 0,5 % Skin Sens. 1; H317: C ≥ 0,5 %	C 2	CLP00/	Ac.Tox.3	Ac.Tox.3 *	
2329	TRIMETHYL PHOSPHITE	3		III															
2330	UNDECANE	3		III															
2331	ZINC CHLORIDE, ANHYDROUS	8		III		030-003-00-2	zinc chloride	231-592-0	7646-85-7	Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410		STOT SE 3; H335		CLP00/	Corr. 1C	Skin Corr. 1B Ac. Tox. 4 * Aq.Ac.1 Aq.Chr.1
2332	ACETALDEHYDE OXIME	3		III															
2333	ALLYL ACETATE	3	6.1	II															
2334	ALLYLAMINE FP = -29°C BP = 55°C	6.1	3	I	354	612-046-00-4	allylamine	203-463-9	107-11-9	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H225 H331 H311 H301 H411	GHS02 GHS06 GHS09 Dgr	H225 H331 H311 H301 H411			CLP00/	Ac.Tox.1 Flam.2	Ac.Tox. 3 * Flam. Liq.2 Aq. Chr. 2	
2335	ALLYL ETHYL ETHER	3	6.1	II															
2336	ALLYL FORMATE	3	6.1	I															
2337	PHENYL MERCAPTAN	6.1	3	I	354														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2338	BENZOTRIFLUORIDE	3		II		602-056-00-7	α,α,α -trifluorotoluene; benzotrifluoride	202-635-0	98-08-8	Flam. Liq. 2 Aquatic Chronic 2	H225 H411	GHS02 GHS09 Dgr	H225 H411			CLP00/	Flam.2	Flam. Liq. 2 Aq. Chr.2	
2339	2-BROMOBUTANE	3		II															
2340	2-BROMOETHYL ETHYL ETHER	3		II															
2341	1-BROMO-3-METHYLBUTANE	3		III															
2342	BROMOMETHYLPROPANES	3		II															
2343	2-BROMOPENTANE	3		II															
2344	BROMOPROPANES	3		II															
2344	BROMOPROPANES	3		III	223														
						602-019-00-5	1-bromopropane; n-propyl bromide	203-445-0	106-94-5	Flam. Liq. 2 Repr. 1B STOT RE 2 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 STOT SE 3	H225 H360FD H373 ** H319 H335 H315 H336	GHS02 GHS08 GHS07 Dgr	H225 H360FD H373 ** H319 H335 H315 H336			CLP00/			
						602-085-00-5	2-bromopropane	200-855-1	75-26-3	Flam. Liq. 2 Repr. 1A STOT RE 2 *	H225 H360F *** H373 **	GHS02 GHS08 Dgr	H225 H360F *** H373 **	EUH066		CLP00/			
2345	3-BROMOPROPYNE	3		II															
2346	BUTANEDIONE	3		II															
2347	BUTYL MERCAPTAN	3		II															
2348	BUTYL ACRYLATES, STABILIZED	3		III		607-062-00-3	n-butyl acrylate	205-480-7	141-32-2	Flam. Liq. 3 Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Skin Sens. 1	H226 H319 H335 H315 H317	GHS02 GHS07 Wng	H226 H319 H335 H315 H317		D	CLP00/	Flam.3	Flam. Liq. 3	
						607-245-00-8	tert-butyl acrylate	216-768-7	1663-39-4	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Skin Sens. 1 Aquatic Chronic 2	H225 H332 H312 H302 H335 H315 H317 H411	GHS02 GHS07 GHS09 Wng	H225 H332 H312 H302 H335 H315 H317 H411		D	CLP00/ATP01			
						607-115-00-0	isobutyl acrylate	203-417-8	106-63-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2 Skin Sens. 1	H226 H332 H312 H315 H317	GHS02 GHS07 Wng	H226 H332 H312 H315 H317		D	CLP00/			
2350	BUTYL METHYL ETHER	3		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2351	BUTYL NITRITES	3		II		007-016-00-7	butyl nitrite	208-862-1	544-16-1	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 *	H225 H331 H301	GHS02 GHS06 Dgr	H225 H331 H301			CLP00/			
						007-019-00-3	tert-butyl nitrite	208-757-0	540-80-7	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			CLP00/			
						007-018-00-8	sec-butyl nitrite	213-104-8	924-43-6	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H302	GHS02 GHS07 Dgr	H225 H332 H302			CLP00/			
						007-017-00-2	isobutyl nitrite	208-819-7	542-56-3	Flam. Liq. 2 Carc. 1B Muta. 2 Acute Tox. 4 * Acute Tox. 4 *	H225 H350 H341 H332 H302	GHS02 GHS08 GHS07 Dgr	H225 H350 H341 H332 H302			CLP00/			
2351	BUTYL NITRITES	3		III	223														
2352	BUTYL VINYL ETHER, STABILIZED	3		II															
2353	BUTYRYL CHLORIDE	3	8	II		607-136-00-5	butyryl chloride	205-498-5	141-75-3	Flam. Liq. 2 Skin Corr. 1B	H225 H314	GHS02 GHS05 Dgr	H225 H314			CLP00/	Flam. 2 Corr. 1B, 1C	Flam. Liq. 2 Skin Corr. 1B	
2354	CHLOROMETHYL ETHYL ETHER	3	6.1	II															
2356	2-CHLOROPROPANE FP = -32°C BP = 35°C	3		I		602-018-00-X	1-chloropropane; [1] 2-chloropropane [2]	208-749-7 [1] 200-858-8 [2]	540-54-5 [1] 75-29-6 [2]	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H225 H332 H312 H302	GHS02 GHS07 Dgr	H225 H332 H312 H302		C	CLP00/	Flam. 1	Flam. Liq. 2 Ac.Tox. 4 *	
2357	CYCLOHEXYLAMINE	8	3	II		612-050-00-6	cyclohexylamine	203-629-0	108-91-8	Flam. Liq. 3 Repr. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H361F*** H312 H302 H314	GHS02 GHS05 GHS08 GHS07 Dgr	H226 H361F*** H312 H302 H314			CLP00/ATP01	Corr. 1B Flam. Liq. 3	Skin Corr. 1B Flam. Liq. 3 Ac.Tox. 4 *	
2358	CYCLOOCTATETRAENE	3		II															
2359	DIALLYLAMINE	3	6.1 8	II															
2360	DIALLYL ETHER	3	6.1	II															
2361	DIISOBUTYLAMINE	3	8	III															

UN Model Reg. Rev.16						CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2362	1,1-DICHLOROETHANE	3		II		602-011-00-1	1,1-dichloroethane	200-863-5	75-34-3	Flam. Liq. 2 Acute Tox. 4 *	H225 H302 H319 H335 H412	GHS02 GHS07 Dgr	H225 H302 H319 H335 H412		*		CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Aq.Chr.3
2363	ETHYL MERCAPTAN FP = -45°C BP = 35°C	3		I		016-022-00-9	ethanethiol; ethyl mercaptan	200-837-3	75-08-1	Flam. Liq. 2 Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H225 H302 H400 H410	GHS02 GHS07 GHS09 Dgr	H225 H332 H410				CLP00/	Flam.1 P	Flam. Liq. 2 Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
2364	n-PROPYLBENZENE	3		III		601-024-00-X	cumene; [1] propylbenzene [2]	202-704-5 [1] 203-132-9 [2]	98-82-8 [1] 103-65-1 [2]	Flam. Liq. 3 Asp. Tox. 1 STOT SE 3 Aquatic Chronic 2	H226 H304 H335 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H226 H304 H335 H411		C		CLP00/	Flam.3	Flam. Liq. 3 Aq.Chr.2
2366	DIETHYL CARBONATE	3		III															
2367	alpha-METHYL-VALERALDEHYDE	3		II															
2368	alpha-PINENE	3		III															
2370	1-HEXENE	3		II															
2371	ISOPENTENES	3		I															
2372	1,2-DI-(DIMETHYLAMINO) ETHANE	3		II		612-103-00-3	N,N,N',N'-tetramethylethylenediamine	203-744-6	110-18-9	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H225 H332 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H302 H314				CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Skin Corr. 1B
2373	DIETHOXYMETHANE	3		II															
2374	3,3-DIETHOXYPROPENE	3		II															
2375	DIETHYL SULPHIDE	3		II															
2376	2,3-DIHYDROPYRAN	3		II															
2377	1,1-DIMETHOXYETHANE	3		II		605-007-00-8	1,1-dimethoxyethane; dimethyl acetal	208-589-8	534-15-6	Flam. Liq. 2	H225	GHS02 Dgr	H225				CLP00/	Flam.2	Flam. Liq. 2
2378	2-DIMETHYL-AMINOACETONITRILE	3	6.1	II															
2379	1,3-DIMETHYLBUTYLAMINE	3	8	II															
2380	DIMETHYLDIETHOXSILANE	3		II															
2381	DIMETHYL DISULPHIDE	3		II															
2382	DIMETHYLHYDRAZINE, SYMMETRICAL FP = -17°C	6.1	3	I	354													Ac.tox.1 Flam.2 P	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						007-012-00-5	N,N-dimethylhydrazine	200-316-0	57-14-7	Flam. Liq. 2 Care. 1B Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H225 H350 H331 H301 H314 H411	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H225 H350 H331 H301 H314 H411				CLP00/	Ac.tox.1 Flam.2 P	Ac.Tox. 3 * Flam. Liq. 2 Skin Corr. 1B Aq. Chr. 2
2383	DIPROPYLAMINE	3	8	II		612-048-00-5	dipropylamine	205-565-9	142-84-7	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H225 H332 H312 H302 H314	GHS02 GHS05 GHS07 Dgr	H225 H332 H312 H302 H314	STOT SE 3; H335		CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 2 Ac.Tox. 4 * Skin Corr. 1A	
2384	Di-n-PROPYL ETHER	3		II		603-045-00-X	diisopropyl ether; [1] dipropyl ether [2]	203-560-6 [1] 203-869-6 [2]	108-20-3 [1] 111-43-3 [2]	Flam. Liq. 2 STOT SE 3	H225 H336	GHS02 GHS07 Dgr	H225 H336	EUH019 EUH066	C	CLP00/	Flam.2	Flam. Liq. 2	
2385	ETHYL ISOBUTYRATE	3		II															
2386	1-ETHYLPIPERIDINE	3	8	II															
2387	FLUOROBENZENE	3		II															
2388	FLUOROTOLUENES	3		II															
						602-056-00-7	α,α-trifluorotoluene; benzotrifluoride	202-635-0	98-08-8	Flam. Liq. 2 Aquatic Chronic 2	H225 H411	GHS02 GHS09 Dgr	H225 H411				CLP00/		
2389	FURAN	3		I		603-105-00-5	furan	203-727-3	110-00-9	Flam. Liq. 1 Care. 1B Muta. 2 Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Aquatic Chronic 3	H224 H350 H341 H332 H302 H373 ** H315 H412	GHS02 GHS08 GHS07 Dgr	H224 H350 H341 H332 H302 H373 ** H315 H412	EUH019		CLP00/	Flam.1	Flam. Liq. 1 Ac.Tox. 4 * Aq. Chr.3	
2390	2-IODOBUTANE	3		II															
2391	IODOMETHYLPROPANES	3		II															
2392	IODOPROPANES	3		III															
2393	ISOBUTYL FORMATE	3		II		607-017-00-8	butyl formate; [1] tert-butyl formate; [2] isobutyl formate [3]	209-772-5 [1] 212-105-0 [2] 208-818-1 [3]	592-84-7 [1] 762-75-4 [2] 542-55-2 [3]	Flam. Liq. 2 Eye Irrit. 2 STOT SE 3	H225 H319 H335	GHS02 GHS07 Dgr	H225 H319 H335		C	CLP00/	Flam.2	Flam. Liq. 2	
2394	ISOBUTYL PROPIONATE	3		III		607-029-00-3	n-butyl propionate; [1] sec-butyl propionate; [2] tert-butyl propionate [3]	209-669-5 [1] - [2] 208-746-0 [3]	590-01-2 [1] 591-34-4 [2] 540-42-1 [3]	Flam. Liq. 3	H226	GHS02 Wng	H226		C	CLP00/	Flam.3	Flam. Liq. 3	
2395	ISOBUTYRYL CHLORIDE	3	8	II		607-140-00-7	isobutyryl chloride	201-194-1	79-30-1	Flam. Liq. 2 Skin Corr. 1A	H225 H314	GHS02 GHS05 Dgr	H225 H314			CLP00/	Flam.2 Corr.1B, 1C	Flam. Liq. 2 Skin Corr. 1A	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2396	METHACRYLALDEHYDE, STABILIZED	3	6.1	II															
2397	3-METHYLBUTAN-2-ONE	3		II		606-007-00-0	3-methylbutan-2-one; methyl isopropyl ketone	209-264-3	563-80-4	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam.2	Flam. Liq. 2	
2398	METHYL tert-BUTYL ETHER	3		II		603-181-00-X	tert-butyl methyl ether; MTBE; 2-methoxy-2-methylpropane	216-653-1	1634-04-4	Flam. Liq. 2 Skin Irrit. 2	H225 H315	GHS02 GHS07 Dgr	H225 H315			CLP00/	Flam.2	Flam. Liq. 2	
2399	1-METHYLPYRIDINE	3	8	II															
2400	METHYL ISOVALERATE	3		II															
2401	PIPERIDINE	8	3	I		613-027-00-3	pyridine	203-813-0	110-89-4	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H225 H331 H311 H314	GHS02 GHS06 GHS05 Dgr	H225 H331 H311 H314	*		CLP00/	Corr.1A Flam. Liq.	Skin Corr. 1B Flam. Liq. 2 Ac.Tox. 3 *	
2402	PROPANETHIOLS	3		II															
2403	ISOPROPENYL ACETATE	3		II															
2404	PROPIONITRILE	3	6.1	II															
2405	ISOPROPYL BUTYRATE	3		III															
2406	ISOPROPYL ISOBUTYRATE	3		II															
2407	ISOPROPYL CHLOROFORMATE	6.1	3 8	I	354														
2409	ISOPROPYL PROPIONATE	3		II		607-257-00-3	isopropyl propionate	211-300-8	637-78-5	Flam. Liq. 2	H225	GHS02 Dgr	H225			CLP00/	Flam.2	Flam. Liq. 2	
2410	1,2,3,6-TETRAHYDROPYRIDINE	3		II															
2411	BUTYRONITRILE	3	6.1	II		608-005-00-5	n-butylonitrile	203-700-6	109-74-0	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H225 H331 H311 H301	GHS02 GHS06 Dgr	H225 H331 H311 H301			CLP00/ATP01	Flam.2 Ac.tox 1,2, 3	Flam. Liq. 2 Ac.Tox. 3 *	
2412	TETRAHYDROTHIOPHENE	3		II		613-087-00-0	tetrahydrothiophene	203-728-9	110-01-0	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H225 H332 H312 H302 H319 H315 H412	GHS02 GHS07 Dgr	H225 H332 H312 H302 H319 H315 H412			CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Aq.Chr.3	
2413	TETRAPROPYL ORTHOTITANATE	3		III															
2414	THIOPHENE	3		II															
2416	TRIMETHYL BORATE	3		II		005-005-00-1	trimethyl borate	204-468-9	121-43-7	Flam. Liq. 3 Acute Tox. 4 *	H226 H312	GHS02 GHS07 Wng	H226 H312			CLP00/	Flam.2	Flam. Liq. 3 Ac.Tox. 4 *	
2417	CARBONYL FLUORIDE	2.3	8																
2418	SULPHUR TETRAFLUORIDE	2.3	8																

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2419	BROMOTRIFLUOROETHYLENE	2.1																	
2420	HEXAFLUORO-ACETONE	2.3	8																
2421	NITROGEN TRIOXIDE	2.3	5.1 8																
2422	OCTAFLUOROBUT-2-ENE (REFRIGERANT GAS R 1318)	2.2																	
2424	OCTAFLUOROPROPANE (REFRIGERANT GAS R 218)	2.2																	
2426	AMMONIUM NITRATE, LIQUID (hot concentrated solution)	5.1			252														
2427	POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1		II		017-004-00-3	potassium chlorate	223-289-7	3811-04-9	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411			CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2	
2427	POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1		III	223														
2428	SODIUM CHLORATE, AQUEOUS SOLUTION	5.1		II		017-005-00-9	sodium chlorate	231-887-4	7775-09-9	Ox. Sol. 1 Acute Tox. 4 * Aquatic Chronic 2	H271 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H302 H411			CLP00/	Ox. Sol. 2	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2	
2428	SODIUM CHLORATE, AQUEOUS SOLUTION	5.1		III	223														
2429	CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1		II															
2429	CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1		III	223														
2431	ANISIDINES	6.1		III															
						612-035-00-4	2-methoxyaniline; <i>o</i> -anisidine	201-963-1	90-04-0	Carc. 1B Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H350 H341 H331 H311 H301	GHS06 GHS08 Dgr	H350 H341 H331 H311 H301			CLP00/	Ac.Tox. 3	Ac.Tox. 3 *	
						612-112-00-2	<i>p</i> -anisidine; 4-methoxyaniline	203-254-2	104-94-9	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1	H330 H310 H300 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H400			CLP00/	Ac.Tox. 3	Ac.Tox. 1 Aq.Ac.1	

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2432	N,N-DIETHYLANILINE	6.1		III	279	612-054-00-8	N,N-diethylaniline	202-088-8	91-66-7	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411		*		CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Chr.2
2433	CHLORONITROTOLUENES, LIQUID	6.1		III															
2434	DIBENZYL-DICHLOROSILANE	8		II															
2435	ETHYLPHENYL-DICHLOROSILANE	8		II															
2436	THIOACETIC ACID	3		II															
2437	METHYLPHENYL-DICHLOROSILANE	8		II															
2438	TRIMETHYLACETYL CHLORIDE	6.1	3 8	I															
2439	SODIUM HYDROGENDIFLUORIDE	8		II		009-007-00-3	sodium bifluoride; sodium hydrogen difluoride	215-608-3	1333-83-1	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		*		CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 3 *
2440	STANNIC CHLORIDE PENTAHYDRATE	8		III															
2441	TITANIUM TRICHLORIDE, PYROPHORIC or TITANIUM TRICHLORIDE MIXTURE, PYROPHORIC	4.2	8	I															
2442	TRICHLOROACETYL CHLORIDE	8		II															
2443	VANADIUM OXYTRICHLORIDE	8		II															
2444	VANADIUM TETRACHLORIDE	8		I															
2446	NITROCRESOLS, SOLID	6.1		III															
2447	PHOSPHORUS, WHITE, MOLTEN	4.2	6.1	I		015-001-00-1	white phosphorus	231-768-7	12185-10-3	Pyr. Sol. 1 Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1A Aquatic Acute 1	H250 H330 H300 H314 H400	GHS02 GHS06 GHS05 GHS09 Dgr	H250 H330 H300 H314 H400			CLP00/	Pyr. Sol. 1 Ac.Toxic P	Pyr. Sol. 1 Ac.Tox. 2 * Skin Corr. 1A Aq.Ac.1	
2448	SULPHUR, MOLTEN	4.1		III		016-094-00-1	sulfur	231-722-6	7704-34-9	Skin Irrit. 2	H315	GHS07 Wng	H315				ATP01/		
2451	NITROGEN TRIFLUORIDE	2.2	5.1																

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2452	ETHYLACETYLENE, STABILIZED	2.1																	
2453	ETHYL FLUORIDE (REFRIGERANT GAS R 161)	2.1																	
2454	METHYL FLUORIDE (REFRIGERANT GAS R 41)	2.1																	
2455	METHYL NITRITE	2.2																	
2456	2-CHLOROPROPENE	3		I															
2457	2,3-DIMETHYLBUTANE	3		II		601-007-00-7	hexane (containing < 5 %n -hexane (203-523-4 [1] 777-6)); 2-methylpentane; [1] 3-methylpentane; [2] 2,2-dimethylbutane; [3] 2,3-dimethylbutane [4]	203-523-4 [1] 202-481-4 [2] 200-906-8 [3] 201-193-6 [4]	107-83-5 [1] 96-14-0 [2] 75-83-2 [3] 79-29-8 [4]	Fam. Liq. 2 Asp. Tox. 1 Skin Irrit. 2 STOT SE 3 Aquatic Chronic 2	H225 H304 H315 H336 H411	GHS02 GHS08 GHS07 GHS09 Dgr	H225 H304 H315 H336 H411		C	CLP00/ATP01	Flam.2	Flam. Liq. 2 Aq. Chr. 2	
2458	HEXADIENE	3		II															
2459	2-METHYL-1-BUTENE	3		I															
2460	2-METHYL-2-BUTENE	3		II															
2461	METHYLPENTADIENE	3		II															
2463	ALUMINIUM HYDRIDE	4.3		I															
2464	BERYLLIUM NITRATE	5.1	6.1	II															
2465	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS	5.1		II	135	613-029-00-4	dichloro-1,3,5-triazinetrione; dichloroisocyanuric acid	220-487-5	2782-57-2	Ox. Sol. 2 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410		T	CLP00/	Ox. Sol. 2	Ox. Sol. 2 Ac. Tox. 4 * Aq. Ac. 1 Aq. Chr. 1	
						613-030-00-X	troclosene potassium; [1] troclosene sodium [2]	218-828-8 [1] 220-767-7 [2]	2244-21-5 [1] 2893-78-9 [2]	Ox. Sol. 2 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410	*	G	CLP00/ATP01			
						613-030-01-7	troclosene sodium, dihydrate	220-767-7	51580-86-0	Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H302 H319 H335 H400 H410	GHS07 GHS09 Wng	H302 H319 H335 H410			CLP00/			
2466	POTASSIUM SUPEROXIDE	5.1		I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2468	TRICHLOROISOCYANURIC ACID, DRY	5.1		II		613-031-00-5	symelosene; trichloroisocyanuric acid; trichloro-1,3,5-triazinetriox	201-782-8	87-90-1	Ox. Sol. 2 Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 Aquatic Chronic 1	H272 H302 H319 H335 H400 H410	GHS03 GHS07 GHS09 Dgr	H272 H302 H319 H335 H410	EUH031			CLP00/	Ox. Sol. 2	Ox. Sol. 2 Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
2469	ZINC BROMATE	5.1		III															
2470	PHENYLACETONITRILE, LIQUID	6.1		III															
2471	OSMIUM TETROXIDE	6.1		I		076-001-00-5	osmium tetraoxide; osmic acid	244-058-7	20816-12-0	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Skin Corr. 1B	H330 H310 H300 H314	GHS06 GHS05 Dgr	H330 H310 H300 H314			CLP00/	Ac.Tox. 1 PP	Ac.Tox. 1 Skin Corr. 1B	
2473	SODIUM ARSANILATE	6.1		III															
2474	THIOPHOSGENE	6.1		I	279 354	607-201-00-8	thiocarbonyl chloride	207-341-6	463-71-8	Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H331 H302 H319 H335 H315	GHS06 Dgr	H331 H302 H319 H335 H315			CLP00/	Ac.Tox. 1	Ac.Tox. 3 *	
2475	VANADIUM TRICHLORIDE	8		III															
2477	METHYL ISOTHIOCYANATE FP = < 60°C FP (pure substance) = 32°C	6.1	3	I	354	615-002-00-2	methyl isothiocyanate	209-132-5	556-61-6	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H314 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H301 H314 H317 H410			CLP00/	Ac.Tox. 1 Flam.3	Ac.Tox. 3 * Skin Corr. 1B Aq.Ac.1 Aq.Chr.1	
2480	METHYL ISOCYANATE FP (pure substance)= -7°C BP (pure substance) = 38°C	6.1	3	I	354	615-001-00-7	methyl isocyanate	210-866-3	624-83-9	Flam. Liq. 2 Repr. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Resp. Sens. 1 Skin Sens. 1 STOT SE 3 Skin Irrit. 2 Eye Dam. 1	H225 H361d*** H330 H311 H301 H334 H317 H335 H315 H318	GHS02 GHS06 GHS05 GHS08 Dgr	H225 H361d*** H330 H311 H301 H334 H317 H335 H315 H318			CLP00/ATP01	Ac.Tox. 1 Flam.2	Ac. Tox. 2 * Flam. Liq. 2	
2481	ETHYL ISOCYANATE	6.1	3	I	354														

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
2482	n-PROPYL ISOCYANATE	6.1	3	I	354															
2483	ISOPROPYL ISOCYANATE	6.1	3	I	354															
2484	tert-BUTYL ISOCYANATE	6.1	3	I	354															
2485	n-BUTYL ISOCYANATE	6.1	3	I	354															
2486	ISOBUTYL ISOCYANATE	6.1	3	I	354															
2487	PHENYL ISOCYANATE	6.1	3	I	354															
2488	CYCLOHEXYL ISOCYANATE	6.1	3	I	354															
2490	DICHLOROISOPROPYL ETHER	6.1		II																
2491	ETHANOLAMINE or ETHANOLAMINE SOLUTION	8		III	223	603-030-00-8	2-aminoethanol; ethanolamine	205-483-3	141-43-5	Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H332 H312 H302 H314	GHS05 GHS07 Dgr	H332 H312 H302 H314		STOT SE 3; H335		CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 *	
2493	HEXAMETHYLENEIMINE	3	8	II																
2495	IODINE PENTAFLUORIDE	5.1	6.1 8	I																
2496	PROPIONIC ANHYDRIDE	8		III		607-010-00-X	propionic anhydride	204-638-2	123-62-6	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %		CLP00/	Corr. 1C	Skin Corr. 1B	
2498	1,2,3,6-TETRAHYDRO-BENZALDEHYDE	3		III																
2501	TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION	6.1		II																
2501	TRIS-(1-AZIRIDINYL) PHOSPHINE OXIDE SOLUTION	6.1		III	223															
2502	VALERYL CHLORIDE	8	3	II																
2503	ZIRCONIUM TETRACHLORIDE	8		III																
2504	TETRABROMOETHANE	6.1		III		602-016-00-9	1,1,2,2-tetrabromoethane	201-191-5	79-27-6	Acute Tox. 2 * Eye Irrit. 2 Aquatic Chronic 3	H330 H319 H412	GHS06 Dgr	H330 H319 H412				CLP00/	Ac.Tox.3 P	Ac.Tox. 2 * Aq.Chr.3	
2505	AMMONIUM FLUORIDE	6.1		III		009-006-00-8	ammonium fluoride	235-185-9	12125-01-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301				CLP00/	Ac.Tox.3	Ac.Tox. 3 *	
2506	AMMONIUM HYDROGEN SULPHATE	8		II																

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2507	CHLOROPLATINIC ACID, SOLID	8		III		078-009-00-4	hexachloroplatinic acid	241-010-7	16941-12-1	Acute Tox. 3 * Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H301 H314 H334 H317	GHS06 GHS05 GHS08 Dgr	H301 H314 H334 H317			CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 3 *	
2508	MOLYBDENUM PENTACHLORIDE	8		III															
2509	POTASSIUM HYDROGEN SULPHATE	8		II		016-056-00-4	potassium hydrogensulphate	231-594-1	7646-93-7	Skin Corr. 1B STOT SE 3	H314 H335	GHS05 GHS07 Dgr	H314 H335			CLP00/	Corr. 1B	Skin Corr. 1B	
2511	2-CHLOROPROPIONIC ACID	8		III	223	607-139-00-1	2-chloropropionic acid	209-952-3	598-78-7	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314			CLP00/	Corr. 1C	Skin Corr. 1A Ac.Tox. 4 *	
2512	AMINOPHENOLS (o-, m-, p-)	6.1		III	279												Ac.Tox.3		
						612-033-00-3	2-aminophenol	202-431-1	95-55-6	Muta. 2 Acute Tox. 4 * Acute Tox. 4 *	H341 H332 H302	GHS08 GHS07 Wng	H341 H332 H302			CLP00/	Ac.Tox.3	Ac.Tox. 4 *	
						612-127-00-4	3-aminophenol	209-711-2	591-27-5	Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H332 H302 H411	GHS07 GHS09 Wng	H332 H302 H411			CLP00/	Ac.Tox.3	Ac.Tox. 4 * Aq.Chr.2	
						612-128-00-X	4-aminophenol	204-616-2	123-30-8	Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H341 H332 H302 H400 H410	GHS08 GHS07 GHS09 Wng	H341 H332 H302 H410			CLP00/	Ac.Tox.3	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1	
2513	BROMOACETYL BROMIDE	8		II															
2514	BROMOBENZENE	3		III		602-060-00-9	bromobenzene	203-623-8	108-86-1	Flam. Liq. 3 Skin Irrit. 2 Aquatic Chronic 2	H226 H315 H411	GHS02 GHS07 GHS09 Wng	H226 H315 H411			CLP00/	Flam.3 P	Flam. Liq. 3 Aq.Chr.2	
2515	BROMOFORM	6.1		III		602-007-00-X	bromoform; tribromomethane	200-854-6	75-25-2	Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H331 H302 H319 H315 H411	GHS06 GHS09 Dgr	H331 H302 H319 H315 H411			CLP00/ATP01	Ac.Tox.3 P	Ac.Tox. 3 * Aq.Chr.2	
2516	CARBON TETRABROMIDE	6.1		III															
2517	1-CHLORO-1,1-DIFLUOROETHANE (REFRIGERANT GAS R 142b)	2.1																	

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2518	1,5,9-CYCLODODECATRIENE	6.1		III															
2520	CYCLOOCTADIENES	3		III															
2521	DIKETENE, STABILIZED FP= 44°C	6.1	3	I	354	606-017-00-5	diketene; diketen	211-617-1	674-82-8	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332		D	CLP00/	Ac.Tox.1 Flam.3	Ac.Tox. 4 * Flam. Liq. 3	
2522	2-DIMETHYLAMINOETHYL METHACRYLATE	6.1		II		607-132-00-3	2-dimethylaminoethyl methacrylate	220-688-8	2867-47-2	Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1	H312 H302 H319 H315 H317	GHS07 Wng	H312 H302 H319 H315 H317		D	CLP00/	Ac.Tox.2	Ac.Tox. 4 *	
2524	ETHYL ORTHOFORMATE	3		III															
2525	ETHYL OXALATE	6.1		III		607-147-00-5	oxalic acid diethylester; diethyl oxalate	202-464-1	95-92-1	Acute Tox. 4 * Eye Irrit. 2	H302 H319	GHS07 Wng	H302 H319			CLP00/	Ac.Tox.3	Ac.Tox. 4 *	
2526	FURFURYLAMINE	3	8	III															
2527	ISOBUTYL ACRYLATE, STABILIZED	3		III		607-115-00-0	isobutyl acrylate	203-417-8	106-63-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2 Skin Sens. 1	H226 H332 H312 H315 H317	GHS02 GHS07 Wng	H226 H332 H312 H315 H317	D	CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *		
2528	ISOBUTYL ISOBUTYRATE	3		III															
2529	ISOBUTYRIC ACID FP = 55°C	3	8	III		607-063-00-9	isobutyric acid	201-195-7	79-31-2	Acute Tox. 4 * Acute Tox. 4 *	H312 H302	GHS07 Wng	H312 H302			CLP00/	Flam.3 Corr.1C	Ac.Tox. 4 *	
2531	METHACRYLIC ACID, STABILIZED	8		II		607-088-00-5	methacrylic acid; 2-methylpropenoic acid	201-204-4	79-41-4	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H312 H302 H314	GHS05 GHS07 Dgr	H312 H302 H314	STOT SE 3; H335D	CLP00/	Corr.1B	Skin Corr. 1A Ac.Tox. 4 *		
2533	METHYL TRICHLOROACETATE	6.1		III															
2534	METHYLCHLOROSILANE	2.3	2.1 8																
2535	4-METHYLMORPHOLINE (N-METHYLMORPHOLINE)	3	8	II															
2536	METHYL TETRAHYDROFURAN	3		II															
2538	NITRONAPHTHALENE	4.1		III		609-038-00-8	2-nitronaphthalene	209-474-5	581-89-5	Carc. 1B Aquatic Chronic 2	H350 H411	GHS08 GHS09 Dgr	H350 H411			CLP00/	Flam. Sol. 2	Aq.Chr.2	
2541	TERPINOLENE	3		III															
2542	TRIBUTYLAMINE	6.1		II															
2545	HAFNIUM POWDER, DRY	4.2		I															
2545	HAFNIUM POWDER, DRY	4.2		II															
2545	HAFNIUM POWDER, DRY	4.2		III	223														
2546	TITANIUM POWDER, DRY	4.2		I															
2546	TITANIUM POWDER, DRY	4.2		II															
2546	TITANIUM POWDER, DRY	4.2		III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2547	SODIUM SUPEROXIDE	5.1		I															
2548	CHLORINE PENTAFLUORIDE	2.3	5.1 8																
2552	HEXAFLUOROACETONE HYDRATE, LIQUID	6.1		II															
2554	METHYLALLYL CHLORIDE	3		II		602-032-00-6	3-chloro-2-methylpropene	209-251-2	563-47-3	Flam. Liq. 2 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 2	H225 H332 H302 H314 H317 H411	GHS02 GHS05 GHS07 GHS09 Dgr	H225 H332 H302 H314 H317 H411			CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Skin Corr. 1B Aq.Chr.2	
2555	NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	4.1		II															
2556	NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	4.1		II															
2557	NITROCELLULOSE, with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT	4.1		II	241														
2558	EPIBROMOHYDRIN	6.1	3	I															
2560	2-METHYLPENTAN-2-OL	3		III															
2561	3-METHYL-1-BUTENE	3		I															
2564	TRICHLOROACETIC ACID SOLUTION	8		II		607-004-00-7	TCA (ISO); trichloroacetic acid	200-927-2	76-03-9	Skin Corr. 1A Aquatic Acute 1 Aquatic Chronic 1	H314 H400 H410	GHS05 GHS09 Dgr	H314 H410		STOT SE 3; H335	CLP00/	Corr.1B	Skin Corr. 1A Aq.Ac.1 Aq.Chr.1	
2564	TRICHLOROACETIC ACID SOLUTION	8		III	223														
2565	DICYCLOHEXYLAMINE	8		III		612-066-00-3	dicyclohexylamine	202-980-7	101-83-7	Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H302 H314 H400 H410	GHS05 GHS07 GHS09 Dgr	H302 H314 H410			CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1	

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict. SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2567	SODIUM PENTACHLOROPHENATE	6.1		II		604-003-00-3	sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2]	205-025-2 [1] 231-911-3 [2]	131-52-2 [1] 7778-73-6 [2]	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H311 H301 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H330 H311 H301 H319 H335 H315 H410			CLP00/	Ac.Tox. 2 PP	Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1	
2570	CADMIUM COMPOUND	6.1		I	274	048-008-00-3	cadmium chloride	233-296-7	10108-64-2	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410	Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 %		CLP00/	Ac.Tox. 1	Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1	
2570	CADMIUM COMPOUND	6.1		II	274	048-004-00-1	cadmium cyanide	208-829-1	542-83-6	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H351 H373 ** H410	STOT RE 2; H373: C ≥ 0,1 % EUH032: C ≥ 1 %		CLP00/			
						048-006-00-2	cadmium fluoride	232-222-0	7790-79-6	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410	Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; 0,1 % ≤ C < 7 %		CLP00/			

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						048-007-00-8	cadmium iodide	232-223-6	7790-80-9	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %		CLP00/		
						048-005-00-7	cadmiumhexafluorosilicate(2-); cadmium fluorosilica	241-084-0	17010-21-8	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,1 %		CLP00/		
						048-009-00-9	cadmium sulphate	233-331-6	10124-36-4	Carc. 1B Muta. 1B Repr. 1B Acute Tox. 2 * Acute Tox. 3 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H340 H360FD H330 H301 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H340 H360FD H330 H301 H372 ** H410		Carc. 1B; H350: C ≥ 0,01 % * oral STOT RE 1; H372: C ≥ 7 % STOT RE 2; H373: 0,1 % ≤ C < 7 %		CLP00/		
						048-003-00-6	cadmium diformate; cadmiumformate	224-729-0	4464-23-7	Acute Tox. 3 * Acute Tox. 3 * Carc. 2 STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H301 H351 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H301 H351 H373 ** H410		* STOT RE 2; H373: C ≥ 0,25 %		CLP00/		
						048-002-00-0	cadmium (non-pyrophoric); [1] cadmium oxide (non-pyrophoric) [2]	231-152-8 [1] 215-146-2 [2]	7440-43-9 [1] 1306-19-0 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 2 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361fd H330 H372 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361fd H330 H372 ** H410				CLP00/		
2571	ALKYLSULPHURIC ACIDS	8		II	274														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2572	PHENYLHYDRAZINE	6.1		II		612-023-00-9	phenylhydrazine; [1] phenylhydrazinium chloride; [2] phenylhydrazine hydrochloride; [3] phenylhydrazinium sulphate (2:1) [4]	202-873-5 [1] 200-444-7 [2] 248-259-0 [3] 257-622-2 [4]	100-63-0 [1] 59-88-1 [2] 27140-08-5 [3] 52033-74-6 [4]	Carc. 1B Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 1 Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H350 H341 H331 H311 H301 H372 ** H319 H315 H317 H400	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H372 ** H319 H315 H317 H400				CLP00/	Aq.tox.2	Ac.Tox. 3 * Aq.Ac.1
2573	THALLIUM CHLORATE	5.1	6.1	II															
2574	TRICRESYL PHOSPHATE with more than 3% ortho isomer	6.1		II													Aq.tox.2 PP		
						015-015-00-8	tricresyl phosphate(o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-); tritolyl phosphate(o-o-o-, o-o-m-, o-o-p-, o-m-m-, o-m-p-, o-p-p-)	201-103-5	78-30-8	STOT SE 1 Aquatic Chronic 2	H370 ** H411	GHS08 GHS09 Dgr	H370 ** H411		STOT SE 1; H370: C ≥ 1 % STOT SE 2; H371: 0,2 % ≤ C < 1 %	C	CLP00/	Aq.tox.2 PP	Aq.Chr.2
						015-016-00-3	tricresyl phosphate(m-m-m-, m-m-p-, m-p-p-, p-p-p-); tritolyl phosphate(m-m-m-, m-m-p-, m-p-p-, p-p-p-)	201-105-6	78-32-0	Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H312 H302 H411	GHS07 GHS09 Wng	H312 H302 H411	*	C	CLP00/	Aq.tox.2 PP	Ac.Tox. 4 * Aq.Chr.2	
2576	PHOSPHORUS OXYBROMIDE, MOLTEN	8		II															
2577	PHENYLACETYL CHLORIDE	8		II															
2578	PHOSPHORUS TRIOXIDE	8		III															
2579	PIPERAZINE	8		III		612-057-00-4	piperazine; [solid]	203-808-3	110-85-0	Repr. 2 Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H361fd H314 H334 H317	GHS05 GHS08 Dgr	H361fd H314 H334 H317			CLP00/ATP01	Corr. 1C	Skin Corr. 1B	
						612-057-01-1	piperazine; [liquid]	203-808-3	110-85-0	Repr. 2 Skin Corr. 1B Resp. Sens. 1 Skin Sens. 1	H361fd H314 H334 H317	GHS05 GHS08 Dgr	H361fd H314 H334 H317			ATP01/			
2580	ALUMINIUM BROMIDE SOLUTION	8		III	223														
2581	ALUMINIUM CHLORIDE SOLUTION	8		III	223	013-003-00-7	aluminium chloride, anhydrous	231-208-1	7446-70-0	Skin Corr. 1B	H314	GHS05 Dgr	H314			CLP00/	Corr. 1C	Skin Corr. 1B	
2582	FERRIC CHLORIDE SOLUTION	8		III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2583	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid	8		II		016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335		CLP00/	Corr.1B	
2584	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid	8		II		016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335		CLP00/	Corr.1B	
2585	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid	8		III		016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335		CLP00/	Corr. 1C	
2586	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid	8		III		016-030-00-2	p-toluenesulphonic acid (containing a maximum of 5 % H ₂ SO ₄)	203-180-0	104-15-4	Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H319 H335 H315	GHS07 Wng	H319 H335 H315		STOT SE 3; H335		CLP00/	Corr. 1C	
						607-145-00-4	methanesulphonic acid	200-898-6	75-75-2	Skin Corr. 1B	H314	GHS05 Dgr	H314				CLP00/		
2587	BENZOQUINONE	6.1		II		606-013-00-3	p-benzoquinone; quinone	203-405-2	106-51-4	Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1	H331 H301 H319 H335 H315 H400	GHS06 GHS09 Dgr	H331 H301 H319 H335 H315 H400	M=10		CLP00/ATP01	Ac.Tox.2	Ac.Tox. 3 * Aq.Ac.1	
2589	VINYL CHLOROACETATE	6.1	3	II															
2590	WHITE ASBESTOS (chrysotile, actinolite, anthophyllite, tremolite)	9		III	168	650-013-00-6	asbestos	- - - - - -	12001-28-4 132207-32-0 12172-73-5 77536-66-4 77536-68-6 77536-67-5 12001-29-5	Carc. 1A STOT RE 1	H350 H372 **	GHS08 Dgr	H350 H372 **			CLP00/			
2591	XENON, REFRIGERATED LIQUID	2.2																	
2599	CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane (REFRIGERANT GAS R 503)	2.2																	
2601	CYCLOBUTANE	2.1																	
2602	DICHLORODIFLUORO-METHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichlorodifluoromethane (REFRIGERANT GAS R 500)	2.2																	
2603	CYCLOHEPTAtriENE	3	6.1	II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2604	BORON TRIFLUORIDE DIETHYL ETHERATE	8	3	I															
2605	METHOXYMETHYL ISOCYANATE	6.1	3	I	354														
2606	METHYL ORTHOSILICATE	6.1	3	I	354														
2607	ACROLEIN DIMER, STABILIZED	3		III															
2608	NITROPROPANES	3		III		609-001-00-6	1-nitropropane	203-544-9	108-03-2	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H312 H302	GHS02 GHS07 Wng	H226 H332 H312 H302		*		CLP00/	Flam.3	Flam. Liq. 3 Ac. Tox. 4 *
						609-002-00-1	2-nitropropane	201-209-1	79-46-9	Flam. Liq. 3 Carc. 1B Acute Tox. 4 * Acute Tox. 4 *	H226 H350 H332 H302	GHS02 GHS08 GHS07 Dgr	H226 H350 H332 H302				CLP00/		
2609	TRIALLYL BORATE	6.1		III															
2610	TRIALLYLAMINE	3	8	III															
2611	PROPYLENE CHLOROHYDRIN	6.1	3	II															
2612	METHYL PROPYL ETHER	3		II															
2614	METHALLYL ALCOHOL	3		III															
2615	ETHYL PROPYL ETHER	3		II															
2616	TRISOPROPYL BORATE	3		II															
2616	TRISOPROPYL BORATE	3		III	223														
2617	METHYLCYCLOHEXANOLS, flammable FP = 58°C	3		III		603-010-00-9	2-methylcyclohexanol, mixed isomers; [1] <i>cis</i> -2-methylcyclohexanol; [2] <i>trans</i> -2-methylcyclohexanol [3]	209-512-0 [1] 231-187-9 [2] 231-186-3 [3]	583-59-5 [1] 7443-70-1 [2] 7443-52-9 [3]	Acute Tox. 4 * H332	GHS07 Wng	H332			C		CLP00/	Flam.3	Ac.Tox. 4 *
2618	VINYLTOLUENES, STABILIZED FP between 54°C and 60°C	3		III		601-028-00-1	2-methylstyrene; 2-vinyltoluene	210-256-7	611-15-4	Acute Tox. 4 * Aquatic Chronic 2	H332 H411	GHS07 GHS09 Wng	H332 H411				CLP00/	Flam.3	Ac.Tox. 4 * Aq.Chr.2
2619	BENZYLDIMETHYLAMINE	8	3	II		612-074-00-7	benzylidimethylamine	203-149-1	103-83-3	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Aquatic Chronic 3	H226 H332 H312 H302 H314 H412	GHS02 GHS05 GHS07 Dgr	H226 H332 H312 H302 H314 H412				CLP00/	Corr.1B Flam. Liq. 3	Skin Corr. 1B Flam. Liq. 3 Ac. Tox. 4 * Aq.Chr.3
2620	AMYL BUTYRATES	3		III															
2621	ACETYL METHYL CARBINOL	3		III															
2622	GLYCIDALDEHYDE	3	6.1	II															
2623	FIRELIGHTERS, SOLID with flammable liquid	4.1		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2624	MAGNESIUM SILICIDE	4.3		II															
2626	CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	5.1		II															
2628	POTASSIUM FLUOROACETATE	6.1		I															
2629	SODIUM FLUOROACETATE	6.1		I		607-169-00-5	sodium fluoroacetate	200-548-2	62-74-8	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1	H330 H310 H300 H400	GHS06 GHS09 Dgr	H330 H310 H300 H400			CLP00/	Ac.Tox. 1	Ac.Tox. 1 Aq.Ac.1	
2630	SELENATES or SELENITES	6.1		I	274	034-003-00-3	sodium selenite	233-267-9	10102-18-8	Acute Tox. 2 * Acute Tox. 3 * Skin Sens. 1 Aquatic Chronic 2	H300 H331 H317 H411	GHS06 GHS09 Dgr	H300 H331 H317 H411	EUH031		CLP00/	Ac.Tox. 1	Ac.Tox. 2 * Aq.Chr.2	
2642	FLUOROACETIC ACID	6.1		I		607-081-00-7	fluoroacetic acid	205-631-7	144-49-0	Acute Tox. 2 * Aquatic Acute 1	H300 H400	GHS06 GHS09 Dgr	H300 H400			CLP00/	Ac.Tox. 1	Ac.Tox. 2 * Aq.Ac.1	
2643	METHYL BROMOACETATE	6.1		II															
2644	METHYL IODIDE	6.1		I	354	602-005-00-9	methyl iodide; iodomethane	200-819-5	74-88-4	Carc. 2 Acute Tox. 4 * Acute Tox. 3 * Acute Tox. 3 * STOT SE 3 Skin Irrit. 2	H351 H312 H331 H301 H335 H315	GHS06 GHS08 Dgr	H351 H312 H331 H301 H335 H315			CLP00/	Ac.Tox. 1	Ac.Tox. 3 *	
2645	PHENACYL BROMIDE	6.1		II															
2646	HEXACHLOROCYCLO-PENTADIENE	6.1		I	354	602-078-00-7	hexachlorocyclopentadiene	201-029-3	77-47-4	Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1 Aquatic Chronic 1	H330 H311 H302 H314 H400 H410	GHS06 GHS05 GHS09 Dgr	H330 H311 H302 H314 H410			CLP00/	Ac.Tox. 1	Ac.Tox. 2 * Skin Corr. 1B Aq.Ac.1 Aq.Chr.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2647	MALONONITRILE	6.1		II		608-009-00-7	malononitrile	203-703-2	109-77-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H400 H410	GHS06 GHS09 Dgr	H331 H311 H301 H410				CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Aq. Ac.1 Aq.Chr.1
2648	1,2-DIBROMOBUTAN-3-ONE	6.1		II															
2649	1,3-DICHLOROACETONE	6.1		II															
2650	1,1-DICHLORO-1-NITROETHANE	6.1		II		610-002-00-9	1,1-dichloro-1-nitroethane	209-854-0	594-72-9	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301				CLP00/	Ac.Tox. 2	Ac.Tox. 3 *
2651	4,4'-DIAMINODIPHENYL-METHANE	6.1		III		612-051-00-1	4,4'-diaminodiphenylmethane; 4,4'-methylenedianiline	202-974-4	101-77-9	Carc. 1B Muta. 2 STOT SE 1 STOT RE 2 * Skin Sens. 1 Aquatic Chronic 2	H350 H341 H370 ** H373 ** H317 H411	GHS08 GHS07 GHS09 Dgr	H350 H341 H370 ** H373 ** H317 H411				CLP00/	Ac.Tox. 2 P	Aq.Chr.2
2653	BENZYL IODIDE	6.1		II															
2655	POTASSIUM FLUOROSILICATE	6.1		III		009-012-00-0	alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3]	240-934-8 [1] 240-896-2 [2] 240-968-3 [3]	16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301	*	A		CLP00/	Ac.Tox. 3	Ac.Tox. 3 *
2656	QUINOLINE	6.1		III		613-281-00-5	quinoline	202-051-6	91-22-5	Carc. 1B Muta. 2 Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 2	H350 H341 H312 H302 H319 H315 H411	GHS08 GHS07 GHS09 Dgr	H350 H341 H312 H302 H319 H315 H411				ATP01/	Ac.Tox. 3	Ac.Tox. 4 * Aq.Chr.2
2657	SELENIUM DISULPHIDE	6.1		II															
2659	SODIUM CHLOROACETATE	6.1		III		607-158-00-5	sodium salt of chloroacetic acid; sodium chloroacetate	223-498-3	3926-62-3	Acute Tox. 3 * Skin Irrit. 2 Aquatic Acute 1	H301 H315 H400	GHS06 GHS09 Dgr	H301 H315 H400				CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Ac.1

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2660	NITROTOLUIDINES (MONO)	6.1		III		612-025-00-X	nitrotoluidines, with the exception of those specified elsewhere in this Annex	-	-	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411			C	CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Chr.2
						612-210-00-5	5-nitro- <i>o</i> -toluidine; [1] 5-nitro- <i>o</i> -toluidine hydrochloride [2]	202-765-8 [1] 256-960-8 [2]	99-55-8 [1] 51085-52-0 [2]	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 3	H351 H331 H311 H301 H412	GHS06 GHS08 Dgr	H351 H331 H311 H301 H412				CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Chr.3
2661	HEXACHLOROACETONE	6.1		III		606-032-00-7	hexachloroacetone	204-129-5	116-16-5	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411				CLP00/	Ac.Tox. 3	Ac.Tox. 4 * Aq.Chr.2
2664	DIBROMOMETHANE	6.1		III		602-003-00-8	dibromomethane	200-824-2	74-95-3	Acute Tox. 4 * Aquatic Chronic 3	H332 H412	GHS07 Wng	H332 H412	*			CLP00/	Ac.Tox. 3	Ac.Tox. 4 * Aq.Chr.3
2667	BUTYLTOLUENES	6.1		III															
2668	CHLOROACETONITRILE	6.1	3	I	354	608-008-00-1	chloroacetonitrile	203-467-0	107-14-2	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Chronic 2	H331 H311 H301 H411	GHS06 GHS09 Dgr	H331 H311 H301 H411				CLP00/	Ac.Tox. 1 Flam.3	Ac.Tox. 3 * Aq.Chr.2
2669	CHLOROCRESOLS SOLUTION	6.1		II		604-014-00-3	chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol	200-431-6	59-50-7	Acute Tox. 4 * Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H312 H302 H318 H317 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H318 H317 H400	*			CLP00/	Ac.Tox. 2,3	Ac.Tox. 4 * Aq.Ac.1
2669	CHLOROCRESOLS SOLUTION	6.1		III	223														
2670	CYANURIC CHLORIDE	8		II		613-009-00-5	2,4,6-trichloro-1,3,5-triazine; cyanuric chloride	203-614-9	108-77-0	Acute Tox. 2 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1	H330 H302 H314 H317	GHS06 GHS05 Dgr	H330 H302 H314 H317	EUH014	STOT SE 3; H335		CLP00/	Corr.1B	Skin Corr. 1B Ac.Tox. 2 *
2671	AMINOPYRIDINES (<i>o</i> -, <i>m</i> -, <i>p</i> -)	6.1		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2672	AMMONIA SOLUTION, relative density between 0.880 and 0.957 at 15 °C in water, with more than 10% but not more than 35% ammonia	8		III		007-001-01-2	ammonia ...%	215-647-6	1336-21-6	Skin Corr. 1B Aqatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400		STOT SE 3; H335B		CLP00/	Corr. 1C	Skin Corr. 1B Aq.Ac.1
2673	2-AMINO-4-CHLOROPHENOL	6.1		II															
2674	SODIUM FLUOROSILICATE	6.1		III		009-012-00-0	alkali fluorosilicates(Na); [1] alkali fluorosilicates(K); [2] alkali fluorosilicates(NH4) [3]	240-934-8 [1] 240-896-2 [2] 240-968-3 [3]	16893-85-9 [1] 16871-90-2 [2] 16919-19-0 [3]	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301		*	A	CLP00/	Ac.Tox. 3	Ac.Tox. 3 *
2676	STIBINE	2.3	2.1																
2677	RUBIDIUM HYDROXIDE SOLUTION	8		II															
2677	RUBIDIUM HYDROXIDE SOLUTION	8		III	223														
2678	RUBIDIUM HYDROXIDE	8		II															
2679	LITHIUM HYDROXIDE SOLUTION	8		II															
2679	LITHIUM HYDROXIDE SOLUTION	8		III	223														
2680	LITHIUM HYDROXIDE	8		II															
2681	CAESIUM HYDROXIDE SOLUTION	8		II															
2681	CAESIUM HYDROXIDE SOLUTION	8		III	223														
2682	CAESIUM HYDROXIDE	8		II															
2683	AMMONIUM SULPHIDE SOLUTION	8	3 6.1	II															
2684	3-DIETHYLAMINOPROPYL-AMINE	3	8	III		612-062-00-1	3-aminopropyl-diethylamine; N,N-diethyl-1,3-diaminopropane	203-236-4	104-78-9	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1	H226 H312 H302 H314 H317	GHS02 GHS05 GHS07 Dgr	H226 H312 H302 H314 H317			CLP00/	Flam.3 Corr.1C	Flam. Liq. 3 Skin Corr. 1B Ac.Tox. 4 *	
2685	N,N-DIETHYLETHYLENE-DIAMINE	8	3	II															
2686	2-DIETHYLAMINOETHANOL	8	3	II		603-048-00-6	2-diethylaminoethanol; N,N-diethylethanolamine	202-845-2	100-37-8	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B	H226 H332 H312 H302 H314	GHS02 GHS05 GHS07 GHS09 Dgr	H226 H332 H312 H302 H314	STOT SE 3; H335		CLP00/	Corr.1B Flam. Liq. 3	Skin Corr. 1B Flam. Liq. 3 Ac. Tox. 4 *	
2687	DICYCLOHEXYLAMMONIUM NITRITE	4.1		III		007-009-00-9	dicyclohexylammonium nitrite	221-515-9	3129-91-7	Acute Tox. 4 * Acute Tox. 4 *	H332 H302	GHS07 Wng	H332 H302	*		CLP00/	Flam. Sol. 2	Ac.Tox. 4 *	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2688	1-BROMO-3-CHLOROPROPANE	6.1		III															
2689	GLYCEROL alpha-MONOCHLOROHYDRIN	6.1		III															
2690	N,n-BUTYLIMIDAZOLE	6.1		II															
2691	PHOSPHORUS PENTABROMIDE	8		II															
2692	BORON TRIBROMIDE	8		I		005-003-00-0	boron tribromide	233-657-9	10294-33-4	Acute Tox. 2 * Acute Tox. 2 * Skin Corr. 1A	H330 H300 H314	GHS06 GHS05 Dgr	H330 H300 H314	EUH014		CLP00/	Corr.1A	Skin Corr. 1A Ac.Tox. 2 *	
2698	TETRAHYDROPHthalic ANHYDRIDES with more than 0.05% of maleic anhydride	8		III	29 169	607-099-00-5	1,2,3,6-tetrahydrophthalic anhydride; [1] <i>cis</i> -1,2,3,6-tetrahydrophthalic anhydride [2] [2] 3,4,5,6-tetrahydrophthalic anhydride; [3] tetrahydrophthalic anhydride [4]	201-605-4 [1] 213-308-7 [2] 219-374-3 [3] 247-570-9 [4]	85-43-8 [1] 935-79-5 [2] 2426-02-0 [3] 26266-63-7 [4]	Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Chronic 3	H318 H334 H317 H412	GHS08 GHS05 Dgr	H318 H334 H317 H412		C	CLP00/	Corr. 1C	Aq.Chr.3	
2699	TRIFLUOROACETIC ACID	8		I		607-091-00-1	trifluoroacetic acid ... %	200-929-3	76-05-1	Acute Tox. 4 * Skin Corr. 1A Aquatic Chronic 3	H332 H314 H412	GHS05 GHS07 Dgr	H332 H314 H412	*	B	CLP00/	Corr.1A	Skin Corr. 1A Ac.Tox. 4 * Aq.Chr.3	
2705	1-PENTOL	8		II															
2707	DIMETHYLDIOXANES	3		II															
2707	DIMETHYLDIOXANES	3		III	223														
2709	BUTYLBENZENES	3		III															
2710	DIPROPYL KETONE	3		III		606-027-00-X	heptan-4-one; <i>di-n</i> -propyl ketone	204-608-9	123-19-3	Flam. Liq. 3 Acute Tox. 4 *	H226 H332	GHS02 GHS07 Wng	H226 H332			CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *	
2713	ACRIDINE	6.1		III															
2714	ZINC RESINATE	4.1		III															
2715	ALUMINIUM RESINATE	4.1		III															
2716	1,4-BUTYNEDIOL	6.1		III		603-076-00-9	but-2-yne-1,4-diol; 2-butyne-1,4-diol	203-788-6	110-65-6	Skin Corr. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 4 * STOT RE 2 * Skin Sens. 1	H314 H331 H301 H312 H373 ** H317	GHS06 GHS05 GHS08 Dgr	H314 H331 H301 H312 H373 ** H317	Skin Corr. 1B; H314: C ≥ 50 % Skin Irrit. 2; H315: 25 % ≤ C < 50 % Eye Irrit. 2; H319: 25 % ≤ C < 50 %	D	CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Skin Corr. 1B	
2717	CAMPHOR, synthetic	4.1		III															
2719	BARIUM BROMATE	5.1	6.1	II															
2720	CHROMIUM NITRATE	5.1		III															
2721	COPPER CHLORATE	5.1		II															
2722	LITHIUM NITRATE	5.1		III															
2723	MAGNESIUM CHLORATE	5.1		II															
2724	MANGANESE NITRATE	5.1		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2725	NICKEL NITRATE	5.1		III		028-012-00-1	nickel dimtrate; [1] nitric acid, nickel salt [2]	236-068-5 [1] 238-076-4 [2]	13138-45-9 [1] 14216-75-2 [2]	Ox. Sol. 2 Carc. 1A Muta. 2 Repr. 1B STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * Skin Irrit. 2 Eye Dam. 1 Resp. Sens. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H272 H350i H341 H360D*** H372** H332 H302 H318 H315 H317 H400 H410	GHS03 GHS05 GHS08 GHS07 GHS09 Dgr	H272 H350i H341 H360D*** H372** H332 H302 H318 H315 H317 H410		STOT RE. 1; H373: C ≥ 1 % STOT RE. 2; H373: 0,1 % < C < 1 %		ATP01/	Ox. Sol. 3	Ox. Sol. 2 Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1
2726	NICKEL NITRITE	5.1		III															
2727	THALLIUM NITRATE	6.1	5.1	II															
2728	ZIRCONIUM NITRATE	5.1		III															
2729	HEXACHLOROBENZENE	6.1		III		602-065-00-6	hexachlorobenzene	204-273-9	118-74-1	Carc. 1B STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H350 H372 ** H400 H410	GHS08 GHS09 Dgr	H350 H372 ** H410			CLP00/	Ac.Tox. 3	Aq.Ac.1 Aq.Chr.1	
2730	NITROANISOLE, LIQUID	6.1		III		609-047-00-7	2-nitroanisole	202-052-1	91-23-6	Carc. 1B Acute Tox. 4 *	H350 H302	GHS08 GHS07 Dgr	H350 H302			CLP00/	Ac.Tox. 3	Ac.Tox. 4 *	
2732	NITROBROMOBENZENES, LIQUID	6.1		III															
2738	N-BUTYL ANILINE	6.1		II															
2739	BUTYRIC ANHYDRIDE	8		III															
2740	n-PROPYL CHLOROFORMATE FP= 28°C	6.1	3 8	I		607-142-00-8	propyl chloroformate; chloroformic acid propylester; n-propyl chloroformate	203-687-7	109-61-5	Flam. Liq. 2 Acute Tox. 3 * Skin Corr. 1B	H225 H331 H314	GHS02 GHS06 GHS05 Dgr	H225 H331 H314			CLP00/ATP01	Ac.Tox. 1 Flam.3 Corr.	Ac.Tox. 3 * Flam. Liq. 2 Skin Corr. 1B	
2741	BARIUM HYPOCHLORITE with more than 22% available chlorine	5.1	6.1	II															
2743	n-BUTYL CHLOROFORMATE FP= between 32 and 39°C	6.1	3 8	II		607-138-00-6	butyl chloroformate; chloroformic acid butyl ester	209-750-5	592-34-7	Flam. Liq. 3 Acute Tox. 3 * Skin Corr. 1B	H226 H331 H314	GHS02 GHS06 GHS05 Dgr	H226 H331 H314			CLP00/	Ac.Tox. 2 Flam.3 Corr.	Ac.Tox. 3 * Flam. Liq. 3 Skin Corr. 1B	
2744	CYCLOBUTYL CHLOROFORMATE	6.1	3 8	II															
2745	CHLOROMETHYL CHLOROFORMATE	6.1	8	II															
2746	PHENYL CHLOROFORMATE	6.1	8	II															
2747	tert-BUTYLCYCLOHEXYL CHLOROFORMATE	6.1		III															

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2748	2-ETHYLHEXYL CHLOROFORMATE	6.1	8	II															
2749	TETRAMETHYLSILANE	3		I															
2750	1,3-DICHLOROPROPANOL-2	6.1		II		602-064-00-0	1,3-dichloro-2-propanol	202-491-9	96-23-1	Carc. 1B Acute Tox. 3 * Acute Tox. 4 *	H350 H301 H312	GHS06 GHS08 Dgr	H350 H301 H312			CLP00/	Ac.Tox. 2	Ac.Tox. 3 *	
2751	DIETHYLTHIOPHOSPHORYL CHLORIDE	8		II															
2752	1,2-EPOXY-3-ETHOXYPROPANE	3		III															
2753	N-ETHYLBENZYL TOLUIDINES, LIQUID	6.1		III															
2754	N-ETHYL TOLUIDINES	6.1		II															
2785	4-THIAPENTANAL	6.1		III															
2789	ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass	8	3	II		607-002-00-6	acetic acid ... %	200-580-7	64-19-7	Flam. Liq. 3 Skin Corr. 1A	H226 H314	GHS02 GHS05 Dgr	H226 H314		B	CLP00/	Corr.1B Flam. Liq. 3	Skin Corr. 1A Flam. Liq. 3	
2790	ACETIC ACID SOLUTION, not less than 50% but not more than 80% acid, by mass	8		II		607-002-00-6	acetic acid ... %	200-580-7	64-19-7	Flam. Liq. 3 Skin Corr. 1A	H226 H314	GHS02 GHS05 Dgr	H226 H314		B	CLP00/	Corr.1B	Skin Corr. 1A Flam. Liq. 3	
2790	ACETIC ACID SOLUTION, more than 10% and less than 50% acid, by mass	8		III															
2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS in a form liable to self-heating	4.2		III	223														
2794	BATTERIES, WET, FILLED WITH ACID, electric storage	8			295														
2795	BATTERIES, WET, FILLED WITH ALKALI, electric storage	8			295														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Haz stat						
2796	SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID	8		II		016-020-00-8	sulphuric acid ... %	231-639-5	7664-93-9	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 15 % Skin Irrit. 2; H315: 5 % ≤ C < 15 % Eye Irrit. 2; H319: 5 % ≤ C < 15 %	B	CLP00/	Corr.1B	Skin Corr. 1A	
2797	BATTERY FLUID, ALKALI	8		II																
2798	PHENYLPHOSPHORUS DICHLORIDE	8		II																
2799	PHENYLPHOSPHORUS THIODICHLORIDE	8		II																
2800	BATTERIES, WET, NON-SPILLABLE, electric storage	8			238															
2802	COPPER CHLORIDE	8		III		029-001-00-4	copper chloride; copper (I) chloride; cuprous chloride	231-842-9	7758-89-6	Acute Tox. 4 * Aquatic Acute 1 Aquatic Chronic 1	H302 H400 H410	GHS07 GHS09 Wng	H302 H400 H410				CLP00/	Corr. 1C	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1	
2803	GALLIUM	8		III																
2805	LITHIUM HYDRIDE, FUSED SOLID	4.3		II																
						001-002-00-4	aluminium lithium hydride	240-877-9	16853-85-3	Water-react. 1 Skin Corr. 1A	H260 H314	GHS02 GHS05 Dgr	H260 H314				CLP00/ATP01			
2806	LITHIUM NITRIDE	4.3		I																
2807	MAGNETIZED MATERIAL	9		III	106															
2809	MERCURY	8		III		080-001-00-0	mercury	231-106-7	7439-97-6	Repr. 1B Acute Tox. 2 * STOT RE 1 Aquatic Acute 1 Aquatic Chronic 1	H360D*** H330 H372** H400 H410	GHS06 GHS08 GHS09 Dgr	H360D*** H330 H372** H410				CLP00/ATP01	Corr. 1C	Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1	
2812	SODIUM ALUMINATE, SOLID	8		III	106															
2815	N-AMINOETHYLPIPERAZINE	8		III		612-105-00-4	2-piperazin-1-ylethylamine	205-411-0	140-31-8	Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1B Skin Sens. 1 Aquatic Chronic 3	H312 H302 H314 H317 H412	GHS05 GHS07 Dgr	H312 H302 H314 H317 H412				CLP00/	Corr. 1C	Skin Corr. 1B Ac.Tox. 4 * Aq.Chr.3	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS					
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif		
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.							
2817	AMMONIUM HYDROGEN-DIFLUORIDE SOLUTION	8	6.1	II		009-009-00-4	ammonium bifluoride; ammonium hydrogen difluoride	215-676-4	1341-49-7	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319; 0,1 % ≤ C < 1 %		CLP00/	Corr.1B Ac.Tox.	Skin Corr. 1B Ac.Tox. 3 *		
2817	AMMONIUM HYDROGEN-DIFLUORIDE SOLUTION	8	6.1	III	223																
2818	AMMONIUM POLYSULPHIDE SOLUTION	8	6.1	II		016-008-00-2	ammonium polysulphides	232-989-1	9080-17-5	Skin Corr. 1B Aquatic Acute 1	H314 H400	GHS05 GHS09 Dgr	H314 H400				EUH031: C ≥ 1 %		CLP00/	Corr.1B Ac.Tox.	Skin Corr. 1B Aq.Ac.1
2818	AMMONIUM POLYSULPHIDE SOLUTION	8	6.1	III	223																
2819	AMYL ACID PHOSPHATE	8		III																	
2820	BUTYRIC ACID	8		III		607-135-00-X	butyric acid	203-532-3	107-92-6	Skin Corr. 1B	H314	GHS05 Dgr	H314						CLP00/	Corr. 1C	Skin Corr. 1B
2821	PHENOL SOLUTION	6.1		II		604-001-00-2	phenol; carbohic acid; monohydroxybenzene; phenylalcohol	203-632-7	108-95-2	Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Skin Corr. 1B	H341 H331 H311 H301 H373 ** H314	GHS06 GHS08 GHS05 Dgr	H341 H331 H311 H301 H373 ** H314	* Skin Corr. 1B; H314: C ≥ 3 % Skin Irrit. 2; H315: 1 % ≤ C < 3 % Eye Irrit. 2; H319; 1 % ≤ C < 3 %		CLP00/	Ac.tox.2, 3	Ac.Tox. 3 * Skin Corr. 1B			
2821	PHENOL SOLUTION	6.1		III	223																
2822	2-CHLOROPYRIDINE	6.1		II																	
2823	CROTONIC ACID, SOLID	8		III																	
2826	ETHYL CHLOROTHIOFORMATE	8	3	II																	
2829	CAPROIC ACID	8		III																	
2830	LITHIUM FERROSILICON	4.3		II																	
2831	1,1,1-TRICHLOROETHANE	6.1		III		602-013-00-2	1,1,1-trichloroethane; methyl chloroform	200-756-3	71-55-6	Acute Tox. 4 * Ozone	H332 EUH059	GHS07 Wng	H332				EUH059		CLP00/	Ac.tox. 3	Ac.Tox. 4 *
2834	PHOSPHOROUS ACID	8		III		015-157-00-0	phosphonic acid; [1] phosphorous acid [2]	237-066-7 [1] 233-663-1 [2]	13598-36-2 [1] 10294-56-1 [2]	Acute Tox. 4 * Skin Corr. 1A	H302 H314	GHS05 GHS07 Dgr	H302 H314						CLP00/	Corr. 1C	Skin Corr. 1A Ac.Tox. 4 *
2835	SODIUM ALUMINIUM HYDRIDE	4.3		II																	
2837	BISULPHATES, AQUEOUS SOLUTION	8		II		016-046-00-X	sodium hydrogensulphate	231-665-7	7681-38-1	Eye Dam. 1	H318	GHS05 Dgr	H318						CLP00/		
2837	BISULPHATES, AQUEOUS SOLUTION	8		III	223																
2838	VINYL BUTYRATE, STABILIZED	3		II																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
2839	ALDOL	6.1		II																
2840	BUTYRALDOXIME FP = 58°C	3		III		616-013-00-5	butyraldehyde oxime	203-792-8	110-69-0	Acute Tox. 3 * Acute Tox. 4 * Eye Irrit. 2	H311 H302 H319	GHS06 Dgr	H311 H302 H319					CLP00/	Flam.3	Ac.Tox. 3 *
2841	DI-n-AMYLAMINE	3	6.1	III																
2842	NITROETHANE	3		III		609-035-00-1	nitroethane	201-188-9	79-24-3	Flam. Liq. 3 Acute Tox. 4 * Acute Tox. 4 *	H226 H332 H302	GHS02 GHS07 Wng	H226 H332 H302		*			CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 4 *
2844	CALCIUM MANGANESE SILICON	4.3		III																
2849	3-CHLORO-PROPANOL-1	6.1		III																
2850	PROPYLENE TETRAMER	3		III																
2851	BORON TRIFLUORIDE DIHYDRATE	8		II		005-001-00-X	boron trifluoride	231-569-5	7637-07-2	Press. Gas Acute Tox. 2 * Skin Corr. 1A	H330 H314	GHS04 GHS06 GHS05 Dgr	H330 H314	EUH014		U		CLP00/	Corr.1B	Press. Gas Skin Corr. 1A Ac.Tox. 2 *
2852	DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	4.1		I	28															
2853	MAGNESIUM FLUOROSILICATE	6.1		III		009-018-00-3	magnesium hexafluorosilicate	241-022-2	16949-65-8	Acute Tox. 3 *	H301	GHS06 Dgr	H301		*			CLP00/	Ac.Tox. 3	Ac.Tox. 3 *
2854	AMMONIUM FLUOROSILICATE	6.1		III																
2855	ZINC FLUOROSILICATE	6.1		III																
2857	REFRIGERATING MACHINES containing non-flammable, non-toxic, gases or ammonia solutions (UN 2672)	2.2			119															
2858	ZIRCONIUM, DRY, coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	4.1		III																
2859	AMMONIUM METAVANADATE	6.1		II																
2861	AMMONIUM POLYVANADATE	6.1		II																
2862	VANADIUM PENTOXIDE, non-fused form	6.1		III		023-001-00-8	divanadium pentaoxide; vanadium pentoxide	215-239-8	1314-62-1	Muta. 2 Repr. 2 STOT RE 1 Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Aquatic Chronic 2	H341 H361d *** H372 ** H332 H302 H335 H411	GHS08 GHS07 GHS09 Dgr	H341 H361d *** H372 ** H332 H302 H335 H411				CLP00/	Ac.Tox. 3	Ac.Tox. 4 * Aq.Chr.2	
2863	SODIUM AMMONIUM VANADATE	6.1		II																

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2864	POTASSIUM METAVANADATE	6.1		II															
2865	HYDROXYLAMINE SULPHATE	8		III		612-123-00-2	hydroxylammonium chloride; hydroxylamine hydrochloride; [1] bis(hydroxylammonium) sulfate; hydroxylamine sulfate (2:1) [2]	226-798-2 [1] 233-118-8 [2]	5470-11-1 [1] 10039-54-0 [2]	Met. Corr. 1 Care 2 Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 Skin Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H290 H351 H312 H302 H373** H319 H315 H317 H400	GHS05 GHS08 GHS07 GHS09 Wng	H290 H351 H312 H302 H373** H319 H315 H317 H400				CLP00/ATP01	Corr. 1	Met. Corr. 1 Ac.Tox. 4 * Aq.Ac.1
2869	TITANIUM TRICHLORIDE MIXTURE	8		II															
2869	TITANIUM TRICHLORIDE MIXTURE	8		III	223														
2870	ALUMINIUM BOROHYDRIDE	4.2	4.3	I															
2870	ALUMINIUM BOROHYDRIDE IN DEVICES	4.2	4.3	I															
2871	ANTIMONY POWDER	6.1		III															
2872	DIBROMOCHLOROPROPANES	6.1		II		602-021-00-6	1,2-dibromo-3-chloropropane	202-479-3	96-12-8	Carc. 1B Muta. 1B Repr. 1A Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 3	H350 H340 H360F *** H301 H373 ** H412	GHS06 GHS08 Dgr	H350 H340 H360F *** H301 H373 ** H412				CLP00/	Ac.Tox.2,3	Ac.Tox. 3 * Aq.Ch.3
2872	DIBROMOCHLOROPROPANES	6.1		III	223														
2873	DIBUTYLAMINOETHANOL	6.1		III															
2874	FURFURYL ALCOHOL	6.1		III		603-018-00-2	furfuryl alcohol	202-626-1	98-00-0	Carc. 2 Acute Tox. 3 * Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Eye Irrit. 2 STOT SE 3	H351 H331 H312 H302 H373** H319 H335	GHS06 GHS08 Dgr	H351 H331 H312 H302 H373** H319 H335				CLP00/ATP01	Ac.Tox.3	Ac.Tox. 3 *

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
2875	HEXACHLOROPHENE	6.1		III		604-015-00-9	2,2'-methylenebis-(3,4,6-trichlorophenol); hexachlorophene	200-733-8	70-30-4	Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H311 H301 H400 H410	GHS06 GHS09 Dgr	H311 H301 H410		*			CLP00/	Ac.Tox.3	Ac. Tox. 3 * Aq.Ac.1 Aq.Chr.1
2876	RESORCINOL	6.1		III		604-010-00-1	resorcinol; 1,3-benzenediol	203-585-2	108-46-3	Acute Tox. 4 * Eye Irrit. 2 Skin Irrit. 2 Aquatic Acute 1	H302 H319 H315 H400	GHS07 GHS09 Wng	H302 H319 H315 H400		*			CLP00/	Ac.Tox.3	Ac.Tox. 4 * Aq.Ac.1
2878	TITANIUM SPONGE GRANULES or TITANIUM SPONGE POWDERS	4.1		III	223															
2879	SELENIUM OXYCHLORIDE	8	6.1	I																
2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, with not less than 5.5% but not more than 16% water	5.1		II	314 322	017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	Ox. Sol. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H272 H302 H314 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H400	EUH031	Skin Corr. 1B; H314: C ≥ 5 % Skin Irrit. 2; H; 315: 1 % ≤ C < 5 % Eye Dam. 1; H318: 3 % ≤ C < 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 %	T	CLP00/ATP01	Ox. Sol. 2	Ox. Sol. 2 Ac.Tox. 4 * Skin Corr. 1B Aq.Ac.1	
2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, with not less than 5.5% but not more than 16% water	5.1		III	223 314															
2881	METAL CATALYST, DRY	4.2		I	274															
2881	METAL CATALYST, DRY	4.2		II	274															
2901	BROMINE CHLORIDE	2.3	5.1 8																	
2904	CHLOROPHENOLATES, LIQUID or PHENOLATES, LIQUID	8		III																
2905	CHLOROPHENOLATES, SOLID or PHENOLATES, SOLID	8		III																

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
						604-003-00-3	sodium pentachlorophenolate; [1] potassium pentachlorophenolate [2]	205-025-2 [1] 231-911-3 [2]	131-52-2 [1] 7778-73-6 [2]	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H311 H301 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H330 H311 H301 H319 H335 H315 H410				CLP00/		
2907	ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch or calcium hydrogen phosphate	4.1		II	127														
2931	VANADYL SULPHATE	6.1		II															
2933	METHYL 2-CHLORO-PROPIONATE	3		III															
2934	ISOPROPYL 2-CHLORO-PROPIONATE	3		III															
2935	ETHYL 2-CHLOROPROPIONATE	3		III															
2936	THIOLACTIC ACID	6.1		II															
2937	alpha-METHYLBENZYL ALCOHOL LIQUID	6.1		III															
2940	9-PHOSPHABICYCLO-NONANES (CYCLOOCTADIENE PHOSPHINES)	4.2		II															
2941	FLUOROANILINES	6.1		III															
						612-187-00-1	2,3,4-trifluoroaniline	407-170-9	3862-73-5	Acute Tox. 4 * Acute Tox. 4 * STOT RE 2 * Skin Irrit. 2 Eye Dam. 1 Aquatic Chronic 2	H312 H302 H373 ** H315 H318 H411	GHS08 GHS05 GHS07 GHS09 Dgr	H312 H302 H373 ** H315 H318 H411				CLP00/	Ac.Tox.3	Ac.Tox. 4 * Aq.Chr.2
2942	2-TRIFLUOROMETHYLANILINE	6.1		III															
2943	TETRAHYDROFURFURYL-AMINE	3		III															
2945	N-METHYLBUTYLAMINE	3	8	II															
2946	2-AMINO-5-DIETHYLAMINO-PENTANE	6.1		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
2947	ISOPROPYL CHLOROACETATE	3		III		607-206-00-5	isopropyl chloroacetate	203-301-7	105-48-6	Flam. Liq. 3 Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2	H226 H301 H319 H335 H315	GHS02 GHS06 Dgr	H226 H301 H319 H335 H315				CLP00/	Flam.3	Flam. Liq. 3 Ac.Tox. 3 *
2948	3-TRIFLUOROMETHYL-ANILINE	6.1		II															
2949	SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization	8		II															
2950	MAGNESIUM GRANULES, COATED, particle size not less than 149 microns	4.3		III															
2956	5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE (MUSK XYLENE)	4.1		III	132 133	609-068-00-1	musk xylene; 5-tert-butyl-2,4,6-trinitro-m-xylene	201-329-4	81-15-2	Expl. 1.1 Carc. 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H351 H400 H410	GHS01 GHS08 GHS09 Wng	H201 H351 H410		T	CLP00/	Flam. Sol. 2	Expl. 1.1 Aq.Ac.1 Aq.Chr.1	
2965	BORON TRIFLUORIDE DIMETHYL ETHERATE	4.3	3 8	I															
2966	THIOGLYCOL	6.1		II															
2967	SULPHAMIC ACID	8		III		016-026-00-0	sulphamic acid; sulphamic acid; sulfamic acid	226-218-8	5329-14-6	Eye Irrit. 2 Skin Irrit. 2 Aquatic Chronic 3	H319 H315 H412	GHS07 Wng	H319 H315 H412			CLP00/	Corr. 1C	Aq.Chr.3	
2968	MANEB, STABILIZED or MANEB PREPARATION, STABILIZED against self-heating	4.3		III	223	006-077-00-7	maneb (ISO); manganese ethylenebis(dithiocarbamate) (polymeric)	235-654-8	12427-38-2	Repr. 2 Acute Tox. 4 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H361d**** H332 H319 H317 H400 H410	GHS08 GHS07 GHS09 Wng	H361d**** H332 H319 H317 H410	M=10		CLP00/ATP01	Water-react. 3 P	Ac.Tox. 4 * Aq.Ac.1 Aq.Chr.1	
2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE	9		II	141														
2983	ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE, not more than 30% ethylene oxide	3	6.1	I															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)	5.1		III	65	008-003-00-9	hydrogen peroxide solution ... %	231-765-0	7722-84-1	Ox. Liq. 1 Acute Tox. 4 * Acute Tox. 4 * Skin Corr. 1A	H271 H332 H302 H314	GHS03 GHS05 GHS07 Dgr	H271 H332 H302 H314		Ox. Liq. 1; H271: C ≥ 70 %**** Ox. Liq. 2; H272: 50 % ≤ C < 70 % **** * Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: 8 % ≤ C < 50 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335; C ≥ 35 %		CLP00/	Ox. Sol. 3	Ox. Liq. 1 Ac.Tox. 4 * Skin Corr. 1A
2989	LEAD PHOSPHITE, DIBASIC	4.1		II															
2989	LEAD PHOSPHITE, DIBASIC	4.1		III	223														
3022	1,2-BUTYLENE OXIDE, STABILIZED	3		II		603-102-00-9	1,2-epoxybutane	203-438-2	106-88-7	Flam. Liq. 2 Care. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Chronic 3	H225 H351 H332 H312 H302 H319 H335 H315 H412	GHS02 GHS08 GHS07 Dgr	H225 H351 H332 H312 H302 H319 H335 H315 H412			CLP00/	Flam.2	Flam. Liq. 2 Ac.Tox. 4 * Aq.Chr.3	
3023	2-METHYL-2-HEPTANETHIOL	6.1	3	I	354														
3048	ALUMINIUM PHOSPHIDE PESTICIDE	6.1		I	153	015-004-00-8	aluminium phosphide	244-088-0	20859-73-8	Water-react. 1 Acute Tox. 2 * Aquatic Acute 1	H260 H300 H400	GHS02 GHS06 GHS09 Dgr	H260 H300 H400	EUH029 EUH032	M=100		CLP00/ATP01	Ac.tox.1	Ac.Tox. 2 * Water-react. 1 Aq.Ac.1
3054	CYCLOHEXYL MERCAPTAN	3		III															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
3055	2-(2-AMINOETHOXY)ETHANOL	8		III															
3056	n-HEPTALDEHYDE	3		III															
3057	TRIFLUOROACETYL CHLORIDE	2.3	8																
3064	NITROGLYCERIN, SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin	3		II															
						603-034-01-7	glycerol trinitrate; nitroglycerine; [>40 % phlegmatiser]	200-240-8	55-63-0	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Chronic 2	H201 H330 H310 H300 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373 ** H411				CLP00/		
3065	ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume	3		II	146	603-002-00-5	ethanol; ethyl alcohol	200-578-6	64-17-5	Flam. Liq. 2	H225	GHS02 Dgr	H225				CLP00/	Flam.2	Flam. Liq. 2
3065	ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume	3		III	144 145 247														
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	8		II	163														
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	8		III	163 223														
3070	ETHYLENE OXIDE AND DICHLORODIFLUORO-METHANE MIXTURE with not more than 12.5% ethylene oxide	2.2																	
3073	VINYLPYRIDINES, STABILIZED	6.1	3 8	II															
3078	CERIUM, turnings or gritty powder	4.3		II															

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3079	METHACRYLONITRILE, STABILIZED FP = 4°C	6.1	3	I	354	608-010-00-2	methacrylonitrile; 2-methyl-2-propene nitrile	204-817-5	126-98-7	Flam. Liq. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Sens. 1	H225 H331 H311 H301 H317	GHS02 GHS06 Dgr	H225 H331 H311 H301 H317		* Skin Sens. 1; H317: C ≥ 0,2 %	D	CLP00/	Ac.tox.1 Flam.2	Ac. Tox. 3 * Flam. Liq. 2
3083	PERCHLORYL FLUORIDE	2.3	5.1																
3092	1-METHOXY-2-PROPANOL	3		III		603-064-00-3	1-methoxy-2-propanol; monopropylene glycol methyl ether	203-539-1	107-98-2	Flam. Liq. 3 STOT SE 3	H226 H336	GHS02 GHS07 Wng	H226 H336				CLP00/ATP01	Flam.3	Flam. Liq. 3
3136	TRIFLUOROMETHANE, REFRIGERATED LIQUID	2.2																	
3138	ETHYLENE, ACETYLENE AND PROPYLENE MIXTURE, REFRIGERATED LIQUID containing at least 71.5% ethylene with not more than 22.5% acetylene and not more than 6% propylene	2.1																	
3149	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED	5.1	8	II	196														
3150	DEVICES, SMALL, HYDROCARBON GAS POWERED or HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device	2.1																	
3151	POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	9		II	203 305														
3152	POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID	9		II	203 305														
3153	PERFLUORO (METHYL VINYL ETHER)	2.1																	
3154	PERFLUORO (ETHYL VINYL ETHER)	2.1																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
3155	PENTACHLOROPHENOL	6.1		II	43	604-002-00-8	pentachlorophenol	201-778-6	87-86-5	Carc. 2 Acute Tox. 2 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 STOT SE 3 Skin Irrit. 2 Aquatic Acute 1 Aquatic Chronic 1	H351 H330 H311 H301 H319 H335 H315 H400 H410	GHS06 GHS08 GHS09 Dgr	H351 H330 H311 H301 H319 H335 H315 H410				CLP00/	Ac.tox.2 PP	Ac.Tox. 2 * Aq.Ac.1 Aq.Chr.1
3159	1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)	2.2																	
3164	ARTICLES, PRESSURIZED, PNEUMATIC or HYDRAULIC (containing non-flammable gas)	2.2			283														
3165	AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) (M86 fuel)	3	6.1 8	I															
3166	ENGINE, INTERNAL COMBUSTION or VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED	9			106 312 356														
3170	ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	4.3		II	244														
3170	ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	4.3		III	223 244														
3174	TITANIUM DISULPHIDE	4.2		III															
3220	PENTAFLUROETHANE (REFRIGERANT GAS R 125)	2.2																	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3241	2-BROMO-2-NITROPROPANE-1,3-DIOL	4.1		III	246	603-085-00-8	bronopol (INN); 2-bromo-2-nitropropane-1,3-diol	200-143-0	52-51-7	Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Eye Dam. 1 Aquatic Acute 1	H312 H302 H335 H315 H318 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H335 H315 H318 H400	M=10		CLP00/ATP01	Flam. Sol. 2	Ac.Tox. 4 * Aq.Ac.1	
3242	AZODICARBONAMIDE	4.1		II	215	611-028-00-3	C,C'-azodi(formamide)	204-650-8	123-77-3	Resp. Sens. 1	H334	GHS08 Dgr	H334			CLP00/ATP01	Flam. Solid.1		
3246	METHANESULPHONYL CHLORIDE	6.1	8	I	354														
3247	SODIUM PEROXOBORATE, ANHYDROUS	5.1		II		005-018-00-2	perboric acid (H3BO2(O2)), monosodium salt trihydrate; [1] perboric acid, sodium salt, tetrahydrate; [2] perboric acid (HBO(O2)), sodium salt, tetrahydrate [3]	239-172-9 [1] 234-390-0 [2] 231-556-4 [3]	13517-20-9 [1] 37244-98-7 [2] 10486-00-7 [3]	Repr. 1B STOT SE 3 Eye Dam. 1	H360DF H335 H318	GHS05 GHS08 GHS07 Dgr	H360DF H335 H318	Repr. 1B; H360 DF: C ≥ 14 % Repr. 1B; H360D: 10 % ≤ C < 14 %		ATP01/	Ox. Sol. 2		
						005-018-01-X	perboric acid (H3BO2(O2)), monosodium salt, trihydrate; [1] perboric acid, sodium salt, tetrahydrate; [2] perboric acid (HBO(O2)), sodium salt, tetrahydrate [3]	239-172-9 [1] 234-390-0 [2] 231-556-4 [3]	13517-20-9 [1] 37244-98-7 [2] 10486-00-7 [3]	Repr. 1B Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H360DF H332 H335 H318	GHS05 GHS08 GHS07 Dgr	H360DF H332 H335 H318	Repr. 1B; H360 DF: C ≥ 14 % Repr. 1B; H360D: 10 % ≤ C < 14 %		ATP01/			
						005-019-00-8	perboric acid, sodium salt; [1] perboric acid, sodium salt, monohydrate; [2] perboric acid (HBO(O2)), sodium salt, monohydrate [3]	234-390-0 [1] 234-390-0 [2] 231-556-4 [3]	11138-47-9 [1] 12040-72-1 [2] 10332-33-9 [3]	Oxid. Sol. 3 Repr. 1B Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360DF H302 H335 H318	GHS03 GHS05 GHS08 GHS07 Dgr	H272 H360DF H302 H335 H318	Repr. 1B; H360DF: C ≥ 9 % Repr. 1B; H360D: 6,5 % ≤ C < 9 %		ATP01/			
						005-019-01-5	perboric acid, sodium salt; [1] perboric acid, sodium salt, monohydrate; [2] perboric acid (HBO(O2)), sodium salt, monohydrate [3]	234-390-0 [1] 234-390-0 [2] 231-556-4 [3]	11138-47-9 [1] 12040-72-1 [2] 10332-33-9 [3]	Oxid. Sol. 3 Repr. 1B Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360DF H331 H302 H335 H318	GHS03 GHS06 GHS05 GHS08 Dgr	H272 H360DF H331 H302 H335 H318	Repr. 1B; H360DF: C ≥ 9 % Repr. 1B; H360D: 6,5 % ≤ C < 9 %		ATP01/			
3250	CHLOROACETIC ACID, MOLTEN	6.1	8	II		607-003-00-1	chloroacetic acid	201-178-4	79-11-8	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Acute 1	H331 H311 H301 H314 H400	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H400	STOT SE 3; H335		CLP00/ATP01	Ac.Tox.2 Corr.	Ac.Tox. 3 * Skin Corr. 1B Aq.Ac.1	
3251	ISOSORBIDE-5-MONONITRATE	4.1		III	132 226														
3252	DIFLUOROMETHANE (REFRIGERANT GAS R 32)	2.1																	
3253	DISODIUM TRIOXOSILICATE	8		III															

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3254	TRIBUTYLPHOSPHANE	4.2		I															
3255	tert-BUTYL HYPOCHLORITE	4.2	8	I															
3269	POLYESTER RESIN KIT	3		II	236 340														
3269	POLYESTER RESIN KIT	3		III	236 340														
3270	NITROCELLULOSE MEMBRANE FILTERS, with not more than 12.6% nitrogen, by dry mass	4.1		II	237 286														
3293	HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass	6.1		III	223	007-008-00-3	hydrazine	206-114-9	302-01-2	Flam. Liq. 3 Care. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H350 H331 H311 H301 H314 H317 H400 H410	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H226 H350 H331 H311 H301 H314 H317 H410		Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319; 3 % ≤ C < 10 %	CLP00/	Ac.Tox.3	Ac.Tox. 3 * Flam. Liq. 3 Skin Corr. 1B Aq. Ac.1 Aq.Chr.1	
3294	HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45% hydrogen cyanide	6.1	3	I		006-006-01-7	hydrogen cyanide ...%; hydrocyanic acid ...%	200-821-6	74-90-8	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H400 H410	GHS06 GHS09 Dgr	H330 H310 H300 H410		B	CLP00/	Ac.Tox.1 Flam P	Ac.Tox. 1 Aq.Ac.1 Aq.Chr.1	
3296	HEPTAFLUOROPROPANE (REFRIGERANT GAS R 227)	2.2																	
3297	ETHYLENE OXIDE AND CHLOROTETRAFLUORO-ETHANE MIXTURE with not more than 8.8% ethylene oxide	2.2																	
3298	ETHYLENE OXIDE AND PENTAFLUROETHANE MIXTURE with not more than 7.9% ethylene oxide	2.2																	
3299	ETHYLENE OXIDE AND TETRAFLUROETHANE MIXTURE with not more than 5.6% ethylene oxide	2.2																	
3300	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 87% ethylene oxide	2.3	2.1																

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
3302	2-DIMETHYLAMINOETHYL ACRYLATE	6.1		II															
3313	ORGANIC PIGMENTS, SELF-HEATING	4.2		II															
3313	ORGANIC PIGMENTS, SELF-HEATING	4.2		III	223														
3317	2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water, by mass	4.1		I	28														
3318	AMMONIA SOLUTION, relative density less than 0.880 at 15 °C in water, with more than 50% ammonia	2.3	8		23														
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass	8		II															
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION, with not more than 12% sodium borohydride and not more than 40% sodium hydroxide by mass	8		III	223														
3337	REFRIGERANT GAS R 404A	2.2																	
3338	REFRIGERANT GAS R 407A	2.2																	
3339	REFRIGERANT GAS R 407B	2.2																	
3340	REFRIGERANT GAS R 407C	2.2																	
3341	THIOUREA DIOXIDE	4.2		II															
3341	THIOUREA DIOXIDE	4.2		III	223														
3342	XANTHATES	4.2		II															
3342	XANTHATES	4.2		III	223														
3356	OXYGEN GENERATOR, CHEMICAL?	5.1		II	284														
3358	REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas	2.1			291														
3364	TRINITROPHENOL (PICRIC ACID), WETTED, with not less than 10% water by mass	4.1		I	28	609-009-00-X	2,4,6-trinitrophenol; picric acid	201-865-9	88-89-1	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H201 H331 H311 H301	GHS01 GHS06 Dgr	H201 H331 H311 H301			CLP00/ATP01			
3365	TRINITROCHLOROBENZENE (PICRYL CHLORIDE), WETTED, with not less than 10% water by mass	4.1		I	28														

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
3366	TRINITROTOLUENE (TNT), WETTED, with not less than 10% water by mass	4.1		I	28	609-008-00-4	2,4,6-trinitrotoluene; TNT	204-289-6	118-96-7	Expl. 1.1 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H201 H331 H311 H301 H373 ** H411	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H331 H311 H301 H373 ** H411					CLP00/		
3367	TRINITROBENZENE, WETTED, with not less than 10% water by mass	4.1		I	28															
						609-005-00-8	1,3,5-trinitrobenzene	202-752-7	99-35-4	Expl. 1.1 Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 Aquatic Acute 1 Aquatic Chronic 1	H201 H330 H310 H300 H373** H400 H410	GHS01 GHS06 GHS08 GHS09 Dgr	H201 H330 H310 H300 H373** H410					CLP00/ATP01		
3368	TRINITROBENZOIC ACID, WETTED, with not less than 10% water by mass	4.1		I	28															
3369	SODIUM DINITRO-o-CRESOLATE, WETTED, with not less than 10% water by mass	4.1		I	28															
3370	UREA NITRATE, WETTED, with not less than 10% water by mass	4.1		I	28															
3371	2-METHYLBUTANAL	3		II																
3374	ACETYLENE, SOLVENT FREE	2.1				601-015-00-0	acetylene; ethyne	200-816-9	74-86-2	Flam. Gas 1 Press. Gas	H220	GHS02 GHS04 Dgr	H220	EUH006		U	CLP00/	Flam. Gas 1	Flam. Gas 1 Press. Gas	
3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL, intermediate for blasting explosives	5.1		II	309															
3376	4-NITROPHENYLHYDRAZINE, with not less than 30% water, by mass	4.1		I	28															
3377	SODIUM PERBORATE MONOHYDRATE	5.1		III																
						005-017-00-7	sodium perborate; [1] perboric acid, sodium salt [2]	239-172-9 [1] 231-556-4 [2]	15120-21-5 [1] 7632-04-4 [2]	Oxid. Sol. 2 Repr. 1B Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360Df H302 H335 H318	GHS03 GHS05 GHS08 GHS07 Dgr	H272 H360Df H302 H335 H318		Repr. 1B; H360Df; C ≥ 9 % Repr. 1B; H360D; 6,5 % ≤ C < 9 %	ATP01/				

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						005-017-01-4	sodium perborate; [1] perboric acid, sodium salt [2]	239-172-9 [1] 231-556-4 [2]	15120-21-5 [1] 7632-04-4 [2]	Oxid. Sol. 2 Repr. 1B Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360Df H331 H302 H335 H318	GHS03 GHS06 GHS05 GHS08 Dgr	H272 H360Df H331 H302 H335 H318		Repr. 1B; H360Df: C ≥ 9 % Repr. 1B; H360D: 6.5 % ≤ C < 9 %	ATP01/			
						005-018-00-2	perboric acid (H3BO2(O2)), monosodium salt trihydrate; [1] perboric acid, sodium salt, tetrahydrate; [2] perboric acid (HBO(O2)), sodium salt, tetrahydrate [3]	239-172-9 [1] 234-390-0 [2] 231-556-4 [3]	13517-20-9 [1] 37244-98-7 [2] 10486-00-7 [3]	Repr. 1B STOT SE 3 Eye Dam. 1	H360Df H335 H318	GHS05 GHS08 GHS07 Dgr	H360Df H335 H318		Repr. 1B; H360Df: C ≥ 14 % Repr. 1B; H360D: 10 % ≤ C < 14 %	ATP01/			
						005-018-01-X	perboric acid (H3BO2(O2)), monosodium salt, trihydrate; [1] perboric acid, sodium salt, tetrahydrate; [2] perboric acid (HBO(O2)), sodium salt, tetrahydrate [3]	239-172-9 [1] 234-390-0 [2] 231-556-4 [3]	13517-20-9 [1] 37244-98-7 [2] 10486-00-7 [3]	Repr. 1B Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H360Df H332 H335 H318	GHS05 GHS08 GHS07 Dgr	H360Df H332 H335 H318		Repr. 1B; H360Df: C ≥ 14 % Repr. 1B; H360D: 10 % ≤ C < 14 %	ATP01/			
						005-019-00-8	perboric acid, sodium salt; [1] perboric acid, sodium salt, monohydrate; [2] perboric acid (HBO(O2)), sodium salt, monohydrate [3]	234-390-0 [1] 234-390-0 [2] 231-556-4 [3]	11138-47-9 [1] 12040-72-1 [2] 10332-33-9 [3]	Oxid. Sol. 3 Repr. 1B Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360Df H302 H335 H318	GHS03 GHS05 GHS08 GHS07 Dgr	H272 H360Df H302 H335 H318		Repr. 1B; H360Df: C ≥ 9 % Repr. 1B; H360D: 6.5 % ≤ C < 9 %	ATP01/			
						005-019-01-5	perboric acid, sodium salt; [1] perboric acid, sodium salt, monohydrate; [2] perboric acid (HBO(O2)), sodium salt, monohydrate [3]	234-390-0 [1] 234-390-0 [2] 231-556-4 [3]	11138-47-9 [1] 12040-72-1 [2] 10332-33-9 [3]	Oxid. Sol. 3 Repr. 1B Acute Tox. 3 * Acute Tox. 4 * STOT SE 3 Eye Dam. 1	H272 H360Df H331 H302 H335 H318	GHS03 GHS06 GHS05 GHS08 Dgr	H272 H360Df H331 H302 H335 H318		Repr. 1B; H360Df: C ≥ 9 % Repr. 1B; H360D: 6.5 % ≤ C < 9 %	ATP01/			
3378	SODIUM CARBONATE PEROXYHYDRATE	5.1		II		011-005-00-2	sodium carbonate	207-838-8	497-19-8	Eye Irrit. 2	H319	GHS07 Wng	H319			CLP00/	Ox. Sol. 2		
3378	SODIUM CARBONATE PEROXYHYDRATE	5.1		III															
3391	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC	4.2		I	274														
3392	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC	4.2		I	274														
3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	4.2	4.3	I	274														
3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	4.2	4.3	I	274														
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	4.3		I	274														

UN Model Reg. Rev.16						CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS	
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	4.3		II	274														
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	4.3	4.1	I	274														
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	4.3	4.1	II	274														
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	4.3	4.2	I	274														
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	4.3	4.2	II	274														
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	4.3		I	274														
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	4.3		II	274														
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	4.3	3	I	274														
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	4.3	3	II	274														
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	4.2		II	274														
3401	ALKALI METAL AMALGAM, SOLID	4.3		I	182														
3402	ALKALINE EARTH METAL AMALGAM, SOLID	4.3		I	183														
3403	POTASSIUM METAL ALLOYS, SOLID	4.3		I		019-001-00-2	potassium	231-119-8	7440-09-7	Water-react. 1 Skin Corr. 1B	H260 H314	GHS02 GHS05 Dgr	H260 H314	EUH014		CLP00/	Water-react. 1	Water-react. 1 Skin Corr. 1B	
3404	POTASSIUM SODIUM ALLOYS, SOLID	4.3		I															
3405	BARIUM CHLORATE SOLUTION	5.1	6.1	II		017-003-00-8	barium chlorate	236-760-7	13477-00-4	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 * Aquatic Chronic 2	H271 H332 H302 H411	GHS03 GHS07 GHS09 Dgr	H271 H332 H302 H411			CLP00/	Ox. Sol. 2 Ac.Tox.	Ox. Sol. 1 Ac.Tox. 4 * Aq.Chr.2	
3405	BARIUM CHLORATE SOLUTION	5.1	6.1	III	223														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3406	BARIUM PERCHLORATE SOLUTION	5.1	6.1	II		017-007-00-X	barium perchlorate	236-710-4	13465-95-7	Ox. Sol. 1 Acute Tox. 4 * Acute Tox. 4 *	H271 H332 H302	GHS03 GHS07 Dgr	H271 H332 H302			CLP00/	Ox. Sol. 2 Ac.Tox.	Ox. Sol. 1 Ac.Tox. 4 *	
3406	BARIUM PERCHLORATE SOLUTION	5.1	6.1	III	223														
3407	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1		II															
3407	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1		III	223														
3408	LEAD PERCHLORATE SOLUTION	5.1	6.1	II															
3408	LEAD PERCHLORATE SOLUTION	5.1	6.1	III	223														
3409	CHLORONITROBENZENES, LIQUID	6.1		II	279														
3410	4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORIDE SOLUTION	6.1		III	223	612-196-00-0	4-chloro- <i>o</i> -toluidine; [1] 4-chloro- <i>o</i> -toluidine hydrochloride [2]	202-441-6 [1] 221-627-8 [2]	95-69-2 [1] 3165-93-3 [2]	Carc. 1B Muta. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H331 H311 H301 H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H331 H311 H301 H410			CLP00/	Ac.Tox. 3	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1	
3411	beta-NAPHTHYLAMINE SOLUTION	6.1		II															
3411	beta-NAPHTHYLAMINE SOLUTION	6.1		III	223														
						612-020-00-2	1-naphthylamine	205-138-7	134-32-7	Acute Tox. 4 * Aquatic Chronic 2	H302 H411	GHS07 GHS09 Wng	H302 H411			CLP00/	Ac.Tox. 2, 3	Ac.Tox. 4 * Aq.Chr.2	
						612-022-00-3	2-naphthylamine	202-080-4	91-59-8	Carc. 1A Acute Tox. 4 * Aquatic Chronic 2	H350 H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H302 H411	Carc. 1A; H350; C		CLP00/	Ac.Tox. 2, 3	Ac.Tox. 4 * Aq.Chr.2	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat							
3412	FORMIC ACID with not less than 10% but not more than 85% acid by mass	8		II		607-001-00-0	formic acid ... %	200-579-1	64-18-6	Skin Corr. 1A	H314	GHS05 Dgr	H314		Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 10 % ≤ C < 90 % Skin Irrit. 2; H315: 2 % ≤ C < 10 % Eye Irrit. 2; H319; 2 % ≤ C < 10 %	B	CLP00/	Corr.1B	Skin Corr. 1A	
3412	FORMIC ACID with not less than 5% but less than 10% acid by mass	8		III																
3413	POTASSIUM CYANIDE SOLUTION	6.1		I																
3413	POTASSIUM CYANIDE SOLUTION	6.1		II																
3413	POTASSIUM CYANIDE SOLUTION	6.1		III	223															
3414	SODIUM CYANIDE SOLUTION	6.1		I																
3414	SODIUM CYANIDE SOLUTION	6.1		II																
3414	SODIUM CYANIDE SOLUTION	6.1		III	223															
3415	SODIUM FLUORIDE SOLUTION	6.1		III	223	009-004-00-7	sodium fluoride	231-667-8	7681-49-4	Acute Tox. 3 * Eye Irrit. 2 Skin Irrit. 2	H301 H319 H315	GHS06 Dgr	H301 H319 H315	EUH032			CLP00/	Ac.Tox. 3	Ac.Tox. 3 *	
3416	CHLOROACETOPHENONE, LIQUID	6.1		II																
3417	XYLYL BROMIDE, SOLID	6.1		II																
3418	2,4-TOLUYLENEDIAMINE SOLUTION	6.1		III	223															
3419	BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	8		II																
3420	BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	8		II																
3421	POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	8	6.1	II		009-008-00-9	potassium bifluoride; potassium hydrogen difluoride	232-156-2	7789-29-9	Acute Tox. 3 * Skin Corr. 1B	H301 H314	GHS06 GHS05 Dgr	H301 H314		* Skin Corr. 1B; H314: C ≥ 1 % Skin Irrit. 2; H315: 0,1 % ≤ C < 1 % Eye Irrit. 2; H319; 0,1 % ≤ C < 1 %		CLP00/	Corr.1B Ac.Tox.	Skin Corr. 1B Ac.Tox. 3 *	
3421	POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	8	6.1	III	223															

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
3422	POTASSIUM FLUORIDE SOLUTION	6.1		III	223	009-005-00-2	potassium fluoride	232-151-5	7789-23-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 *	H331 H311 H301	GHS06 Dgr	H331 H311 H301				CLP00/	Ac Tox. 3	Ac.Tox. 3 *
3423	TETRAMETHYLAMMONIUM HYDROXIDE, SOLID	8		II															
3424	AMMONIUM DINITRO-o-CRESOLATE, SOLUTION	6.1		II															
3424	AMMONIUM DINITRO-o-CRESOLATE, SOLUTION	6.1		III	223														
3425	BROMOACETIC ACID, SOLID	8		II		607-065-00-X	bromoacetic acid	201-175-8	79-08-3	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1A Skin Sens. 1 Aquatic Acute 1	H331 H311 H301 H314 H317 H400	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H314 H317 H400				CLP00/ATP01	Corr.1B	Skin Corr. 1A Ac.Tox. 3 * Aq.Ac.1
3426	ACRYLAMIDE SOLUTION	6.1		III	223														
3427	CHLOROBENZYL CHLORIDES, SOLID	6.1		III															
3428	3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	6.1		II															
3429	CHLOROTOLUIDINES, LIQUID	6.1		III															
3430	XYLENOLS, LIQUID	6.1		II		604-006-00-X	3,4-xyleneol; [1] 2,5-xyleneol; [2] 2,4-xyleneol; [3] 2,3-xyleneol; [4] 2,6-xyleneol; [5] xyleneol; [6] 2,4(or 2,5)-xyleneol [7]	202-439-5 [1] 202-461-5 [2] 203-321-6 [3] 208-395-3 [4] 209-400-1 [5] 215-089-3 [6] 276-245-4 [7]	95-65-8 [1] 95-87-4 [2] 105-67-9 [3] 526-75-0 [4] 576-26-1 [5] 1300-71-6 [6] 71975-58-1 [7]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Aquatic Chronic 2	H311 H301 H314 H411	GHS06 GHS05 GHS09 Dgr	H311 H301 H314 H411		C		CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Skin Corr. 1B Aq.Chr.2
3431	NITROBENZOTRIFLUORIDES, SOLID	6.1		II															
3432	POLYCHLORINATED BIPHENYLS, SOLID	9		II	305	602-039-00-4	polychlorobiphenyls; PCB	215-648-1	1336-36-3	STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H373 ** H400 H410	GHS08 GHS09 Wng	H373 ** H410		STOT RE 2; H373		CLP00/		
3434	NITROCRESOLS, LIQUID	6.1		III															
3436	HEXAFLUOROACETONE HYDRATE, SOLID	6.1		II															

UN Model Reg. Rev.16						CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS		
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3437	CHLOROCRESOLS, SOLID	6.1		II		604-012-00-2	4-chloro- <i>o</i> -cresol; 4-chloro-2-methyl phenol	216-381-3	1570-64-5	Acute Tox. 3 * Skin Corr. 1A Aquatic Acute 1	H331 H314 H400	GHS06 GHS05 GHS09 Dgr	H331 H314 H400		STOT SE 3; H335		CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Skin Corr. 1A Aq.Ac.1
						604-014-00-3	chlorocresol; 4-chloro- <i>m</i> -cresol; 4-chloro-3-methylphenol	200-431-6	59-50-7	Acute Tox. 4 * Acute Tox. 4 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1	H312 H302 H318 H317 H400	GHS05 GHS07 GHS09 Dgr	H312 H302 H318 H317 H400		*		CLP00/	Ac.Tox. 2	Ac.Tox. 4 * Aq.Ac.1
3438	alpha-METHYLBENZYL ALCOHOL, SOLID	6.1		III															
3441	CHLORODINITROBENZENES, SOLID	6.1		II	279	610-003-00-4	chlorodinitrobenzene	-	-	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H410		C		CLP00/	Ac.Tox. 2 P	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
3442	DICHLOROANILINES, SOLID	6.1		II	279														
						612-202-00-1	3,4-dichloroaniline	202-448-4	95-76-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Dam. 1 Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H331 H311 H301 H318 H317 H400 H410	GHS06 GHS05 GHS09 Dgr	H331 H311 H301 H318 H317 H410				CLP00/	Ac.Tox. 2 P	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
3443	DINITROBENZENES, SOLID	6.1		II		609-004-00-2	dinitrobenzene; [1] 1,4-dinitrobenzene; [2] 1,3-dinitrobenzene; [3] 1,2-dinitrobenzene [4]	246-673-6 [1] 202-833-7 [2] 202-776-8 [3] 208-431-8 [4]	25154-54-5 [1] 100-25-4 [2] 99-65-0 [3] 528-29-0 [4]	Acute Tox. 2 * Acute Tox. 1 Acute Tox. 2 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H330 H310 H300 H373 ** H400 H410	GHS06 GHS08 GHS09 Dgr	H330 H310 H300 H373 ** H410				CLP00/	Ac.Tox. 2	Ac.Tox. 1 Aq.Ac.1 Aq.Chr.1
3444	NICOTINE HYDROCHLORIDE, SOLID	6.1		II	43														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3445	NICOTINE SULPHATE, SOLID	6.1		II															
3446	NITROTOLUENES, SOLID	6.1		II															
						609-006-00-3	4-nitrotoluene	202-808-0	99-99-0	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Chronic 2	H331 H311 H301 H373 ** H411	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H411			CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Aq.Chr.2	
						609-065-00-5	2-nitrotoluene	201-853-3	88-72-2	Carc. 1B Muta. 1B Repr. 2 Acute Tox. 4 * Aquatic Chronic 2	H350 H340 H361f *** H302 H411	GHS08 GHS07 GHS09 Dgr	H350 H340 H361f *** H302 H411			CLP00/	Ac.Tox. 2	Ac.Tox. 4 * Aq.Chr.2	
						609-072-00-3	4-mesyl-2-nitrotoluene	430-550-0	1671-49-4	Repr. 2 Acute Tox. 4 * Skin Sens. 1 Aquatic Chronic 3	H361f *** H302 H317 H412	GHS08 GHS07 Dgr	H361f *** H302 H317 H412			ATP01/	Ac.Tox. 2	Ac.Tox. 4 * Aq.Chr.3	
3447	NITROXYLENES, SOLID	6.1		II															
3449	BROMOBENZYL CYANIDES, SOLID	6.1		I	138														
3450	DIPHENYLCHLOROARSINE, SOLID	6.1		I															
3451	TOLUIDINES, SOLID	6.1		II	279														
						612-024-00-4	m-toluidine; 3-aminotoluene	203-583-1	108-44-1	Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1	H331 H311 H301 H373 ** H400	GHS06 GHS08 GHS09 Dgr	H331 H311 H301 H373 ** H400			CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Aq.Ac.1	
						612-091-00-X	o-toluidine; 2-aminotoluene	202-429-0	95-53-4	Carc. 1B Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Aquatic Acute 1	H350 H331 H301 H319 H400	GHS06 GHS08 GHS09 Dgr	H350 H331 H301 H319 H400			CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Aq.Ac.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
						612-160-00-4	p-toluidine; 4-aminotoluene; [1] toluidinium chloride; [2] toluidine sulphate (1:1) [3]	203-403-1 [1] 208-740-8 [2] 208-741-3 [3]	106-49-0 [1] 540-23-8 [2] 540-25-0 [3]	Carc. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Eye Irrit. 2 Skin Sens. 1 Aquatic Acute 1	H351 H331 H311 H301 H319 H317 H400	GHS06 GHS08 GHS09 Dgr	H351 H331 H311 H301 H319 H317 H400				CLP00/	Ac.Tox. 2	Ac.Tox. 3 * Aq.Ac.1
3452	XYLIDINES, SOLID	6.1			II														
						612-161-00-X	2,6-xylylidine; 2,6-dimethylaniline	201-758-7	87-62-7	Carc. 2 Acute Tox. 4 * Acute Tox. 4 * Acute Tox. 4 * STOT SE 3 Skin Irrit. 2 Aquatic Chronic 2	H351 H332 H312 H302 H335 H315 H411	GHS08 GHS07 GHS09 Wng	H351 H332 H312 H302 H335 H315 H411				CLP00/	Ac.Tox. 2	Ac.Tox. 4 * Aq.Chr.2
3453	PHOSPHORIC ACID, SOLID	8			III	015-011-00-6	phosphoric acid ... %, orthophosphoric acid ... %	231-633-2	7664-38-2	Skin Corr. 1B	H314	GHS05 Dgr	H314	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	B	CLP00/	Corr. 1C	Skin Corr. 1B	
3454	DINITROTOLUENES, SOLID	6.1			II	609-007-00-9	2,4-dinitrotoluene; [1] dinitrotoluene [2]	204-450-0 [1] 246-836-1 [2]	121-14-2 [1] 25321-14-6 [2]	Carc. 1B Muta. 2 Repr. 2 Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * STOT RE 2 * Aquatic Acute 1 Aquatic Chronic 1	H350 H341 H361F*** H331 H311 H301 H373** H400 H410	GHS06 GHS08 GHS09 Dgr	H350 H341 H361F*** H331 H311 H301 H373** H410				CLP00/ATP01	Ac.Tox. 2	Ac.Tox. 3 * Aq.Ac.1 Aq.Chr.1
3455	CRESOLS, SOLID	6.1	8		II	604-004-00-9	m-cresol; [1] o-cresol; [2] p-cresol; [3] mix-cresol [4]	203-577-9 [1] 202-423-8 [2] 203-398-6 [3] 215-293-2 [4]	108-39-4 [1] 95-48-7 [2] 106-44-5 [3] 1319-77-3 [4]	Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B	H311 H301 H314	GHS06 GHS05 Dgr	H311 H301 H314	*	C	CLP00/	Ac.Tox. 2 Corr.	Ac.Tox. 3 * Skin Corr. 1B	
3456	NITROSYLSULPHURIC ACID, SOLID	8			II														

UN Model Reg. Rev.16					CLP regulation											Classif. TDG - GHS	Classif. CLP -GHS				
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Suppl. Haz. St.	Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif	
										Haz Class +Cat	Haz Stat		Haz stat								
3457	CHLORONITROTOLUENES, SOLID	6.1		III																	
3458	NITROANISOLE, SOLID	6.1		III	279																
						609-047-00-7	2-nitroanisole	202-052-1	91-23-6	Carc. 1B Acute Tox. 4 *	H350 H302	GHS08 GHS07 Dgr	H350 H302					CLP00/	Ac.Tox. 3	Ac.Tox. 4 *	
3459	NITROBROMOBENZENES, SOLID	6.1		III																	
3460	N-ETHYLBENZYL TOLUIDINES, SOLID	6.1		III																	
3463	PROPIONIC ACID with not less than 90% acid by mass	8	3	II		607-089-00-0	propionic acid ... %	201-176-3	79-09-4	Skin Corr. 1B	H314	GHS05 Dgr	H314		Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H319: 10 % ≤ C < 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	B	CLP00/	Corr.1B	Skin Corr. 1B		
3468	HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT	2.1			321 356																
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	I	163																
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	II	163																

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Pict, SW	Labelling		Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat		Haz stat	Suppl. Haz. St.					
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	III	163 223														
3470	PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning or reducing compound)	8	3	II	163														
3472	CROTONIC ACID, LIQUID	8		III															
3473	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing flammable liquids	3			328														
3474	1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	4.1		I															
3475	ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	3		II	333														
3476	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing water-reactive substances	4.3			328 334														
3477	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances	8			328 334														

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub-risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3478	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas	2.1			328 338														
3479	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride	2.1			328 339														
3480	LITHIUM ION BATTERIES (including lithium ion polymer batteries)	9		II	188 230 310 348														
3481	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	9		II	188 230 348														
3482	ALKALI METAL DISPERSION, FLAMMABLE or ALKALINE EARTH METAL DISPERSION, FLAMMABLE	4.3	3	I	182 183														
3483	MOTOR FUEL ANTI-KNOCK MIXTURE, FLAMMABLE	6.1	3	I															
3484	HYDRAZINE AQUEOUS SOLUTION, FLAMMABLE with more than 37% hydrazine, by mass	8	3 6.1	I		007-008-00-3	hydrazine	206-114-9	302-01-2	Flam. Liq. 3 Care. 1B Acute Tox. 3 * Acute Tox. 3 * Acute Tox. 3 * Skin Corr. 1B Skin Sens. 1 Aquatic Acute 1 Aquatic Chronic 1	H226 H350 H331 H311 H301 H314 H317 H400 H410	GHS02 GHS06 GHS08 GHS05 GHS09 Dgr	H226 H350 H331 H311 H301 H314 H317 H410		Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 3 % ≤ C < 10 % Eye Irrit. 2; H319; 3 % ≤ C < 10 %	CLP00/	Corr.1A Ac.Tox. Flam.Liq.	Skin Corr. 1B Ac.Tox. 3 * Flam. Liq. 3 Aq.Ac.1 Aq.Chr.1	

UN Model Reg. Rev.16					CLP regulation										Classif. TDG - GHS	Classif. CLP -GHS			
UN No	Proper shipping name/additional data FP = flash point BP = Boiling point	Class or Div.	Sub. risk	PG	SP	Index No	Int. Chem. ID	EC No	CAS No	Classification		Labelling			Specific Conc. Limits, M-factors	Notes	ATP inserted/ ATP Updated	P= Marine pollutant PP= Severe marine pollutant	* highest minimum classif
										Haz Class +Cat	Haz Stat	Pict, SW	Haz stat	Suppl. Haz. St.					
3485	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	5.1	8	II	314	017-012-00-7	calcium hypochlorite	231-908-7	7778-54-3	Ox. Sol. 2 Acute Tox. 4 * Skin Corr. 1B Aquatic Acute 1	H272 H302 H314 H400	GHS03 GHS05 GHS07 GHS09 Dgr	H272 H302 H314 H400	EUH031	Skin Corr. 1B; H314: C ≥ 5 % Skin Irrit. 2; H; 315: 1 % ≤ C < 5 % Eye Dam. 1; H318: 3 % ≤ C < 5 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 %	T	CLP00/ATP01	Ox. Sol. 2 Corr	Ox. Sol. 2 Ac.Tox. 4 * Skin Corr. 1B Aq.Ac.1
3486	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	5.1	8	III	314														
3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	5.1	8	II	314 322														
3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	5.1	8	III	223 314														
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	I	343														
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	II	343														
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	III	343														
3495	IODINE	8	6.1	III	279	053-001-00-3	iodine	231-442-4	7553-56-2	Acute Tox. 4 * Acute Tox. 4 * Aquatic Acute 1	H332 H312 H400	GHS07 GHS09 Wng	H332 H312 H400			CLP00/	Corr. 1C Ac.Tox.	Ac.Tox. 4 * Aq.Ac.1	