

Transmitted by the secretariat

Informal document No. **GRPE-66-09-Rev.1**

66th GRPE, 3-7 June 2013

Agenda item 18(b)



UNECE

POLLUTANT EMISSIONS IN THE TRANSPORTATION SECTOR

Table of Contents

I.	Introduction	2
II.	Main air pollutants and their effects on human health and the environment	3
III.	Emissions and emissions' concentration	4
IV.	Emissions of the main air pollutants.....	5
IV.1	Historical trends.....	5
IV.1.1	European Union	5
IV.1.2	United States.....	5
IV.1.3	Japan	6
IV.2	The role of different economic sectors.....	6
IV.2.1	European Union	6
IV.2.2	North America.....	8
V.	Exposure to air pollution.....	9
VI.	International agreements and obligations on air pollutants	10
VII.	Policy approach to emissions at national and regional level.....	11
VII.1	Current situation	11
VII.1.1	North America.....	12
VII.1.2	Japan	12
VII.1.3	European Union	1413
VII.2	UNECE activities	16
VII.2.1	Common test procedures	1716
VII.2.2	Regulations setting limit values for pollutant emissions	1817
VII.2.3	Other relevant activities.....	2019
VII.3	Focus on diesel exhaust emissions	2119
VII.2	Further legislative action	2422
VIII.	Conclusions and recommendations.....	2624
VIII.1	Conclusions	2624
VIII.2	Recommendations	2725
VIII.2.1	Within the current scope of WP.29 work	2725
VIII.2.2	Outside of the current scope of WP.29 work	2725
IX.	References	2826

Pollutant emissions in the transportation sector: an overview

background note – version 4.0

I. Introduction

1. The objective of this background note is to provide basic information about some recent and important developments in air pollution; to illustrate the results of recent studies on the harmful effects of diesel exhausts to public health; to inform about recent policy developments on the reduction of pollutant emissions to address health and environmental concerns. The overview includes information with global relevance and focuses especially on the European Union, North America, and Japan.
2. Section II contains a list of the main air pollutants and their effects on human health and the environment.
3. Section III provides information on the difference between emissions and emission concentrations.
4. Building on published information, Section IV provides information on the recent trends of emissions of the main air pollutants and the sources that generate them (stationary and mobile sources).
5. Section V focuses on the compliance with existing international agreements, as well as EU legislation. It reports briefly on an assessment of the atmospheric concentration of the main air pollutants in Europe and considers in further detail the emissions of some of these pollutants in UNECE Member States. This second part of the assessment includes, in particular, data on the distance between actual emissions of air pollutants and those that would allow respecting emission reduction ceilings as stipulated by the recently amended Protocol of the Convention on Long-Range Transboundary Air Pollution (CLRTAP) and for the EU Member States by the EU National Emissions Ceiling (NEC) Directive.
6. Section VI provides some information on the exposure to air pollution, briefly attempting to identify the most problematic pollutants in terms of harm to health and the environment.
7. Section VII focuses on policies aiming at the improvement of air quality and the reduction of pollutant emissions to address health and environmental concerns. First, it gives an overview of the current situation. Second, it looks at legislative action that can be expected in the forthcoming years. Third, considering that a recent finding by the World Health Organization (WHO) led to the classification of diesel exhaust emissions as carcinogenic, section VII focuses on diesel emissions. Finally, this section includes an overview of relevant regulatory measures undertaken in the UNECE framework.
8. The information in this background note is a compilation of facts from the work in the framework of CLRTAP, its Task Force on Health, published information (e.g. from the European Environment Agency (EEA) and the United States Environmental Protection Agency (US EPA)), and

the work undertaken in the framework of the Inland Transport Committee and its subsidiary bodies, particularly the World Forum for the Harmonization of Vehicle Regulations (WP.29).

II. Main air pollutants and their effects on human health and the environment

9. A recent report from the European Environment Agency (EEA) (EEA, 2012) provides a brief description (partly reported in Box 1) of the main air pollutants and their effects on human health and the environment. This list includes the "criteria air pollutants" regulated in the United States of America by the Clean Air Act Amendments of 1970 (and its following modifications) because they can harm health and the environment: particle pollution often referred to as particulate matter (PM), ground-level ozone (O_3) (represented in the list below by its precursors), carbon monoxide (CO), sulphur oxides (SO_x), nitrogen oxides (NO_x), and lead (Pb) (US EPA, 2012). Sulphur dioxide (SO_2) and nitrogen oxides (NO_x) are also precursors of acid rain formation.

Box 1. Description of the main air pollutants (gaseous, particulate matter and heavy metals)

Sulphur oxides (SO_x): SO_x are emitted when fuels containing sulphur are burned. They contribute to acid deposition, the impacts of which can be significant: adverse effects on aquatic ecosystems in rivers and lakes, and damage to forests. Furthermore, the formation of sulphate particles results in reflection of solar radiation, which leads to net cooling of the atmosphere.

Nitrogen oxides (NO_x): NO_x are emitted during fuel combustion, as practiced by industrial facilities and the road transport sector. As with SO_x , NO_x contribute to acid deposition but also to eutrophication of soil and water. Of the chemical species that NO_x comprises, it is nitrogen dioxide (NO_2) that is associated with adverse effects on health: high concentrations cause inflammation of the airways and reduced lung function. NO_x also contribute to the formation of secondary inorganic particulate matter and tropospheric (ground-level) ozone with associated climate effects.

Ammonia (NH_3): NH_3 , like NO_x , contributes to both eutrophication and acidification. The vast majority of NH_3 emissions - around 94 % in Europe - come from the agricultural sector, in connection with activities such as manure storage, slurry spreading and the use of synthetic nitrogenous fertilizers.

Carbon monoxide (CO): CO is produced as a result of fuel combustion. The road transport sector, commercial and household sector, and industry are important sources. Long-term exposure to low concentrations of CO can result in neurological problems and potential harm to unborn babies. CO can react with other pollutants to produce ground-level ozone. Elevated levels of ozone can cause respiratory health problems and can lead to premature mortality.

Non-methane volatile organic compounds (NMVOC): NMVOC, important O_3 precursors, are emitted from a large number of sources including paint application, road transport, dry-cleaning and other solvent uses. Certain NMVOC species, such as benzene (C_6H_6) and 1,3-butadiene, are directly hazardous to human health. Biogenic NMVOC are emitted by vegetation, with amounts dependent on the species and on temperature.

Particulate matter (PM): PM is emitted from many sources and is a complex heterogeneous mixture comprising both primary and secondary PM; primary PM is the fraction of PM that is emitted directly into the atmosphere, whereas secondary PM forms in the atmosphere following the oxidation and transformation of precursor gases (mainly SO_x , NO_x , NH_3 and some volatile organic compounds (VOCs)). PM includes PM_{10} , constituted by coarse dust particles between 2.5 and 10 micrometers in diameter, and $PM_{2.5}$, i.e. "fine" particles having a diameter lower than less than 2.5 micrometers. These particles are so small they can be detected only with an electron microscope. Sources of coarse particles include crushing or grinding operations, and dust stirred up by vehicles traveling on roads. Sources of fine particles include all types of combustion, including

motor vehicles, power plants, residential wood burning, forest fires, agricultural burning, and some industrial processes. Considering the potential to harm human health, PM is one of the most important pollutants as it penetrates into sensitive regions of the respiratory system.

Heavy metals (HMs): the HMs arsenic (As), cadmium (Cd), lead (Pb), mercury (Hg), chromium (Cr), copper (Cu), nickel (Ni), selenium (Se) and zinc (Zn) are emitted mainly as a result of various combustion processes and industrial activities, like metals works and smelters. As for Benzo(a)pyrene (BaP), heavy metals can reside in or be attached to PM. As well as polluting the air, HMs can be deposited on terrestrial or water surfaces and subsequently builds up in soils or sediments. HMs are persistent in the environment and may bio-accumulate in food chains.

Source: EEA, 2012a¹

10. Additional information on air pollutants, including considerations on their characteristics, sources, sinks, mixing ratios in the atmosphere (differentiating between ambient air and indoor air), and health effects are also available in dedicated literature, such as Jacobson (2012).

III. Emissions and emissions' concentration

11. Many air pollutants, including NO_x and sulphur dioxide (SO₂), are directly emitted into the air from anthropogenic activities such as fuel combustion or releases from industrial processes. Other air pollutants, such as O₃ and the major part of PM, form in the atmosphere emissions of various precursor species, having either anthropogenic or natural origin. Natural sources of aerosol particle emissions that are included in PM may occur from volcanic eruptions, soli-dust and sea-spray uplifts, natural biomass burning fires, and biological material release. Major anthropogenic sources include fugitive dust emissions, fossil-fuel combustion, anthropogenic biomass burning and industrial emissions (Jacobson, 2012).

12. The concentration of air pollutants in the lower part of the atmosphere does not only depend on levels of emission of pollutants and their precursors, on specific characteristics of the pollutant (such as their average lifetime against phenomena like photolysis), as well as changes in meteorological conditions (Jacobson, 2012 and EEA, 2009). The transport in the atmosphere, over long distances and across national boundaries, of anthropogenic acid-deposition precursors such as SO₂ and NO_x (and the subsequent acidification of water bodies) was particularly relevant in the process leading to the UNECE Convention on Long-Range Transboundary Air Pollution (CLRTAP), the first agreements dealing with air pollution at the international level (Jacobson, 2012).

13. These considerations are important to bear in mind that complex links exist between the emissions of air pollutants and the air quality (the latter being measured via the ambient/atmospheric concentration of pollutants). As a result, changes in the emissions of selected pollutants do not always lead to a corresponding change in their atmospheric concentrations, even if they are a necessary step towards the improvement of air quality.

¹ The EEA report also includes descriptive information on other pollutants (polycyclic aromatic hydrocarbons (PAHs)/Benzo(a)pyrene (BaP), dioxins and furans (PCDD/Fs), polychlorinated biphenyls (PCBs), hexachlorobenzene (HCB), and hexachlorocyclohexane (HCH)) that are not considered in this analysis.

IV. Emissions of the main air pollutants


IV.1 Historical trends

IV.1.1 European Union

14. A number of modeling instruments have been developed for the estimation of the emissions of air pollutants over time and their attribution to different driving sources. According to the EEA (which builds on the results obtained with these modeling instruments), air pollutant emissions in Europe (including EEA Member States and Countries of the Western Balkans) have decreased since 1990. In 2010 (EEA, 2012a):

- (a) SO_x emissions were 82 % lower than in 1990;
- (b) emissions of the other main air pollutants have dropped significantly since 1990, including emissions of the three air pollutants primarily responsible for the formation of ground-level ozone: CO (62 % reduction), NMVOC (56 % reduction) and NO_x (47 % reduction);
- (c) Total Suspended Particles (TSP) have seen a reduction of 48 % from 1990. For PM_{10} and $\text{PM}_{2.5}$, the aggregated EU-27 emission reduction achieved since 2000 is 14 % and 15 %, respectively.

Figure 1. EU-27 emission trends for the main air pollutants and for particulate matter




Source: EEA, 2012a

IV.1.2 United States

15. Similar trends are observable in the United States (Figure 2), where, between 1990 and 2012, SO_2 emissions diminished by more than 70%, CO emission fell by more than 60%, NO_x emission decreased by more than 40%, and PM (both PM_{10} and $\text{PM}_{2.5}$) emissions declined by roughly 20%.

Figure 2. Air pollutant emissions trends in the United States




Source: US EPA, 2012

IV.1.3 Japan

16. In Japan, results from the environmental monitoring on the atmosphere are conducted by prefectural governments in compliance with the Air Pollution Control Law and reported to the Ministry of the Environment. The evolution of the atmospheric concentration of SO₂, suspended particulate matter (SPM) and NO_x, shown in Figure 5, illustrates that the atmospheric concentration of all these pollutants has been on a downward trend in the past few decades.

Figure 5. Atmospheric concentration SO₂, suspended particulate matter and NO_x in Japan



Source: JASIC, 2013

IV.2 The role of different economic sectors


IV.2.1 European Union

17. In addition to total emissions, the EEA estimated the role of different European economic sectors with respect to the emissions of different pollutants. Figure 3 and Table 1 show that energy, transport (distinguishing between road and non-road transport), industrial processes, the use of solvents and other similar products, as well as the commercial and household sectors have emerged as the key sources of emissions a wide range of air pollutants, including NO_x, SO_x,

NMVOC, CO, and PM (EEA, 2012a). In particular, the EEA (EEA, 2010 and EEA, 2012a) points out that:

- (a) The energy sector accounts for around three quarters of Europe's sulphur oxides (SO_x) emissions and about 20 % of NO_x output;
- (b) Transport (namely road transport) vehicles are important emitters of NO_x, carbon monoxide (CO), PM and NMVOCs. Road transport is the biggest emitting economic sector only for NO_x;
- (c) Energy combustion from households and commercial/institutional buildings - burning fuels such as wood and coal - is the main source of directly emitted PM (especially primary PM_{2.5});
- (d) Agriculture accounts for most (about 95 %) of Europe's NH₃ emissions (not shown in Figure 3).

Figure 3. Share of emissions of the main pollutants by economic sector in the EU-27



Source: EEA, 2012a

18. The EEA report shows that a number of key source categories were identified as being key categories for more than one of the 15 pollutants assessed. These key categories are defined as the individual sources that overall contributed most to 2010 emissions of pollutants, determined by a level assessment for each of the main air pollutants, PM, heavy metals (HMs) and persistent organic pollutants (POPs). From a total of 109 source categories, 49 source categories were identified as being key categories for at least 1 pollutant. A number of source categories were identified as being key categories for more than 1 of the 15 pollutants assessed. Road transport was designated as a key category for six types of emissions: NO_x, CO, NMVOC, lead, PM₁₀, and PM_{2.5}. Other sectors, i.e. residential (stationary plants), public electricity and heat production, stationary combustion in manufacturing industries and construction, and iron and steel production, have higher numbers of occurrences as key categories (thirteen, eleven, ten and – again – ten times, respectively).

19. Road transport is the major source category for NO_x (Table 1). Similarly, energy production is the main source for SO_x; agriculture for NH₃; solvent and product use for NMVOC; and the commercial, institutional and household sector for CO. NO_x emissions from the road transport

sector have decreased by 46 % since 1990, mainly as a result of the introduction of three-way catalytic converters on passenger cars and stricter regulation of emissions from heavy-duty vehicles across Europe.

20. Among the top five key categories, the highest relative reductions in emissions between 1990 and 2010 were achieved for passenger cars (-82.9 %).

Table 1. Share of EU-27 emissions of the main pollutants by sector group

Pollutants	Sector with highest share per pollutant		Road Transport	Non Road Transport
	Sector	Share		
NO _x	Road Transport	42 %	42 %	7 %
NM VOC	Solvent and product use	43 %	16 %	2 %
SO _x	Energy production and distribution	58 %	0 %	4 %
NH ₃	Agriculture	94 %	2 %	0 %
PM _{2.5}	Commercial, institutional and households	52 %	16 %	2 %
PM ₁₀	Commercial, institutional and households	41 %	15 %	2 %
CO	Commercial, institutional and households	41 %	29 %	2 %
Pb	Energy use in industry	36 %	10 %	1 %
Cd	Commercial, institutional and households	39 %	3 %	1 %
Hg	Energy production and distribution	41 %	0 %	4 %
PCDD/Fs	Commercial, institutional and households	37 %	1 %	1 %
Total PAHs	Commercial, institutional and households	59 %	2 %	0 %
HCB	Industrial processes	70 %	2 %	0 %
HCH	Industrial processes	66 %	0 %	0 %
PCBs	Waste	35 %	4 %	0 %


Source: EEA, 2012a

IV.2.2 North America

21. In the United States, the US EPA published similar data, illustrating the evolution of emissions in different economic sectors. Figure 4 summarizes the information available from the National Emissions Inventory (NEI) Air Pollutant Emissions Trends Data for the year 2012. Transport (and especially road transport) plays a relevant role for what concerns CO and NO_x, and it is an important source of emission for VOC emissions. Notwithstanding different classifications of the economic sectors, the main difference with the European shares can be identified in the PM emissions, where road transport has a lower relevance in the United States. This difference can be explained with the actions taken in the North America, where stricter PM emission limits than in Europe have been enforced. As in the case of Europe, low-sulphur fuels allowed achieving very low SO₂ emissions in the transport sector.

22. In Canada, emission trends due to transportation follow comparable patterns to those seen in the United States, with PM_{2.5} emissions from the diesel powered on-road fleet counting less than in Europe and having experienced a 75 % decrease between 1985 and 2010. NO_x emissions from the diesel heavy-duty and light-duty fleet also went down 40 % in 2010 from 1998 peak values. As in the case of Europe and the United States, these changes occurred despite an increase in the total annual vehicle kilometers travelled by diesel vehicles.

Figure 4. Share of emissions of the main pollutants by economic sector in the United States



V. Exposure to air pollution

23. In developed countries, the situation of the achievement of transport-related air quality standards improved substantially in recent years. Notwithstanding this progress in reducing anthropogenic emissions of the main air pollutants over recent decades, poor air quality remains an important public health issue (EEA, 2010). This is particularly relevant for airborne particulate matter (PM), tropospheric (ground-level) ozone (O₃) and nitrogen dioxide (NO₂).

24. The air quality concerns regarding these three groups of pollutants (now seen as the most problematic pollutants in terms of harm to health) are confirmed by the following observations:

- (a) A significant proportion of the global population lives in urban areas;
- (b) Cities are the areas with the highest exposure to air pollution because most exceed the air quality reference levels occur (e.g. EU (EC, 2008) and WHO (WHO, 2011));
- (c) In the EU Member States, 16 to 30 % of the urban population was exposed (in the period 2008-2010) to PM_{2.5} concentrations above the EU reference levels (the percentages increase to 90-95 % for WHO reference levels). Similarly, exposure estimates for ozone are 15-17 % (EU) and > 97 % (WHO), respectively (EEA, 2012);
- (d) In Japan, the rate of achievement of environmental quality standards is also close to 100% for CO. For NO_x, the same rate falls close to 90% for roadside monitoring stations, and 100% for ambient monitoring stations. Rates of achievement of the air quality targets are similar for PM, but much lower for PM_{2.5} (about 30% in 2010, when the first valid monitoring of PM_{2.5} was conducted) and ozone (JASIC, 2013).

25. As pointed out in Section IV, emissions from buildings used for households and commercial/institutional activities are amongst the most important contributors to ozone and PM ambient concentrations levels. Other important anthropogenic sources include industrial processes and road transport. The latter is the main sector responsible for NO_x emissions, followed by the energy and household/commercial sector.

VI. International agreements and obligations on air pollutants

26. As already pointed out in Section III, changes in the emissions of air pollutants and their precursors do not necessarily lead to corresponding changes in the concentrations of health- and environment-relevant air pollutants. This is confirmed by the fact, reported by the EEA (EEA, 2010) and illustrated in Figure 6, that the emission reductions documented in Section IV were not necessarily coupled with a corresponding improvement in the atmospheric concentration of related air pollutants.

27. In the case of PM₁₀, the EEA points out that the majority of EU Member States have not attained the limit values required by the Air Quality Directive by 2005 (EEA, 2010). In particular, the exceedance of the daily mean PM₁₀ limit is considered by the EEA as the biggest PM compliance problem in most urban environments (EEA, 2010).


Table 2. Distance of 2010 NO_x emissions (reported in 2012) to the Gothenburg Protocol ceilings

NO _x	2010 emission [Gg]	GP ceilings [Gg]	Distance to target	Compliance
Belgium	221	181	22 %	No
Bulgaria	115	266	-57 %	Yes
Croatia	71	87	-19 %	Yes
Cyprus	18	23	-22 %	Yes
Czech Republic	239	286	-16 %	Yes
Denmark	129	127	1 %	No
Finland	167	170	-2 %	Yes
France	1080	860	26 %	No
Germany	1323	1081	22 %	No
Hungary	162	198	-18 %	Yes
Latvia	34	84	-60 %	Yes
Lithuania	58	110	-47 %	Yes
Luxembourg	46	11	320 %	No
Netherlands	276	266	4 %	No
Norway	184	156	18 %	No
Portugal	186	260	-28 %	Yes
Romania	272	437	-38 %	Yes
Slovakia	89	130	-32 %	Yes
Slovenia	45	45	0 %	Yes
Spain	890	847	5 %	No
Sweden	161	148	9 %	No
Switzerland	79	79	0 %	Yes
United Kingdom	1106	1181	-6 %	Yes
United States of America		6897	-	-
EU-15	7219	6671	8 %	No

28. Critical issues also emerge when looking at the emission of air pollutants with respect to the limits included in the relevant European and international legislation.

29. According to the recently reported data (CEIP, 2012) nine Parties to the CLRTAP, including eight EU Member States, failed to reduce their nitrogen oxides emissions below the 2010 national ceilings (Table 2) set in the Gothenburg Protocol. On the same issue, EEA announced that eleven Member States failed to reduce their air pollutant emissions set in the NEC Directive (EEA, 2012b). A few EU-15 "old" Member States also missed their targets for the other pollutants included in the Gothenburg Protocol. On the other hand, all new EU Member States (EU-12) have met their emission ceilings for all pollutants covered in it.

Figure 6. Indexed trends in air quality



Source: EEA, 2010

30. The tenth Party that missed its NO_x target is the EU-15 that itself is a Party to the Gothenburg Protocol. Moreover, Austria and Ireland that - up till now - have not ratified the Protocol and therefore are not listed in Table 3, also missed their 2010 NO_x ceilings by 76 and 15 %, respectively. The two Parties provided their respective ceilings (107 and 65 Gg) when signing the Gothenburg Protocol (GP) in 1999.

31. The figures for EU-15, ten EU Member States, and Norway that missed their GP ceilings for NO_x in 2010 are shown in decreasing order in Table 3. The ten EU Member States listed in Table 3 made up a 49 % share of the EU-27 NO_x emissions in 2010 (EEA, 2012a).

Table 3. Distance to target of 2010 NO_x emissions in the Gothenburg Protocol in decreasing order

NO _x	2010 emission [Gg]	GP ceilings [Gg]	Distance to target
Luxembourg	46	11	320 %
<i>Austria</i>	<i>189</i>	<i>107</i>	<i>76 %</i>
France	1080	860	26 %
Germany	1323	1081	22 %
Belgium	221	181	22 %
Norway	184	156	18 %
<i>Ireland</i>	<i>75</i>	<i>65</i>	<i>15 %</i>
Sweden	161	148	9 %
EU-15	7219	6671	8 %
Spain	890	847	5 %
Netherlands	276	266	4 %
Denmark	129	127	1 %

Parties in italics have not ratified the Gothenburg Protocol.

VII. Policy approach to emissions at national and regional level

VII.1 Current situation

32. Several national governments have developed national legislation to offer an umbrella or framework regulation to improve air quality and monitor and curb emissions of air pollutants.

VII.1.1 North America

33. In the United States, the Clean Air Act provides the main framework for the undertaking of measures aimed to protect air quality. It identifies two types of national ambient air quality standards. Primary standards provide public health protection, including protecting the health of sensitive populations such as asthmatics, children, and the elderly. Secondary standards provide public welfare protection, including protection against decreased visibility and damage to animals, crops, vegetation, and buildings (US EPA, 2011a).

34. Under the Clean Air Act, EPA's Office of Air Quality Planning and Standards (OAQPS) is responsible for setting the national ambient air quality standards (NAAQS) for pollutants which are considered harmful to people and the environment (US EPA, 2011b).

35. The NAAQS set by the US EPA for six principal pollutants (the "criteria air pollutants") are summarized in Table 4.

Table 4. National Ambient Air Quality Standards in the United States

Pollutant		Primary/ Secondary	Averaging Time	Level	Form
Carbon monoxide (CO)		primary	8-hour	9 ppm	Not to be exceeded more than once per year
			1-hour	35 ppm	
Lead		primary & secondary	Rolling 3 month average	0.15 µg/m ³	Not to be exceeded
Nitrogen dioxide (NO ₂)		primary	1-hour	100 ppb	98th percentile, averaged over 3 years
		primary & secondary	Annual	53 ppb	Annual Mean
Ozone (O ₃)		primary & secondary	8-hour	0.075 ppm	Annual fourth-highest daily maximum 8-hr concentration, averaged over 3 years
Particulate matter (PM)	PM _{2.5}	primary	Annual	12 µg/m ³	annual mean, averaged over 3 years
		secondary	Annual	15 µg/m ³	annual mean, averaged over 3 years
		primary & secondary	24-hour	35 µg/m ³	98th percentile, averaged over 3 years
	PM ₁₀	primary & secondary	24-hour	150 µg/m ³	Not to be exceeded more than once per year on average over 3 years
Sulfur dioxide (SO ₂)		primary	1-hour	75 ppb	99th percentile of 1-hour daily maximum concentrations, averaged over 3 years
		secondary	3-hour	0.5 ppm	Not to be exceeded more than once per year

Source: US EPA, 2011a

VII.1.2 Japan

36. In Japan, Environmental Quality Standards for Air (EQSs), summarized in Table 5, are designated for the purpose of protection of human health from environmental pollution established by the Basic Environment Law. The substances targeted by the EQSs include Suspended Particulate Matter (SPM), NO_x and PM_{2.5} (Table 5).

37. In transport, vehicle emissions regulations were first established in Japan under the Air Pollution Control Law in 1973 for gasoline vehicles and in 1974 for diesel vehicles. A reinforcement of these regulations resulted in adding PM as the targeted substance for regulations in 1994.

Table 5. Japanese environmental air quality standards

Substance	Environmental conditions	Measuring method
Sulfur dioxide	The daily average for hourly values shall not exceed 0.04 ppm, and hourly values shall not exceed 0.1 ppm (Notification on May 16, 1973)	Conductometric method or ultraviolet fluorescence method
Carbon monoxide	The daily average for hourly values shall not exceed 10 ppm, and average of hourly values for any consecutive eight hour period shall not exceed 20ppm (Notification on May 8, 1973)	Nondispersive infrared analyzer method
Suspended particulate matter	The daily average for hourly values shall not exceed 0.10 mg/m ³ , and hourly values shall not exceed 0.20 mg/m ³ (Notification on May 8, 1973)	Weight concentration measuring methods based on filtration collection, or light scattering method; or piezoelectric microbalance method; or β-ray attenuation method that yields values having a linear relation with the values of the above methods.
Nitrogen dioxide	The daily average for hourly values shall be within the 0.04-0.06 ppm zone or below that zone (Notification on July 11, 1978)	Colorimetry employing Saltzman reagent (with Saltzman's coefficient being 0.84) or chemiluminescent method using ozone.
Photochemical oxidants	Hourly values shall not exceed 0.06 ppm (Notification on May 8, 1973)	Absorption spectrophotometry using a neutral potassium iodide solution; coulometry; ultraviolet absorption spectrometry; or chemiluminescent method using ethylene.
Fine Particulate Matter (PM _{2.5})	The annual standard for PM _{2.5} is less than or equal to 15.0 µg/m ³ . The 24 hour standard, which means the annual 98th percentile values at designated monitoring sites in an area, is less than or equal to 35µg/m ³ . (Notification on September 9, 2009)	Mass measurement with filter sample collection which is designated as a reference method, or alternative automated methods, designated as equivalent methods, which are proved to have measurement performance comparable to the corresponding reference method.

Source: JASIC, 2013

38. In Japan, the Central Environment Council is in charge of issuing recommendations to review and reinforce measures for vehicle emission, including establishing the maximum permissible limits, in response to inquiry by Minister of the Environment. The Council, responsible for consideration of issues related to environmental protection, discusses measures for vehicle emissions taking into account of technological development and changes in regulations taking place in other global areas. For road transport, the maximum permissible limit values of emissions are prescribed by the Road Vehicles Act. **The Ministry of Land, Infrastructure, Transport and Tourism enforces the Road Vehicles Act which prescribes the limit value in consideration of Air Pollution Control Law.**

VII.1.3 European Union

39. The European Union (EU) set up a number of instruments aiming to avoid, prevent or reduce harmful effects on human health and the environment as a whole. The policies in place limit the emissions of air pollutants, and/or establish objectives for ambient air quality. Key legislative EU instruments include the following:

- (a) In 2001, the EU Directive on National Emission Ceilings² for certain pollutants (NEC Directive) (EC, 2001), setting upper limits for each Member State for the total emissions in 2010 (and beyond) of the four pollutants responsible for acidification, eutrophication and ground-level ozone pollution: sulphur dioxide (SO₂), nitrogen oxides (NO_x), volatile organic compounds (VOC) and ammonia (NH₃). The NEC Directive left to the EU Member States the decision on which measures to take in order to comply, but it included the requirement to develop (in 2002, with a second round foreseen for 2006) national programmes for the attainment of the targets. These programmes have been analyzed and evaluated.
- (b) In 2002, the Sixth Environment Action Programme (6EAP) set long-term objective of achieving levels of air quality that do not give rise to significant negative impacts on, and risks to, human health and the environment.
- (c) In 2005, the Thematic Strategy on Air Pollution (EC, 2005) identified a number of key measures to be taken to help meeting the 2020 interim objectives for human health and the environment. The revision of the NEC Directive, now under preparation, was identified as one of the key measures in this strategy.
- (d) In 2008, the Air Quality Directive (EC, 2008) merged most of the previous legislation on air quality (i.e. legislation targeting the ambient concentration of pollutants, with the exception of target values for the concentration of arsenic, cadmium, nickel and benzo(a)pyrene in ambient air) into a single directive, with no change to pre-existing air quality objectives. The Air Quality Directive also introduced new air quality objectives for PM_{2.5} (fine particles), the possibility to discount natural sources of pollution when assessing compliance against limit values, and the possibility for time extensions of three years (PM₁₀) or up to five years (NO₂, benzene) for complying with limit values, based on conditions and the assessment by the European Commission. The limit values for the protection of human health included in the Air Quality Directive are reported in Table 6.

40. According to the final assessment on the 6EAP, the review of the European air quality policy is expected by 2013 (EC, 2011). The review of the NEC Directive is expected to set emission ceilings for the four already regulated substances (SO₂, NO_x, volatile organic compounds and ammonia), as well as the primary emissions (i.e. the fraction of emissions that is emitted directly into the atmosphere, rather than following the oxidation and transformation of precursor gases) of fine particulate matter (PM_{2.5}) (EC, 2012a).

41. Parallel to the development of the EU NEC Directive, the EU Member States together with Central and Eastern European countries, the United States of America and Canada have negotiated the "multi-pollutant" protocol (the so-called Gothenburg Protocol, agreed in November 1999

² Later amended as part of the accession of new EU Member States.

(UNECE, 1999)) under the UNECE Convention on Long-Range Transboundary Air Pollution (CLRTAP) (UNECE, 1979). The Gothenburg Protocol includes emission ceilings for nitrogen oxides (NO_x), sulphur dioxide (SO_2), ammonia (NH_3) and non-methane volatile organic compounds (NMVOCs). The emission ceilings in the protocol are equal or less ambitious than those in the NEC Directive (EC, 2012b).

42. In early May 2012, Parties of CLRTAP reached a consensus to revise the Gothenburg Protocol. The revised Protocol (not in force yet) sets new emission ceilings for NO_x , SO_2 , NH_3 and NMVOCs for the year 2020 and beyond. It introduces emission ceilings for fine particulate matter ($\text{PM}_{2.5}$).

Table 6. Limit values of the European Air Quality Directive for the protection of human health

Averaging Period	Limit value	Margin of tolerance	Date by which limit value is to be met
Sulphur dioxide			
One hour	350 µg/m ³ , not to be exceeded more than 24 times a calendar year	150 µg/m ³ (43 %)	— ⁽¹⁾
One day	125 µg/m ³ , not to be exceeded more than 3 times a calendar year	None	— ⁽¹⁾
Nitrogen dioxide			
One hour	200 µg/m ³ , not to be exceeded more than 18 times a calendar year	50 % on 19 July 1999, decreasing on 1 January 2001 and every 12 months thereafter by equal annual percentages to reach 0 % by 1 January 2010	1 January 2010
Calendar year	40 µg/m ³	50 % on 19 July 1999, decreasing on 1 January 2001 and every 12 months thereafter by equal annual percentages to reach 0 % by 1 January 2010	1 January 2010
Benzene			
Calendar year	5 µg/m ³	5 µg/m ³ (100 %) on 13 December 2000, decreasing on 1 January 2006 and every 12 months thereafter by 1 µg/m ³ to reach 0 % by 1 January 2010	1 January 2010
Carbon monoxide			
maximum daily eight hour mean ⁽²⁾	10 mg/m ³	60 %	— ⁽¹⁾
Lead			
Calendar year	0,5 µg/m ³ ⁽³⁾	100 %	— ⁽³⁾
PM₁₀			
One day	50 µg/m ³ , not to be exceeded more than 35 times a calendar year	50 %	— ⁽¹⁾
Calendar year	40 µg/m ³	20 %	— ⁽¹⁾

⁽¹⁾ Already in force since 1 January 2005

⁽²⁾ The maximum daily eight hour mean concentration will be selected by examining eight hour running averages, calculated from hourly data and updated each hour. Each eight hour average so calculated will be assigned to the day on which it ends i.e. the first calculation period for any one day will be the period from 17:00 on the previous day to 01:00 on that day; the last calculation period for any one day will be the period from 16:00 to 24:00 on that day.

⁽³⁾ Already in force since 1 January 2005. Limit value to be met only by 1 January 2010 in the immediate vicinity of the specific industrial sources situated on sites contaminated by decades of industrial activities. In such cases, the limit value until 1 January 2010 will be 1,0 µg/m³. The area in which higher limit values apply must not extend further than 1 000 m from such specific sources.

Source: EC, 2008

VII.2 UNECE activities

43. UNECE World Forum for Harmonization of Vehicle Regulations (WP.29) has already done extensive work in this field, with major achievements towards reducing the emissions of air pollutants from all motor vehicles engines (diesel and petrol). This work largely benefitted from on the regulatory initiatives undertaken by the European Union. Besides contributing to extend their scope to a larger portion of the globe, the work undertaken at the UNECE was particularly relevant

to make significant progress on technical matters, such as those concerning the test procedures that are required for the enforcement of emission control legislation.

VII.2.1 Common test procedures

44. In 1997, a process aimed at the world-wide test cycle harmonization for heavy-duty engines was started in the WP.29 framework. This began with the creation, under the Working Party on Pollution and Energy (GRPE, a subsidiary body of WP.29), of a working group on the World-wide Heavy-Duty Certification procedure (WHDC). The work of this group resulted in the establishment, in 2006, of a harmonized UN Global Technical Regulation (UN GTR No. 4) on the certification procedure for heavy-duty engines (UNECE, 2013a). This regulatory text provides a common basis, at global level, for measuring the performance of existing and future heavy-duty engines in terms of emissions of gaseous pollutants and particulate matter. The UN GTR contains two representative test cycles (a transient test cycle (WHTC) with both cold and hot start requirements and a hot start steady state test cycle (WHSC)), closely reflecting world-wide on-road heavy-duty engine operation (a marked improvement in comparison with earlier approaches).

45. In 2001, the working group World-Wide harmonized Heavy duty On-Board Diagnostics (WWH-OBDD) was established to develop harmonized prescriptions for technical requirements for on-board diagnostic systems for road vehicles. This activity (now concluded) led to the adoption, in 2006, of the UN GTR No. 5 (UNECE, 2013b), a regulatory text that is directed at OBD requirements for heavy-duty engines/vehicles that are necessary to maintain emissions-related performance (i.e. emissions-OBD). The text is also structured in a manner that facilitates a wider application of OBD to other vehicle systems in the future.

46. In 2001, WP.29 created the working group on Off-Cycle Emissions (OCE) with the aim to ensure that off-cycle emissions from heavy-duty engines and vehicles are appropriately controlled over a broad range of engine and ambient operating conditions encountered during normal in-use vehicle operation. This work resulted in the adoption, in 2009, of the UN GTR No. 10 (UNECE, 2013c), a text that was designed to be applicable to engines certified or type approved under the test procedures of UN GTR No. 4 on the Worldwide harmonized Heavy Duty Certification (WHDC).

47. The work initiated for the UN GTR No. 4 and continued with UN GTRs Nos. 5 and 10 is now being brought forward by the informal working group on Heavy Duty Hybrids (HDH), established in 2010 to develop new provisions for a hybrid specific engine cycle for the measurement of pollutants and CO₂ emission from heavy duty hybrids. The focus of this group is again on the development of a test procedure, in order to keep providing a common technical basis to the Parties having an interest to regulate the emissions of pollutants and CO₂ from heavy duty vehicles. The HDH working group is expected to finalize its work by the end of 2013.

48. In 1999, the development of a Worldwide-harmonized Motorcycle Test Cycle (WMTC) was also started. First, this was a tripartite project between the Netherlands Ministry of the Environment (VROM), TNO Automotive and the International Motorcycle Manufacturer Association (IMMA). In 2000 this project was brought in the UNECE/WP.29 framework, with the creation of the WMTC working group. The work of this group led to the adoption, in 2005, of UN GTR No. 2 (UNECE; 2013d) on the certification procedure for motorcycles. The UN GTR contains a representative test cycle in three parts, covering different road types. It includes a gearshift procedure, based on real life data, and an update of the general laboratory conditions for the emission test. The regulatory text covers

the emission of gaseous pollutants, CO₂ emissions and fuel consumption, enabling a realistic testing of existing and future motorcycle exhaust-emissions technologies.

49. A similar process started in 2003 for Non-Road Mobile Machinery (NRMM), with the creation of a working group (under WP.29/GRPE) aiming to develop new worldwide harmonized provisions for NRMM engines. Similarly to the case of heavy duty vehicles and UN GTR No. 4, the work of the NRMM group led to the establishment, in 2009, of the UN GTR No. 11 (UNECE; 2013e), containing a common test procedure on the measurement of emissions of gaseous pollutants (NO_x, CO, HC, particles) from NRMM compression-ignition engines.

50. The development of a regulatory text with a Worldwide harmonized Light vehicles Test Procedure (WLTP), covering the emissions of gaseous pollutants (NO_x, CO, HC) and particles, as well as fuel consumption and the emissions of CO₂, started in 2007, with the creation of a working group under GRPE. In 2009, a proposal for the development of a UN GTR was adopted. By 2010, the work of the WLTP groups was organized in sub-groups. Some of the activities originally planned, such as those concerning Mobile Air Conditioning systems, were considered as a parallel work stream to the main development of the regulatory text and the related test procedures. The WLTP drafted a preliminary texts for the UN GTR on the light vehicle test (UNECE; 2013f) and is expected to deliver, by 2014, the final regulatory framework containing harmonized test procedures to enable the certification of existing and future light vehicles technologies.

VII.2.2 Regulations setting limit values for pollutant emissions

51. UN Regulations Nos. 49 (heavy duty vehicles) (UNECE, 2013g) and 83 (light vehicles) (UNECE, 2013h) specify limit values for emissions of particulate matter (expressed, in the last updates, both in terms of particulate mass and particle number), carbon monoxide, hydrocarbons (also specifying the part of non-methane hydrocarbons, in the last updates) and oxides of nitrogen. They build on the emission regulations enforced in the European Union (Euro pollutant emission standards, enacted through directives and, in recent years, regulations). Table 7a and 7b summarize the evolution of emission limits of CO, HC, NO_x, and PM for light vehicles (both for the transport of passengers and goods), since the Euro 1 norms, also specifying the EU regulatory text and the corresponding version of the UN Regulation No. 83 that contain provisions on the different sets of limit values. Tables 8a and 8b provide a similar summary for heavy duty vehicles regulated by UN Regulation No. 49.

52. Similar limit values, for carbon monoxide (CO), hydrocarbons, NO_x and PM, have been enforced for engines of non-road mobile machinery (UN Regulation No. 96) (UNECE, 2013i), i.e. engine fitted to self-propelled machinery including agricultural/forestry tractors, construction site engines, locomotives, navigation vessels, etc. The current limit values for the pollutant emissions of non-road mobile machinery depend on the net power of the engine. For PM, they range between 0.025 g/kWh (large engines) and 0.8 g/kWh (small ones). NO_x limits range between 2 g/kWh and 8 g/kWh. For CO, the limits are set between 3.5 g/kWh and 5.5 g/kWh. Hydrocarbon emission limits range between 0.19 g/kWh and (combined with NO_x) 7.5 g/kWh.

Table 7a. Emission limits for light vehicles

Vehicle class		Pollutant emission limits													
		CO (g/km)		HC+NOX (g/km)				PM (g/km)				Particle number			
		Petrol	Diesel	Petrol	Diesel	NOX (g/km)		HC (g/km)		Petrol	Diesel			Petrol	Diesel
						Petrol	Diesel	Total HC (g/km)	NMHC (g/km)						
M	Euro 1	2.72	2.72	0.97	0.97							0.14			
	Euro 2	2.2	1	0.5	0.7							0.08			
	Euro 3	2.3	0.64		0.56	0.15	0.5	0.2				0.05			
	Euro 4	1	0.5		0.3	0.08	0.25	0.1				0.025			
	Euro 5	1	0.5		0.23	0.06	0.18	0.1	0.068			0.0045		6.0 x 10 ¹¹	
	Euro 6	1	0.5		0.17	0.06	0.08	0.1	0.068			0.0045	0.0045	6.0 x 10 ¹¹	
N1 - I	Euro 1	2.72	2.72	0.97	0.97							0.14			
	Euro 2	2.2	1	0.5	0.7							0.08			
	Euro 3	2.3	0.64		0.56	0.15	0.5	0.2				0.05			
	Euro 4	1	0.5		0.3	0.08	0.25	0.1				0.025			
	Euro 5	1	0.5		0.23	0.06	0.18	0.1			0.0045	0.0045		6.0 x 10 ¹¹	
	Euro 6	1	0.5		0.17	0.06	0.08	0.1			0.0045	0.0045		6.0 x 10 ¹¹	
N1 - II	Euro 1	5.17	5.17	1.4	1.4							0.19			
	Euro 2	4	1.25	0.6	1							0.12			
	Euro 3	4.17	0.8		0.72	0.18	0.65	0.25				0.07			
	Euro 4	1.81	0.63		0.39	0.1	0.33	0.13				0.04			
	Euro 5	1.81	0.63		0.295	0.075	0.235	0.13	0.09		0.0045	0.0045		6.0 x 10 ¹¹	
	Euro 6	1.81	0.63		0.195	0.75	0.105	0.13	0.09		0.0045	0.0045		6.0 x 10 ¹¹	
N1 - III	Euro 1	6.9	6.9	1.7	1.7							0.25			
	Euro 2	5	1.5	0.7	1.2							0.17			
	Euro 3	5.22	0.95		0.86	0.21	0.78	0.29				0.1			
	Euro 4	2.27	0.74		0.46	0.11	0.39	0.16				0.06			
	Euro 5	2.27	0.74		0.35	0.082	0.28	0.16	0.108		0.0045	0.0045		6.0 x 10 ¹¹	
	Euro 6	2.27	0.74		0.215	0.082	0.125	0.16	0.108		0.0045	0.0045		6.0 x 10 ¹¹	

Table 7b. Regulatory texts for light vehicles

Vehicle class	Pollutant emission regulation	EU regulatory text	Entry into force	UN Regulation No.	Entry into force	Test
M	Euro 1	Directive 91/441/EEC	33786	83.01 (Rev.1)	33939	EDC
	Euro 2	94/12/EC	Jan-96	83.03 (Rev. 1 amend. 2)	Dec-96	EDC
	Euro 3	Directive 98/69/EC; A-2000	Jan-00	83.05 (Rev. 2); A-2000	Mar-01	NEDC
	Euro 4	Directive 98/69/EC; B-2005	Jan-05	83.05 (Rev. 2); B-2005	Mar-01	NEDC
	Euro 5	Regulation 715/2007/EC	Sep-09	83.06 (Rev. 4)	Dec-10	NEDC
	Euro 6	Regulation 715/2007/EC	Sep-14	83.07 (Rev. 5)		NEDC
N1 - I	Euro 1	Directive 93/59/EEC	Oct-94	83.02 (Rev. 1 amend. 1)	Mar-01	EDC
	Euro 2	Directive 96/69/EC	Jan-98	83.04 (Rev. 1 amend. 4)	Nov-99	EDC
	Euro 3	Directive 98/69/EC; A-2000	Jan-00	83.05 (Rev. 2); A-2000	Mar-01	NEDC
	Euro 4	Directive 98/69/EC; B-2005	Jan-05	83.05 (Rev. 2); B-2005	Mar-01	NEDC
	Euro 5	Regulation 715/2007/EC	Sep-09	83.06 (Rev. 4)	Dec-10	NEDC
	Euro 6	Regulation 715/2007/EC	Sep-14	83.07 (Rev. 5)		NEDC
N1 - II	Euro 1	Directive 93/59/EEC	Jul-92	83.02 (Rev. 2)	36951	EDC
	Euro 2	Directive 96/69/EC	35065	83.04 (Rev. 1 amend. 4)	36465	EDC
	Euro 3	Directive 98/69/EC; A-2000	36526	83.05 (Rev. 2); A-2000	36951	NEDC
	Euro 4	Directive 98/69/EC; B-2005	38353	83.05 (Rev. 2); B-2005	36951	NEDC
	Euro 5	Regulation 715/2007/EC	40057	83.06 (Rev. 4)	40513	NEDC
	Euro 6	Regulation 715/2007/EC	41883	83.07 (Rev. 5)		NEDC
N1 - III	Euro 1	Directive 93/59/EEC	33786	83.02 (Rev. 2)	36951	EDC
	Euro 2	Directive 96/69/EC	35065	83.04 (Rev. 1 amend. 4)	36465	EDC
	Euro 3	Directive 98/69/EC; A-2000	36526	83.05 (Rev. 2); A-2000	36951	NEDC
	Euro 4	Directive 98/69/EC; B-2005	38353	83.05 (Rev. 2); B-2005	36951	NEDC
	Euro 5	Regulation 715/2007/EC	40057	83.06 (Rev. 4)	40513	NEDC
	Euro 6	Regulation 715/2007/EC	41883	83.07 (Rev. 5)		NEDC

Table 8a. Emission limits for heavy duty vehicles

Pollutant emission regulation	Pollutant emission limits												
	CO (g/kWh)		HC+NOX (g/kWh)				CH4 (g/kWh)		PM (g/kWh)		Smoke (1/m)	Particle number	
	Petrol	Diesel	NOX (g/kWh)		HC (g/kWh)		Petrol	Diesel	Petrol	Diesel	Diesel	Diesel	
			Petrol	Diesel	Total HC (g/kWh)	NMHC (g/kWh)							
Euro 0		11.2		14.4		2.4							
Euro I		4.5		8		1.1				0.36 / 0.612			
Euro II		4		7		1.1				0.15			
Euro III		2.1		5		0.66				0.1 / 0.13	0.8		
Euro III		5.45		5			0.78		1.6	0.16 / 0.21			
Euro IV		1.5		3.5		0.46				0.02	0.5		
Euro IV		4		3.5			0.55		1.1	0.03			
Euro V		1.5		2		0.46				0.02	0.5		
Euro V		4		2			0.55		1.1	0.03			
EEV		1.5		2		0.25				0.02	0.15		
EEV		3		2			0.4		0.65	0.03			
Euro VI		1.5		0.4		0.13				0.01			8.0 x 10 ¹¹
Euro VI	4	4	0.46	0.46	0.16	0.16	0.16	0.5	0.01	0.01			6.0 x 10 ¹¹

Table 8b. Regulatory texts for heavy duty vehicles

Pollutant emission regulation	EU regulatory text	Entry into force	UN Regulation No.	Entry into force	Test
Euro 0	Directive 88/77/EEC				R49
Euro I	Directive 91/542/EEC	Jan-92	49.02 (Rev.2); A-1992	Dec-92	R49
Euro II	Directive 91/542/EEC	Oct-98	49.02 (Rev.2); B-1995	Dec-92	R49
Euro III	Directive 1999/96/EC	Jan-00	49.03 (Rev.3 amend.1); A-2000	Dec-01	ESC (steady-state) and ELR (smoke)
Euro III	Directive 1999/96/EC	Jan-00	49.03 (Rev.3 amend.1); A-2000	Dec-01	ETC (transient)
Euro IV	Directive 1999/96/EC	Jan-05	49.03 (Rev.3 amend.1); B1-2005	Dec-01	ESC (steady-state) and ELR (smoke)
Euro IV	Directive 1999/96/EC	Jan-05	49.03 (Rev.3 amend.1); B1-2005	Dec-01	ETC (transient)
Euro V	Directive 1999/96/EC	Jan-08	49.03 (Rev.3 amend.1); B2-2008	Dec-01	ESC (steady-state) and ELR (smoke)
Euro V	Directive 1999/96/EC	Jan-08	49.03 (Rev.3 amend.1); B2-2008	Dec-01	ETC (transient)
EEV	Directive 1999/96/EC	Jan-00	49.03 (Rev.3 amend.1); C	Dec-01	ESC (steady-state) and ELR (smoke)
EEV	Directive 1999/96/EC	Jan-00	49.03 (Rev.3 amend.1); C	Dec-01	ETC (transient)
Euro VI	Regulation 595/2009	Jan-14	49.06 (Rev. 6)		WHSC (steady-state)
Euro VI	Regulation 595/2009	Jan-14	49.06 (Rev. 6)		WHTC (transient)

53. In 2010, WP.29/GRPE established an informal working group on Retrofit Emission Control devices (REC) to evaluate harmonized requirements for the treatment of diesel exhaust emissions with the aim to develop a new UN Regulation for REC to be installed on heavy duty vehicles, non-road mobile machinery and tractors already in use. The activities of the group follow a number of initiatives aiming to contain pollutant emissions, including in particular the adoption of low emission zones. The technical work of the REC group will address the need for defined performance requirements for retrofit emission control devices, delivering uniform provisions applicable to vehicles engaged in cross-border transport and fostering the market entry of these new technologies. The text of the new UN Regulation on REC is currently being finalized and the performance-oriented requirements included are expected to be established by the end of 2013 (UNECE, 2013j).

VII.2.3 Other relevant activities

54. A number of other activities were started in order to support the work undertaken by the groups working on UN GTRs and UN regulations.

- (a) In 2001, the World Forum WP.29 established an informal working group on the Particle Measurement Programme (PMP). The main focus of this group is, and has

been, the development of standardized methodologies to measure emissions from vehicles and their engines. This has been the basis for the development of regulatory instruments targeting the emission reduction of pollutants, including particulate matter.

- (i) In 2008, the work of this group allowed the adoption, by WP.29, of a new particle number measurement method for light vehicles (included in UN Regulation No. 83). This includes new limit values (Euro 5 level) that have to be fulfilled by petrol and diesel engines.
- (ii) In 2010, it allowed the adoption of a new particle number measurement method for heavy duty vehicles (included in UN Regulation No. 49).

Today, PMP is still an active informal working group. It is dealing primarily with calibration issues and hosts discussions on the measurement method of sub 23 nm particles.

- (b) The informal working group on Electric Vehicles and the Environment (EVE), established under GRPE by WP.29 in 2012, was created with the aim to act as an international forum to examine a range of issues related to electric vehicles, including sharing information about developing technologies, current regulatory activities, policy approaches, research priorities, and the deployment of EVs. The EVE group is currently developing a global EV Regulatory Reference Guide that will compile requirements (voluntary, regulatory, etc.) for hybrid, plug-in and electric vehicles for GRPE Contracting Parties and WP.29 informal working groups.

VII.3 Focus on diesel exhaust emissions

55. In June 2012, the World Health Organization's International Agency on Research on Cancer (IARC)³ concluded that diesel engine exhaust is carcinogenic to humans based on sufficient evidence that exposure is associated with an increased risk for lung cancer (IARC, 2012). IARC thereby changed its finding from 1988, when it classified diesel exhaust as probably being carcinogenic to humans. The finding from a previous evaluation in 1989, that gasoline exhaust is possibly carcinogenic to humans, remained unchanged.

56. It is noteworthy that the IARC decision was unanimous and was based on "compelling" scientific evidence. It urged people worldwide to reduce their exposure to diesel fumes as much as possible. Large populations are exposed to diesel exhaust in everyday life, whether through their occupation or through the ambient air. People are exposed not only to motor vehicle exhausts but also to exhausts from other diesel engines, including those from other modes of transport (e.g. diesel trains and ships) and stationary sources (e.g. power and motion generators used in the energy and in the industrial sectors).

57. However, the mounting concern about the cancer-causing potential of diesel exhaust was based on findings in epidemiological studies of workers exposed in various settings. This was re-

³ IARC is a specialized agency of WHO. It produces evidence-based science to be translated into public health policies and actions by national or international public health authorities such as WHO. IARC defines potential cancer risks to humans, but it does not recommend legislation or regulation. The IARC evaluation is designed to assist national and international health authorities in making their risk assessments and taking preventive action.

emphasized by the publication in March 2012 of the results of a US National Cancer Institute/National Institute for Occupational Safety and Health study of occupational exposure to such emissions in underground miners, which showed an increased risk of death from lung cancer in exposed workers (IARC, 2012).

58. Dr. Kurt Striaf, Head of the IARC Monographs Program, indicated that "the main studies that led to the above mentioned conclusion were in highly exposed workers (mines) and that they came up to this conclusion based on other carcinogens, such as radon, that initial studies showing a risk in heavily occupational groups were followed by positive finding for the general population" (IARC, 2012).

59. Dr. Christopher Wild, IARC Director, answering the question if the new diesel engines are so clean that the findings from this Monograph meeting are no longer relevant to today's situation, replied: "the new diesel engines contain far fewer particles and chemicals compared to the older technology engines. In addition to that, there are also qualitative changes, so the composition of the mixture in the exhaust is different. However, what we do not know at this stage is if this composition and the decreased levels of these components translated to a different healthy fact in exposed people and here we should encourage further research in the future. The second point is that in many developing countries the transition from the old technology to the new one will take time and therefore, for many people in the world, the exposures are still from the diesel engines" (Wild, 2012).

60. The US EPA considers that the health effects of diesel emissions are well studied, but complex (US EPA, 2002). Even if the level and duration of exposure that causes harm varies from one substance to the next, the EPA has designated diesel exhaust as a likely carcinogen to humans by inhalation at environmentally adequate exposures (US EPA, 2002). In the United States, a number of other agencies (National Institute for Occupational Safety and Health, the International Agency for Research on Cancer, the World Health Organization, California EPA, and US Department of Health and Human Services) have made similar classifications.

61. The importance of the health risks pointed out by the IARC and other authoritative sources calls for continued action aiming at limiting emission of air pollutants characterizing diesel exhaust and, more broadly, to reduce human exposure to them.

62. To date, the legislation targeting the emissions of air pollutants was the main contributor to the achievement of major reductions of air pollutant emissions that also address diesel combustion.

63. The strong relationship between transport and ICEs was such that legislative actions were aimed primarily to limit pollution generated in road transport applications. In Europe and other highly motorized countries, recent policy measures that impose stricter pollutant emission limits for the construction of new road transport vehicles, extend into the forthcoming years the achievement of substantial impacts in terms of abating the emissions from diesel exhaust emissions. A summary of the measures recently taken by the United States, Canada and Japan, is included in Box 2. Table 9 contains a summary of the limit values of exhaust gas emissions from diesel heavy duty vehicles in Japan, including those that concern the near future.

Box 2. Regulatory actions on diesel-related emissions in the United States, Canada and Japan

The United States has a full suite of regulatory actions that address emissions from diesel engines and diesel fuel. Since 2007, diesel engines introduced into the US market must meet the most stringent standards. Diesel sulphur levels were also dramatically reduced at that time. Diesel engines used in non-road sources like agricultural or construction uses will need to meet strict Tier

4 emissions requirements beginning in 2014. Additionally, within the last five years the US has adopted regulations for emissions controls from locomotives and marine vessels.

Canada regulates new on-road light passenger cars and trucks, as well as on-road heavy-duty trucks and off-road machinery. Most recently, Canada aligned with the Tier 4 air pollutant standards of the United States of America for off-road diesel engines used in mining, agricultural and construction sectors. Canada has also implemented regulations to reduce the maximum allowable content of sulphur diesel fuel to 15 part per million (ppm) in order to ensure the effective operation of exhaust after-treatment systems used on diesel engines to meet increasingly stringent emission standards.

The current Japanese "Post New Long Term Regulation" for diesel vehicles came into force in October 2009, in accordance with the Eighth Report of Future Policy for Motor Vehicle Emission Reduction published by the Central Environment Council on April 2005. In addition, the Tenth Report of Future Policy for Motor Vehicle Emission Reduction published on July 2010 recommends the adoption of Worldwide harmonized Heavy Duty Certification (WHDC) and reinforcement of NO_x permissible limit for heavy-duty diesel vehicles effective from 2016 on (CEC, 2005 and 2010).

Table 9. Limit values of exhaust gas emissions from diesel heavy duty vehicles in Japan

	1974	1977	1979	1983	1988	1994	1997	2003	2004	2005	2009	2016**
Test	6M					13M			JE05			WHTC
Unit	ppm					g/kWh						
CO	790	790	790	790	790	7.4	7.4	2.22	2.22	2.22	2.22	2.22
HC*	510	510	510	510	510	2.9	2.9	0.87	0.87	0.87	0.87	0.87
NOX	770	650	540	470	400	6	4.5	3.38	3.38	2	0.7	0.4
PM	-	-	-	-	-	0.7	0.25	0.18	0.18	0.03	0.01	0.01

Notes:

* From 2005 HC is changed to NMHC (Non Methane Hydro-Carbon).

** From 2016 Cold Start will be introduced and the weighting factor of Hot start is 86% while the weighting factor of Cold start is 14%.

64. These considerations highlight that, to date, road transport played a very prominent role in the limitation of health and environmental effects due to ICEs, including in those powered by diesel fuel oil. The efficacy of the regulations limiting the emissions of air pollutants from diesel ICEs used in road transport application is confirmed by the recognition that new diesel engines used on road vehicles contain far fewer particles and chemicals compared to older diesel ICEs, notwithstanding qualitative changes that require further research.

65. Some of the opportunities to further reduce emissions are available on stationary engines and the in-use mobile fleet, since older in-use diesel engines and vehicles can remain in operation for over 20 years. Such measures include retrofitting or removing the older in-use fleet off the road to ensure that newer engines and vehicles, which are compliant with newer more recent air pollutant regulations, have a chance to lead to improved health and environmental outcomes. Some initiatives in this area have already been undertaken by a number of governments. In particular, the Government of Canada is the co-chair of a pan-Canadian working group which holds discussions on reducing emissions from the in-use fleet. The working group has identified off- and on-road diesel emissions as a concern and is now looking at discrete initiatives to achieve reductions in this area over the next 3 years.

66. In some high exposure areas, there might be the need to set up policy measures aimed at replacing vehicles equipped with older engine technologies with new vehicles complying with the new regulations or to retrofit the engines with appropriate emission control devices. In this respect, countries like Canada and the United States of America are looking at initiatives aimed at exploring the financing options which can help support heavy duty fleets to further reduce GHG and air

pollutant emissions by making the purchase of emission reduction technologies for their in-use fleets more feasible and affordable.

67. Regulatory measures aiming to limit pollution from road transport applications were not frequently mirrored by comparable measures in other transport areas and in other economic domains, such as residential and commercial/institutional sector. This is especially relevant when looking at pollutants associated with diesel exhausts (namely PM and NO_x), since substantial amounts of diesel and residual fuel oil are combusted in applications widely employed in the energy, industry and residential/commercial sector, and since a significant fraction of these emissions (namely those originating in the residential and commercial sector, which is responsible for the largest fraction of PM emissions) is likely to insist on urban agglomerations, i.e. the areas subject to the largest exposure to air pollution.

VII.2 Further legislative action

68. Addressing the issues associated with the most problematic pollutants (PM, ground-level ozone, and NO_x) is likely to require further legislative action aiming at reducing the emissions of air pollutants.

69. Actions contributing to this target should take into account of the following elements:

- (a) The nature of the pollutants concerned, including information on the geographical scale that they are likely to affect (e.g. because of local meteorological characteristics, the chemical properties of the pollutant such as its average lifetime in different ambient conditions, etc.);
- (b) The sectors bearing most of the responsibility for their emissions in the atmosphere (likely to be targeted with higher priority, unless high costs justify taking action elsewhere), taking into account their importance in the areas characterized by the highest exposure levels.

70. In order to maximize their efficacy, it is widely recognized that all actions should make sure that they are maximizing social benefits while minimizing social costs.

71. Even if the definition of specific strategies will need to take into account local characteristics, a qualitative analysis indicates that higher priorities are more likely to target:

- (a) The urban fractions of the household and commercial/institutional sector;
- (b) Urban road mobility;
- (c) Industrial activities and energy transformation plants located close to urbanized regions.

72. In order to avoid further efforts in case of inefficient solutions, e.g. generating uneven costs (for comparable benefits) across different economic sectors, the same strategies will also need to consider the actions that have already been undertaken to date.

73. A complex task such as the abatement of harmful air pollutants in the ambient air is unlikely to be feasible using a single policy interventions or measures that are limited to specific sectors. This is especially true when policies do not only address air pollution, but also congestion, noise impact and abatement of greenhouse gases (e.g. CO₂ emission) contributing to climate change effects. An effective strategy should include the adoption of a package of instruments, often

comprising a range of different types of policies reinforcing the impact (and offsetting the disadvantages) of others (ADB, 2009).

74. The instruments available to get to this objective typically include economic measures, regulatory approaches and participatory initiatives. Economic measures comprise taxes, subsidies, the exemptions from levies and other financial incentives, or the combination of these instruments. Command and control (or regulatory) policies can be easier to implement than economic instruments, but they are not immune from inefficiencies such as the obligation to face different marginal costs for different users. They are best suited for a number of specific situations: emergencies, interventions targeting specific fields and cases when the optimum is very close to a condition that can be easily and precisely defined (e.g. zero emissions of a given pollutant, when even a small release of this pollutant would lead to high social and environmental losses). Participatory instruments are concerned with the direct involvement of consumers and businesses. They encompass awareness-raising campaigns, instruments capable to improve consumer information (e.g. labelling schemes or the dissemination of best practices) and the negotiation of voluntary agreements between the industry and regulators. They can be combined with economic instruments (e.g. reducing the cost of training programs through fiscal incentives, or using taxation in combination with labelling) and regulatory approaches (e.g. the progressive phase-out of obsolete and underperforming options, combined with labelling and awareness-raising initiatives).

75. The reduction of air pollution has been most frequently tackled with regulatory instruments. Economic instruments such as differentiated taxation on fuels (e.g. on natural gas for transport and residential/commercial heating) also exist. In most cases, however, they have been enforced to pursue primarily other policy objectives, such as energy diversification. Typical examples of regulatory policy interventions were mentioned earlier in this Section. They include mandatory fuel quality specifications and regulations limiting pollution levels (e.g. for noxious pollutants released by the combustion of fuels). In transport, other regulatory instruments can also target the access to different part of the infrastructures of the transportation network (e.g. city centers), speed limits, as well as decisions on land-use planning, e.g. to influence the development of urban areas along transit axes and to promote modal shifts in a way that favors less polluting options, like public transportation.

76. When looking at regulatory measures to be adopted in the future, it is important to underline that:

- (a) The same EEA report (EEA, 2010) identifying airborne particulate matter (PM), tropospheric (ground-level) ozone (O₃) and nitrogen dioxide (NO₂) as Europe's most problematic pollutants also openly recognizes that regulatory action such as the Euro vehicle emission regulations and EU directives on large combustion plants have considerably reduced emissions of PM, NMVOCs, NO_x and SO₂;
- (b) Recent EU legislations, like the Euro 5 and Euro 6 regulations for light road transport vehicle and the EURO VI regulation for engines used on heavy duty vehicles - recently introduced on a global level through UN Regulations Nos. 83 (UNECE, 2010) and 49 (UNECE, 2012) by the UNECE World Forum for Harmonization of Vehicle Regulations (WP.29) - have further strengthened the action being taken

on road transport vehicles⁴. Similar legislative initiatives have been enforced in North America (US EPA, 2000) and are being progressively considered in countries with rapidly increasing motorization rates;

- (c) For non-road transport modes, as well as other sectors, such as the household and commercial/institutional sector, legislative initiatives have been undertaken with less frequency and with lower ambitions than in road transport. One of the few examples of legislative action in the residential and commercial area is available in Germany, where new small firing installations, such as stoves, are subject to regulatory requirements, and where the same legislative framework also requires the modernization of existing installations of the same kind (BMU, 2010).

77. Considering specifically the diesel exhausts, action limiting air pollution is likely to be most urgently needed in exposure areas. In transport, the rapid motorization taking place in urban areas of emerging economies and developing countries, as well as the high motorization rate characterizing cities in developed regions are both likely to remain associated with high exposure to air pollution. This is likely to call for regulatory measures capable to promote a swifter evolution towards the adoption of advanced pollutant emission control technologies. The strong efforts already undertaken to reduce emissions of road vehicles for personal and collective use, as well as the contextual difficulties encountered in improving air quality to date, also encourage the adoption of measures that favor selection of transport modes that are characterized by lower emissions of pollutants. The example set by the pollutant emission regulation in road transport should also be extended (with greater ambition in comparison with current practice) to other transport modes whenever their contribution to the concentration of air pollution in high exposure areas like cities is relevant. Finally, pollutant emission mitigation should target all economic sectors, including applications that have not been targeted with the same stringency used for transport applications (such as residential diesel-powered heating plants).

VIII. Conclusions and recommendations

VIII.1 Conclusions

78. Many successful national and international policy and regulatory initiatives to control air pollutant emissions from the transportation sector that have led to significant reductions.

79. Air pollution continues to have varying and significant environmental and health-related impacts in specific areas, and for these reasons, it is important that regulatory bodies like World Forum for Harmonization of Vehicle Regulations and its Working Party on Pollution and Energy continue to support initiatives to reduce these emissions.

80. The WP.29 Secretariat is well-positioned to continue work that will result in reduced **air pollutant** emissions from vehicles and address the WHO reclassification of diesel exhaust because it provides a framework for developing globally harmonized regulations on vehicles, which encourages globally harmonized emissions standards. The development of stringent standards applied to

⁴ In the case of road transport, the scale and relevance of the action already taken in recent years (in relation to measures addressing other sectors) is further confirmed by the explicit reference to Euro 5/6 and EURO VI regulation amongst the key examples to take into account in the proposals for the forthcoming revision of the NEC Directive (EC, 2012a).

broader regions of the world will lead to environmental benefits, including reducing exposure of large populations to vehicle emissions.

81. As noted in paragraph 64, action limiting the exposure to air pollution, especially considering diesel engines, is urgently needed in all economic sectors and applications, and should not be limited to the transportation sector.

VIII.2 Recommendations

VIII.2.1 Within the current scope of WP.29 work

82. Understanding the purpose of the WHO reclassification and pending publication, there is now strong evidence on which to justify continued ~~and new UN GTR~~ development ~~to regulate~~of regulatory texts (such as UN GTRs and UN Regulations) concerning air pollutant emissions, including diesel exhaust.

83. Continued work of the WP.29 to reduce air emissions from vehicles could take different forms:

- (a) Amendment of exiting UN GTRs that are related to emissions to incorporate emission standards, i.e. amendments to UN GTR Nos. 4 (World Heavy Duty test Cycle) and 11 (non-road mobile machinery test cycle);
- (b) Development of new UN GTRs specific to air pollutant emission(s) and/or exhaust types;
- (c) [Specific to addressing the WHO reclassification of diesel exhaust, development of a new UN GTR specifically on diesel emissions that would incorporate emissions standards]
- (d) Amendment of current and/or development of new UN GTRs related to testing procedure for measuring emissions to more accurately reflect "real life" driving scenarios and emissions;
- (e) Continued work via established GRPE informal working groups focused on low emission vehicle technologies, like the informal working groups on EVE₇ and HDH ~~and non-road mobile machinery (NRMM)~~ and/or the ~~development establishment~~ of new GRPE informal working groups focused on new low emission vehicle equipment and/or technologies.

VIII.2.2 Outside of the current scope of WP.29 work

84. Recognizing that the WHO reclassification press release specifically notes slow in-use fleet and fuel turn-over as problematic, along with lagging emission standards in non-road applications world-wide, the following areas are proposed as recommendations for areas of work to be completed by the UNECE at large:

- (a) Measures to reduce emissions from the in-use fleet (e.g. the application of periodical technical inspections to vehicles in use);
- (b) Measures to reduce emissions from non-road applications (e.g.: stationary diesel engines);
- (c) Measures to reduce emissions from the marine sector;
- (d) Measures to reduce emissions by adopting use of cleaner fuels.

IX. References

- ADB (2009), *Rethinking Transport and Climate Change*, ADB Sustainable Development Working Paper Series, <http://www.adb.org/Documents/Papers/ADB-Working-Paper-Series/ADB-WP10-Rethinking-Transport-Climate-Change.pdf>
- BMU (Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit) (2010), General information Air Pollution Control, http://www.bmu.de/english/air_pollution_control/general_information/doc/4352.php
- CEC (Central Environment Council) (2005), Future Policy for Motor Vehicle Emission Reduction (Eighth Report), <http://www.env.go.jp/en/air/aq/mv/vehicle-8th.pdf>
- CEC (Central Environment Council) (2010), Future Policy for Motor Vehicle Emission Reduction (Tenth Report), <https://www2.env.go.jp/library/materials/37194>
- CEIP (Centre on Emission Inventories and Projections) (2012), WebDab -EMEP (Co-operative programme for monitoring and evaluation of long range transmission of air pollutants in Europe) database, <http://www.ceip.at/webdab-emission-database/>
- EC (European Commission) (2001), Directive 2001/81/EC of the European Parliament and of the Council of 23 October 2001 on national emission ceilings for certain atmospheric pollutants, <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2001:309:0022:0030:EN:PDF>
- EC (2005), Thematic Strategy on air pollution, COM(2005) 446, <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=COM:2005:0446:FIN:EN:PDF>
- EC (2008), Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe, <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:152:0001:0044:EN:PDF>
- EC (2011), The Sixth Community Environment Action Programme. Final assessment, COM(2011) 531, <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=COM:2011:0531:FIN:EN:PDF>
- EC (2012a), European Commission, Environment, Air, Emissions of Air Pollutants, Revision of the National Emission Ceilings Directive, http://ec.europa.eu/environment/air/pollutants/rev_nec_dir.htm
- EC (2012b), European Commission, Environment, Air, Emissions of Air Pollutants, National Emission Ceilings, <http://ec.europa.eu/environment/air/pollutants/ceilings.htm>
- EEA (European Environment Agency) (2010), The European environment - state and outlook 2010. Air pollution, http://www.eea.europa.eu/soer/europe/air-pollution/at_download/file
- EEA (2012a), European Union emission inventory report 1990–2010 under the UNECE Convention on Long-range Transboundary Air Pollution (LRTAP), http://www.eea.europa.eu/publications/eu-emission-inventory-report-1990-2010/at_download/file
- EEA (2012b), Eleven Member States exceed air emissions limits under LRTAP Convention, <http://www.eea.europa.eu/highlights/eleven-member-states-exceed-air>
- International Agency for research on Cancer, World Health Organization (IARC) (2012), IARC: Diesel engines exhaust carcinogenic, press release N° 213, 12 June 2012, http://press.iarc.fr/pr213_E.pdf
- International Road Transport Union (IRU) 2012, Vehicles are getting cleaner worldwide, quoting a Price Waterhouse Coopers report (2008), personal communication
- Jacobson, M. Z. (2012), *Air Pollution and Global Warming: History, Science, and Solutions*, <http://www.cambridge.org/gb/knowledge/isbn/item6633790>
- JASIC (Japan Automobile Standards Internationalization Center) (2013), direct communication

UNECE (1979), Convention on Long-range Transboundary Air Pollution, http://www.unece.org/env/lrtap/lrtap_h1.html

UNECE (1999), Gothenburg Protocol to Abate Acidification, Eutrophication and Ground-level Ozone, http://www.unece.org/env/lrtap/multi_h1.html

UNECE (2010), Report of the World Forum for Harmonization of Vehicle Regulations on its 150th session, paragraph 83, <http://www.unece.org/fileadmin/DAM/trans/doc/2010/wp29/ECE-TRANS-WP29-1083e.pdf>

UNECE (2012), Report of the World Forum for Harmonization of Vehicle Regulations on its 157th session, paragraph 77, http://www.unece.org/fileadmin/DAM/trans/doc/2012/wp29/ECE-TRANS-WP29-1097e_01.pdf

UNECE (2013a), UN Global Technical Regulation No. 4 (worldwide harmonized heavy duty test cycle) and, http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29glob_registry.html

UNECE (2013b), UN Global Technical Regulation No. 5 (on-board diagnostic systems for road vehicles), http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29glob_registry.html

UNECE (2013c), UN Global Technical Regulation No. 5 (off-cycle emissions), http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29glob_registry.html

UNECE (2013d), UN Global Technical Regulation No. 2 (worldwide harmonized motorcycle test cycle), http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29glob_registry.html

UNECE (2013e), UN Global Technical Regulation No. 11 (non-road mobile machinery test cycle), http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29glob_registry.html

UNECE (2013f), WLTP UN GTR: draft texts, <https://www2.unece.org/wiki/display/trans/WLTP+UN+GTR%3A+draft+texts>

UNECE (2013g), UN Regulation No. 83 (emissions of M₁ and N₁ vehicles), <http://www.unece.org/trans/main/wp29/wp29regs81-100.html>

UNECE (2013h), UN Regulation No. 49 (emissions of heavy duty engines), <http://www.unece.org/trans/main/wp29/wp29regs41-60.html>

UNECE (2013i), UN Regulation No. 83 (emissions of agricultural tractors and non-road mobile machinery), <http://www.unece.org/trans/main/wp29/wp29regs81-100.html>

UNECE (2013i), Retrofit Emission Control devices (REC), <https://www2.unece.org/wiki/pages/viewpage.action?pageId=2523175>

US EPA (United States Environmental Protection Agency) (2000), Control of Air Pollution From New Motor Vehicles: Tier 2 Motor Vehicle Emissions Standards and Gasoline Sulphur Control Requirements, <http://www.gpo.gov/fdsys/pkg/FR-2000-02-10/pdf/00-19.pdf>

US EPA (2002), Diesel Hazard Assessment Document for Diesel Engine Exhaust, EPA600-9-90-057F Office of Research and Development, Washington DC, <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=29060>

US EPA (2011a), National Ambient Air Quality Standards (NAAQS), <http://www.epa.gov/air/criteria.html>

US EPA (2011b), Air quality, <http://www.epa.gov/airquality/cleanair.html>

US EPA (2012a), What Are the Six Common Air Pollutants?, <http://www.epa.gov/air/urbanair/>

US EPA (2012b), National Emissions Inventory (NEI) Air Pollutant Emissions Trends Data, <http://www.epa.gov/ttn/chief/trends/index.html#tables>

Wild. C. (2012), Videocast, http://www.iarc.fr/en/media-centre/iarcnews/2012/mono105-videocast_Wild.php

WHO (World Health Organization) (2011), Air quality and health, Fact sheet N°313, <http://www.who.int/mediacentre/factsheets/fs313/en/index.html>